

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622009400](#)
Status: **Active**
Description: Flat Rock Tool for Mini-Fit CPI™ Header

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com/review/apptool_survey.html
Tool Type	N/A

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-622009400
-------------------------------	---------------



EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	
Need more information on product environmental compliance?	

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T3002Series

Use With

43879 Mini-Fit CPI™ Header

Application Tooling Description	FAQ Product #
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating	0438790056
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, 0.76µm (30µ") Gold (Au)	0438790060

Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438796012
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438799904
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438790062
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438790045
Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, Tin/Lead (Sn/Pb) Overall Plating 4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating 4.20mm (.165")	0438796018
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 4 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating	0438799901

4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 4 Circuits, Tin (Sn) Plating	0438790022
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, Tin (Sn) Plating	0438790023
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, Tin (Sn) Plating	0438790025
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Tin (Sn) Plating	0438790029
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 24 Circuits, Tin (Sn) Plating	0438790032
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, Circuit 1 Voided, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438794000
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, Board Mounting Clips, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438795003
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 24 Circuits, Board Mounting Clips, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438795010

4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796004
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796005
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796006
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796008
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796009
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, Make First/ Break Last, 2.54µm (100µ") Tin (Sn) over Nickel Plating	0438796010
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 4 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating	0438790055

4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, Tin (Sn) Plating	0438790027
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Circuits 7,16 Voided, 0.76µm (30µ")Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating	0438794001
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Circuits 7,16 Voided, 0.76µm (30µ")Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating	0438794003
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating	0438796000
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating	0438796003
4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/	0438796007

Lead PressFit Tail Plating 4.20mm (.165")	0438796011
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating 4.20mm (.165")	0438796014
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438796015
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438796016
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438796017
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating 4.20mm (.165")	0438796019
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, MakeFirst/	

Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn)/ Lead PressFit Tail Plating 4.20mm (.165")	0438796020
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, MakeFirst/ Break Last, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438790033
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 4 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead (Sn/Pb) PressFit Tail Plating 4.20mm (.165")	0438790034
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 6 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead (Sn/Pb) PressFit Tail Plating 4.20mm (.165")	0438790036
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead (Sn/Pb) PressFit Tail Plating 4.20mm (.165")	0438790038
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 14 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead (Sn/Pb) PressFit Tail Plating 4.20mm (.165")	0438790040
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 18 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead	

(Sn/Pb) PressFit Tail Plating 4.20mm (.165") Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 24 Circuits, Gold (Au) Selective Contact Plating, Tin/Lead (Sn/Pb) PressFit Tail Plating 4.20mm (.165")	0438790043
Header, Compliant Pin Interface, Dual Row, Vertical, 10 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating 4.20mm (.165")	0438790058
Pitch Mini-Fit® CPI Header, Compliant Pin Interface, Dual Row, Vertical, 24 Circuits, 0.76µm (30µ") Gold (Au) Selective Contact Plating, Tin (Sn) PressFit Tail Plating	0438790065

This document was generated on 05/18/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION