

#### This document was generated on 05/04/2011

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status:

## <u>0622018607</u> Active

Description:

Press-In Tool, GbX I-Trac<sup>™</sup> Vertical Header 7 Row, 4 Column

### **Documents:**

RoHS Certificate of Compliance (PDF)


## General

Product Family Series Comments Function Geographic Area Level of Automation More Detailed Tech Information Product Name Survey Tool Type

### Material Info

**Reference - Drawing Numbers** Application Tooling Documents Application Tooling <u>T3002</u> See Tooling Specification (PDF) Above, Press-In Tool Insertion Global Manual applicationtooling@molex.com PremiumGrade<sup>™</sup> www.molex.com//review/apptool\_survey.html Handtool

ATS-622018607, TM-622018699, TM-622022099



1.85mm by 3.70mm 0760151414

(.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided,

Left End Wall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760151424 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Dual End Walls, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760151434 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Right End Wall, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760150404 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760150424 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Dual End Walls, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760151403 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0760151404 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224")

1.85mm by 3.70mm 0760151405 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760151413 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Left End Wall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0760151423 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Dual End Walls, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0760151433 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Right End Wall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0760153402 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 3.90mm (.153"), Lead Free 1.85mm by 3.70mm 0760153403 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.185"), Lead Free 1.85mm by 3.70mm 0760153405 (.073" by .146") Pitch, GbX I-Trac™

Vertical Header Module, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760153434 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Key Orientation C, Mating Pin Length 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760155402 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 3.90mm (.153"), Lead Free 1.85mm by 3.70mm 0760155403 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760155405 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760157403 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Endwall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760157405 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide,

Right Endwall, 7 Rows, 4 Columns, 56 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760158404 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Endwall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760159403 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Endwall, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760159405 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Endwall, 7 Rows, 4 Columns, 56 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free

# This document was generated on 05/04/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION