

This document was generated on 05/09/2011

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

 Part Number:
 0622018608

 Status:
 Active

**Description:** Press-In Tool, GbX I-Trac<sup>™</sup> Vertical Header 7 Row, 6 Column

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series T3002

Comments See Tooling Specification (PDF) Above, Press-In Tool

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>

Product Name PremiumGrade™


Survey <u>www.molex.com//review/apptool\_survey.html</u>

Tool Type Handtool

**Material Info** 

**Reference - Drawing Numbers** 

Application Tooling Documents ATS-622018608, TM-622018699, TM-622022099



**China RoHS** 

EU RoHS

Compliance Status
Not Reviewed

REACH SVHC Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T3002Series

**Use With** 

GbX I-Trac™ Backplane Signal Module, 76015 Series

Application Tooling | FAQ | Product #

1.85mm by 3.70mm 0760159603

(.073" by .146") Pitch, GbX I-Trac™

Vertical Header

Module, Right Guide,

Left Endwall, 7

Rows, 6 Columns, 84 Circuits, Mating

Pin Length 4.70mm

(.184"), Lead Free

1.85mm by 3.70mm 0760153604

(.073" by .146")

Pitch, GbX I-Trac™

Vertical Header Module, Left Guide,

Right Open, 7 Rows,

6 Columns, 84 Circuits, Mating Pin Length 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760150624 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Dual End Walls, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 5.70mm (.224")1.85mm by 3.70mm 0760151602 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 3.90mm (.153") 1.85mm by 3.70mm 0760151603 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0760151604 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 5.70mm (.224") 1.85mm by 3.70mm 0760151605 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760151612 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Left End Wall, 7 Rows, 6 Columns, 84 Circuits, Mating

Pin Length 3.90mm (.153")1.85mm by 3.70mm 0760151613 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Left End Wall, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0760151623 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Dual End Walls, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0760151633 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Unguided, Right End Wall, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0760153603 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185"), Lead Free 1.85mm by 3.70mm 0760155603 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760155605  $(.073" \ \text{by} \ .146")$ Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free 1.85mm by 3.70mm 0760157603 (.073" by .146")

Pitch, GbX I-Trac™ Vertical Header Module, Left Guide, Right Endwall, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.184"), Lead Free 1.85mm by 3.70mm 0760159602 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Endwall, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 3.90mm (.153"), Lead Free 1.85mm by 3.70mm 0760159605 (.073" by .146") Pitch, GbX I-Trac™ Vertical Header Module, Right Guide, Left Endwall, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224"), Lead Free

This document was generated on 05/09/2011

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION