

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0691271001](#)
Status: **Active**
Description: Semi-Automatic Bench Press PB14 for 90327 Connectors, 4 to 26 Circuit

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3012
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PB14
Survey	www.molex.com/review/apptool_survey.html
Tool Type	Bench Press

Material Info

Reference - Drawing Numbers

Application Tooling Documents [TM-691271001](#)



EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3012Series](#)

Use With

[69127-5045](#) De-Tape, [69127-5043](#) (110v) De-Tape

Application Tooling | FAQ

Description	Product #
1.27mm (.050") Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, Natural, Gold Plated, Reeling Option D	0903273316
1.27mm (.050") Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Gold Plated, Reeling Option A	0903273353

PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Gold Plated, Reeling Option C 1.27mm (.050") Pitch Picoflex®	0903273354
PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Gold Plated, Reeling Option D 1.27mm (.050") Pitch Picoflex®	0903273355
PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Gold Plated, Reeling Option A 1.27mm (.050") Pitch Picoflex®	0903273357
PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Gold Plated, Reeling Option C 1.27mm (.050") Pitch Picoflex®	0903273358
PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Gold Plated, Reeling Option D 1.27mm (.050") Pitch Picoflex®	0903273360
PF-50, Low Profile, IDT Receptacle, 8 Circuits, Natural, Gold Plated, Reeling Option B 1.27mm (.050") Pitch Picoflex®	0903273362
PF-50, Low Profile, IDT Receptacle, 8 Circuits, Natural, Gold Plated, Reeling Option D 1.27mm (.050") Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, Natural, Gold Plated, Reeling Option A 1.27mm (.050") Pitch	0903273363
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, Natural, Gold Plated, Reeling Option B 1.27mm (.050") Pitch	0903273364
Picoflex® PF-50, Low Profile, IDT Receptacle, 14	0903273371

Circuits, Natural,
Gold Plated, Reeling
Option A
1.27mm (.050") Pitch 0903273374
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, Natural,
Gold Plated, Reeling
Option D
1.27mm (.050") Pitch 0903273384
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, Natural,
Gold Plated, Reeling
Option B
1.27mm (.050") Pitch 0903273388
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 26
Circuits, Natural,
gold Plated, Reeling
Option B
1.27mm (.050") Pitch 0903273389
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 26
Circuits, Natural,
Gold Plated, Reeling
Option C
1.27mm (.050") Pitch 0903270363
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 10
Circuits, Natural, Tin
Plated, Tin Plated,
Reeling Option A
1.27mm (.050") Pitch 0903273324
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 24
Circuits, Natural,
Gold Plated
1.27mm (.050") Pitch 0903273320
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, Natural,
Gold Plated, Reeling
Option A
1.27mm (.050") Pitch 0903270397
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 24
Circuits, Natural, Tin
Plated, Tin Plated,
Reeling Option C
1.27mm (.050") Pitch 0903273368
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, Natural,
Gold Plated, Reeling
Option B

1.27mm (.050") Pitch 0903273372
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 14
 Circuits, Natural,
 Gold Plated, Reeling
 Option B
 1.27mm (.050") Pitch 0903273376
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 16
 Circuits, Natural,
 Gold Plated, Reeling
 Option B
 1.27mm (.050") Pitch 0903273380
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 18
 Circuits, Natural,
 Gold Plated, Reeling
 Option B
 1.27mm (.050") 0903270351
 Pitch Picoflex®
 PF-50, Low Profile,
 IDT Receptacle, 4
 Circuits, Natural,
 Tin Plated, Reeling
 Option A
 1.27mm (.050") Pitch 0903270387
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 26
 Circuits, Natural, Tin
 Plated, Tin Plated,
 Reeling Option A
 1.27mm (.050") Pitch 0903270388
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 26
 Circuits, Natural, Tin
 Plated, Tin Plated,
 Reeling Option B
 1.27mm (.050") Pitch 0903270389
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 26
 Circuits, Natural, Tin
 Plated, Tin Plated,
 Reeling Option C
 1.27mm (.050") Pitch 0903270390
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 26
 Circuits, Natural, Tin
 Plated, Tin Plated,
 Reeling Option D
 1.27mm (.050") Pitch 0903270393
 Picoflex® PF-50,
 Low Profile, IDT
 Receptacle, 22
 Circuits, Natural, Tin
 Plated, Tin Plated,
 Reeling Option C
 1.27mm (.050") 0903270304
 Pitch Picoflex®

PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch Picoflex®	0903270306
PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Thin Plated 1.27mm (.050") Pitch Picoflex®	0903270308
PF-50, Low Profile, IDT Receptacle, 8 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270310
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270312
Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270314
Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270316
Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270318
Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270320
Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270322
Picoflex® PF-50, Low Profile, IDT Receptacle, 22 Circuits, Natural, Tin Plated 1.27mm (.050") Pitch	0903270324
Picoflex® PF-50, Low Profile, IDT Receptacle, 24 Circuits, Natural, Tin Plated,	

1.27mm (.050") Pitch	0903270326
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, Natural, Tin Plated	
1.27mm (.050")	0903270352
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Tin Plated, Reeling Option B	
1.27mm (.050")	0903270353
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Tin Plated, Reeling Option C	
1.27mm (.050")	0903270354
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, Natural, Tin Plated, Reeling Option D	
1.27mm (.050")	0903270355
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Tin Plated, Reeling Option A	
1.27mm (.050")	0903270356
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Tin Plated, Reeling Option B	
1.27mm (.050")	0903270357
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Tin Plated, Reeling Option C	
1.27mm (.050")	0903270358
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, Natural, Tin Plated, Reeling Option D	
1.27mm (.050")	0903270359
Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, Natural, Tin Plated, Reeling Option A	

This document was generated on 05/04/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION