



Columns, 84 Circuits, Lead Free 1.85mm by 3.70mm (.073" by .146") Pitch, GbX I- Trac™ Right Angle Receptacle Module, Right Guide 7 Row with ESD Clip, 10 Columns, 140 Circuits	0760204056
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I- Trac™ Right Angle Receptacle Module, Right Guide 7 with ESD Clip, Row, 10 Columns, 140 Circuits, Lead Free	0760205056
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I- Trac™ Right Angle Receptacle Module, Right Guide 7 Row, 10 Columns, Polarization Key A, 84Circuits, Lead Free	0760205106
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I- Trac™ Right Angle Receptacle Module, Right Guide 7 Row, 10 Columns, Polarization Key B, 84 Circuits, Lead Free	0760205206
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm (.185")	0760111633
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm (.149") & 4.70mm (.185")	0760111635
1.85mm by 3.70mm (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header	0760119635

Module, Right  
 Guided Inverted,  
 Left Wall , 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 4.70mm  
 (.185") & 5.70mm  
 (.224"), Lead Free  
 1.85mm by 3.70mm 0760115633  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Coplanar,  
 Left Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Mating Pin Length  
 4.70mm (.185"),  
 Lead Free  
 1.85mm by 3.70mm 0760113633  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Left Guided  
 Coplanar, Right  
 Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Mating Pin Length  
 4.70mm (.185"),  
 Lead Free  
 1.85mm by 3.70mm 0760115623  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Coplanar,  
 Left Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Mating Pin Length  
 4.70mm (.185"),  
 Lead Free  
 1.85mm by 3.70mm 0760110605  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Unguided,  
 Open Ends, 7 Rows,  
 6 Columns, 84  
 Circuits, Staggered  
 Mating Pin Length  
 3.80mm (.149") &  
 4.70mm (.185")  
 1.85mm by 3.70mm 0760111603  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Unguided,  
 Open Ends, 7 Rows,  
 6 Columns, 84  
 Circuits, Mating Pin  
 Length 4.70mm  
 (.185")  
 1.85mm by 3.70mm 0760111605  
 (.073" by .146")  
 Pitch, GbX I-Trac™

Right Angle Header  
 Module, Unguided,  
 Open Ends, 7 Rows,  
 6 Columns, 84  
 Circuits, Staggered  
 Mating Pin Length  
 3.80mm (.149") &  
 4.70mm (.185")  
 1.85mm by 3.70mm 0760112625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Left Guided  
 Coplanar, Right  
 Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 3.80mm  
 (.149") & 4.70mm  
 (.185")  
 1.85mm by 3.70mm 0760113623  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Left Guided  
 Coplanar, Right  
 Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Mating Pin Length  
 4.70mm (.185"),  
 Lead Free  
 1.85mm by 3.70mm 0760113635  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Left Guided  
 Coplanar, Right  
 Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 4.70mm  
 (.185") & 5.70mm  
 (.224"), Lead Free  
 1.85mm by 3.70mm 0760114625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Coplanar,  
 Left Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 3.80mm  
 (.149") & 4.70mm  
 (.185")  
 1.85mm by 3.70mm 0760115625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Coplanar,  
 Left Open, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 3.80mm

(.149") & 4.70mm  
 (.185")  
 1.85mm by 3.70mm 0760117625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Left Guided  
 Coplanar, Right  
 Closed, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 4.70mm  
 (.185") & 5.70mm  
 (.224"), Lead Free  
 1.85mm by 3.70mm 0760118625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Inverted,  
 Left Wall , 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 4.70mm  
 (.185") & 5.70mm  
 (.224")  
 1.85mm by 3.70mm 0760119625  
 (.073" by .146")  
 Pitch, GbX I-Trac™  
 Right Angle Header  
 Module, Right  
 Guided Coplanar,  
 Left Wall, 7 Rows, 6  
 Columns, 84 Circuits,  
 Staggered Mating  
 Pin Length 4.70mm  
 (.185") & 5.70mm  
 (.224"), Lead Free  
 1.85mm by 3.70mm 0760200006  
 (.073" by .146")  
 Pitch, GbX I-  
 Trac™ Right Angle  
 Receptacle Module,  
 Unguided, 7 Row, 6  
 Columns, 84 Circuits  
 1.85mm by 3.70mm 0760201006  
 (.073" by .146")  
 Pitch, GbX I-  
 Trac™ Right Angle  
 Receptacle Module,  
 Unguided, 7 Row, 6  
 Columns, 84 Circuits,  
 Lead Free  
 1.85mm by 3.70mm 0760202006  
 (.073" by .146")  
 Pitch, GbX I-  
 Trac™ Right Angle  
 Receptacle Module,  
 Left Guide 7 Row, 6  
 Columns, 84 Circuits  
 1.85mm by 3.70mm 0760203006  
 (.073" by .146")  
 Pitch, GbX I-  
 Trac™ Right Angle  
 Receptacle Module,

Left Guide 7 Row, 6  
Columns, 84 Circuits,  
Lead Free  
1.85mm by 3.70mm 0760203106  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right Angle  
Receptacle Module,  
Left Guide 7 Row, 6  
Columns, 84 Circuits,  
Polarization Key A,  
Lead Free  
1.85mm by 3.70mm 0760203156  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right Angle  
Receptacle Module,  
Left Guide with  
ESD clip, 7 Row, 6  
Columns, 84 Circuits,  
Polarization Key A,  
Lead Free  
1.85mm by 3.70mm 0760203206  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right Angle  
Receptacle Module,  
Left Guide 7 Row, 6  
Columns, 84 Circuits,  
Polarization Key B,  
Lead Free  
1.85mm by 3.70mm 0760204006  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right Angle  
Receptacle Module,  
Right Guide 7 Row, 6  
Columns, 84 Circuits  
1.85mm by 3.70mm 0760205006  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right Angle  
Receptacle Module,  
Right Guide 7 Row, 6  
Columns, 84 Circuits,  
Lead Free  
1.85mm by 3.70mm 0760205156  
(.073" by .146")  
Pitch, GbX I-  
Trac™ Right  
Angle Receptacle  
Module, Right Guide  
with ESD Clip, 7  
Row, 6 Columns,  
Polarization Key A,  
84 Circuits, Lead  
Free

This document was generated on 05/09/2011

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**