



Coil Data

Nominal power : 360mW

Contact Data

Contact material : Ag alloy.
Contact rating : 1A : 15A125V ac/24V dc, 10A 250V ac.
: 1C:10A 120VC/24V dc, 6A 250V ac
: TV-5.
Maximum switching voltage : 250V ac/24V dc.
Maximum switching current : 15A.
Maximum switching power : 1800VA, 360W.
Minimum switching load : 5V dc, 100mA.
Contact resistance : Maximum 50mΩ (6V dc 1A).

Life

Electrical : 100,000 operations.
Mechanical : 10,000,000 operations.

General Data

Insulation resistance : Minimum 1000MW 500V dc.
Dielectric strength : 750V ac, 1 min between open contacts.
: 1500V ac, 1 min between coil and contacts
Operate time : Maximum 10ms.
Release time : Maximum 5ms.
Operate temperature : -30 to +85°C.

Shock Resistance

Endurance : 1000m/s².
Misoperation : 100m/s².

Vibration Resistance


Endurance : 10 to 55Hz, 1.5mm double amplitude.
Misoperation : 10 to 55Hz, 1.5mm double amplitude.
Humidity : 35% to 95% RH, +40°C.
Weight : Approximately 10g.

Coil Data Chart

20°C



Part Number	Nominal Voltage V dc	Coil Resistance W $\pm 10\%$	Operate Voltage $\leq V$ dc	Release Voltage $\geq V$ dc	Coil Power mW	Contact Form
MC25138	12	400	8.40	1.20	360	1 Form C
MC25139	24	1600	16.8	2.40		

Dimensions.





Dimensions : Millimetres

Characteristic Chart Data



Characteristic Chart Data



Part Number Table

Description	Part Number
Relay	MC25138
Relay	MC25139

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC Multicom is the registered trademark of the Group. © Premier Farnell plc 2011.