THERMOCOUPLE TERMINAL BLOCKS DIN RAIL MOUNTING AND AUDIT CAPABLE

PATENT PENDING

Covered by U.S. and International patents and pending applications






- Screw Type Terminal for Secure and Maintenance Free Connections
- Type K, J, T, E, N, R/S and U Calibrations
- Built in Miniature Female Thermocouple Connector for Auditing and Troubleshooting
- Fully Enclosed—No End Plates Required
- DIN Rail Mountable—Narrow 10.7 mm Width
- Identified with Calibration and "+, -" Connections
- Write-On Window Included

The new DRTB Series thermocouple terminal blocks are manufactured with thermocouple-grade alloys to guarantee accurate readings. A built-in SMP-compatible female receptacle accepts a miniature thermocouple connector. The female connector allows the user to connect to a handheld meter for applications such as data collection, quality assurance compliance, capability studies and trouble shooting installation or repairs.

The plastic housing is made from gray polyamide 6.6 thermoplastic resin with a UL 94 VO rating for 85°C. These





Shown with RECK1-10 cable, \$18.50 and the HH506RA datalogger/thermometer, \$165 with RS232C interface.

thermocouple terminal blocks are fully enclosed and require no end plates. The screws and clamps are zinc plated, and together they provide an excellent vibration, maintenance free and corrosion resistant connection.

DRTB terminal blocks mount on standard 35 mm DIN rails or 32 mm G-type rails, and are identified with calibration type and positive (+) and negative (-) connections. Wire entry is funneled to allow quick wire insertion even with stranded wire.

SPECIFICATIONS

Terminal Width: 10.7 mm (0.422")

Terminal Length/Height:

51 mm (2.008")/42.3 mm (1.666")

Installed Height to 35 x 7.5 mm/

35 x 15 mm DIN Rail:

43.5 mm (1.713")/51 mm (2.009")

Maximum Wire Size: 12 AWG/2.5 mm²


Stripping Length: 8 mm (0.31")

Torque in Nm (in-lb): 0.6 to 0.8 (5.3 to 7.1)

Temperature Rating: -40 to 85°C (-40 to 185°F)

L-x





To Order (S	pecify Mode	l Number)	AVAILABLE FOR FAST DELIVERY!		
		CALIBRATION		COMPENSATING ALLOYS	
MODEL NO.	PRICE	ALLOY COL	ÞΕ	+	-
DRTB-K	\$8	K		CHROMEGA®	ALOMEGA®
DRTB-T	8	Т		Copper	Constantan
DRTB-J	8	J		Iron	Constantan
DRTB-E	8	E		CHROMEGA®	Constantan
DRTB-N	8	N		OMEGA-P®	OMEGA-N®
DRTB-U	8	U		Copper	Copper
DRTB-R/S	8	R/S		Copper	RNX/SNX



ACCESSORIES

MODEL NO.	PRICE	DESCRIPTION	
DRTB-RAIL-3575	\$9.00	DIN rail, 35 x 7.5 mm x 2 m (1.4 x 0.30" x 6.6'), slotted	
DRTB-RAIL-3575-S	9.30	DIN rail, 35 x 7.5 mm x 2 m (1.4 x 0.30" x 6.6'), solid	
DRTB-RAIL-3515	17.00	DIN rail, 35 x 15 mm x 2 m (1.4 x 0.60" x 6.6'), slotted	
DRTB-RAIL-3515-S	17.00	DIN rail, 35 x 15 mm x 2 m (1.4 x 0.60" x 6.6'), solid	
DRTB-WINDOW-10	2.00	Replacement write-on window for DRTB terminal blocks, pkg 10	
HH506RA	165.00	Dual input, high accuracy datalogger and thermometer with RS232C interface and software	
REC(*)1-10	18.50	Retractable extension cable with 2 SMP miniature male connectors, 0.3 m (1') (expands to 1.5 m (5')	
REC(*)4-10	33.50	Retractable extension cable with 2 SMP miniature male connectors, 1.2 m (4') (expands to 6.1 m (20')	

(*) Specify thermocouple calibration: J, K, T or E

Ordering Example: DRTB-K, Type K thermocouple terminal block for DIN rail mounting with RECK1-10, Type K, 0.3 m (1') retractable extension cable, \$8 + 18.50 = \$26.50.

Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

www.omega.com



UNITED STATES

www.omega.com 1-800-TC-OMEGA Stamford, CT.

CANADA

www.omega.ca Laval(Quebec) 1-800-TC-OMEGA

GERMANY

www.omega.de Deckenpfronn, Germany 0800-8266342

UNITED KINGDOM

www. omega.co.uk Manchester, England 0800-488-488

FRANCE

www.omega.fr Guyancourt, France 088-466-342

CZECH REPUBLIC

www.omegaeng.cz Karviná, Czech Republic 596-311-899

BENELUX

www.omega.nl Amstelveen, NL 0800-099-33-44



More than 100,000 Products Available!

Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

Data Acquisition

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters

• click here to go to the omega.com home page •