




Home > Products > MICRO SWITCH™ Sealed and High Accuracy Switches > AT > Product Page

Order Product and Get Support

- U.S. Authorized Distributors
- Global Sales & Service
- N. American Sales Reps
- Distributor Inventory
- Technical Assistance
- White Papers
- Literature Request
- Test and Measurement Catalog
- RoHS Product List
- Customer Feedback

68AT11-5K



Actual product appearance may vary.

AT Series Toggle Switch, 8 pole, 3 position, Solder T2 type terminal, Locking Lever

Features

Gold or silver contacts
Choice of sealed bushing
Standard or pull to unlock toggle lever
Short behind-panel depth
Solder or quick connect termination
2, 4, 6, or 8 SPDT precision basic switches
2 or 3 position, momentary or maintained action

Potential Applications

Industrial machinery and equipment
Military and commercial aviation
Construction equipment
Test instruments
Agricultural machinery
Process control
Medical instrumentation

Description

Compact multipole 2, 4, 6, or 8 SPDT design. MICRO SWITCH™ precision basic switches conserve space and weight. Pull-to-Unlock Toggle Levers prevent accidental operation: the lever must be pulled approximately 2.3 mm [0.09 inches] to change the positions. Many locking configurations are available. Lever to bushing seals. Hermetic basic switches are available. AT qualified versions meet MILS-8805/98. Various levers and styles are available.

Supporting Documentation

- Panel Cutout
- Accessory: Seals
- Accessory: Nuts
- Engineering Drawing

My Links

Login to iCOM
Login as Rep/AD
Login as Guest
Login to Digital University

Keyword Search

Search for product and support information.

All Sensing and Control

Product Search

Part number search:

Use (*) to expand search

Specification Search

Product Specifications

Circuitry/Operating action	Opposite		
	Keyway	Center	Keyway
	Momentary	Maintained	Maintained

Product Type	MICRO SWITCH™ Toggle
Ampere/Voltage Range (Resistive Load)	0.1 A to 7.0 A at 0.5 Vdc to 28 Vdc
Circuitry	8PDT
Action	3 position
Mounting	Bushing 15/32 in
Termination	Solder T2 type
Comment	Contains SX basic switches
Availability	Global
UNSPSC Code	30211908
UNSPSC Commodity	30211908 Toggle switches
Series Name	AT