

# Common Mode Filters(SMD)

For USB / LVDS

## **TCM** series

Туре:	TCM0806G	[0302 inch]*
		* Dimensions Code JIS[EIA]

Issue date: December 2010

• All specifications are subject to change without notice.

• Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.

**Conformity to RoHS Directive** 

**&TDK** 

# Common Mode Filters(SMD) For High-speed Differential Signal Line

### TCM Series TCM0806G Type

#### FEATURES

- The TCM0806G (L0.85×W0.65×T0.40mm) is an ultra-compact common mode filter that is in the smallest class in the industry.
- · By providing wide bandwidth (cutoff frequency: 3GHz) for differential mode, this product has almost no effect for highspeed differential signals and can suppress the radiated emission.
- This product contains no lead and supports lead-free soldering.

#### **APPLICATIONS**

- · High speed interface(LVDS, IEEE1394 and USB2.0) in electronics devices.
- Portable audio, digital cellular phones, DVC, DSC, PDP/LCD/ DLP/PJ TVs, DVD players, notebook PCs, amusement machines, etc.

#### **TEMPERATURE RANGE**

	· · · · -
Operating	–25 to +85°C
oporaning	2010.000

#### **PRODUCT IDENTIFICATION**

TCM	0806	G-	900	- 2P	- т
(1)	(2)	(3)	(4)	(5)	(6)


- (1) Series name
- (2) Dimensions L×W
- (3) Product identification number
- (4) Impedance[at 100MHz]
- 900: 90Ω
- (5) Number of line 2P: 2-line
- (6) Packaging style T: ø180mm reel taping

### PACKAGING STYLE AND QUANTITIES


Packaging style	Quantity
Taping	10000 pieces/reel

#### SHAPES AND DIMENSIONS/CIRCUIT DIAGRAM/RECOMMENDED PC BOARD PATTERN

Weight: 1mg



No polarity



#### **ELECTRICAL CHARACTERISTICS**

Part No.	Common mode impedance $(\Omega) [100MHz]$	DC resistance (Ω)[1 line]	Rated current Idc(A)max.	Rated voltage Edc(V)max.	Insulation resistance $(M\Omega)$ min.
TCM0806G-350-2P	35±30%	1.15±30%	0.10	10	10
TCM0806G-650-2P	65±20%	2.50±30%	0.10	10	10
TCM0806G-900-2P	90±20%	2.70±30%	0.10	10	10

- · Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.
- · All specifications are subject to change without notice.

(2/2)

**⊗TDK** 

#### TYPICAL ELECTRICAL CHARACTERISTICS IMPEDANCE vs. FREQUENCY CHARACTERISTICS

