


DETAIL "A"
SCALE: 5:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	39 Ω	91 Ω	214 Ω
Minimum	- Ω	73 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)




AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture REF #3328

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	17.42 [.686]	+	0.36 [.014]
B	9.53 [.375]	+	0.20 [.008]
C	6.35 [.250]	+	0.18 [.007]

WEIGHT/1000 5.20 kgs 11.47 lbs

**UNCONTROLLED
DOCUMENT**



DIMENSIONS ARE IN INCHES (mm).				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird TECHNOLOGIES
H	CHG B DIM FROM 9.52 UPDATE COMPANY LOGO	05/29/08	JRK	PROJECT/PART NUMBER: 28B0686-000		
G	UPDATE Z SPECS AND COMPANY LOGO	06/11/07	JRK			
F	UPDATE MIN Z SPECS @100MHz, ADD REF#	06/17/04	JRK			
E	UPDATE PRINT & Z SPECS ADD CURVE REM COATING SPECS CHG P/N FROM -00*	05/21/03	JRK			
D	UPDATE PRINT FORMAT ADD CHAMFER DETAIL	03/01/02	JRK			
C	CHG P/N TO 28B0686-10*, ADD COATING SPECS	04/07/99	I.S.			
B	UPDATED P/N FOR NEW CATALOG	10/30/95	JBE			
A	ORIGINAL DRAFT	9/08/92	LNK			
REV	DESCRIPTION	DATE	INT			