


UNCONTROLLED DOCUMENT

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	159 Ω	294 Ω	439 Ω
Minimum	- Ω	236 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture

BARE DIMENSIONS

A	14.27 [0.562]	±	0.25 [0.010]
B	6.35 [0.250]	±	0.15 [0.006]
C	28.58 [1.125]	±	0.50 [0.020]

WEIGHT/1000 17.98 kgs 39.63 lbs

SCALE DRAWING 1:1

28B0562-200

DIMENSIONS ARE IN mm [INCHES].		
Q	UPDATED TOLERANCE C	11/17/10 Jcai
P	CHANGE CHAMFER BACK TO ANGLED	04/10/09 JRK
N	UPDATE PART WEIGHT, CHANGE THE CHAMFER DESIGN	03/23/09 JRK
M	UPDATE Z SPEC AND COMPANY LOGO UPDATE Z CURVE	07/16/08 JRK
L	UPDATE Z SPEC AND COMPANY LOGO	05/31/07 JRK
K	UPDATE MIN Z SPEC @ 100 MHZ	09/19/06 JRK
J	UPDATE Z SPEC ADD TEST REF#	12/03/04 JRK
REV	DESCRIPTION	DATE INT

This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.



PROJECT/PART NUMBER: 28B0562-200	REV Q	PART TYPE: CNZ CORE	DRAWN BY: DJB
DATE: 01/08/92	SCALE: 2 : 1	MATERIAL: Ni Zn Ferrite	
CAD # 28B0562-200-Q	TOOL # B0562		