


122 x 32 Dots Graphic LCD



FEATURES

- Epson-SED 1520, or equivalent
- 1/32 duty cycl

MECHANICAL DATA		
ITEM	STANDARD VALUE	UNIT
Module Dimension	59.0 x 29.3	mm
Viewing Area	52.0 x 15.0	mm
Mounting Hole	50.0	mm
Dot Pitch	0.375 x 0.375	mm


ABSOLUTE MAXIMUM RATING					
ITEM	SYMBOL	STANDARD VALUE			UNIT
		MIN.	TYP.	MAX.	
Power Supply	VDD-VSS	2.75	5	5.25	V
Input Voltage	VI	0	–	VDD	V

NOTE: VSS = 0 Volt, VDD = 5.0 Volt

ELECTRICAL SPECIFICATIONS						
ITEM	SYMBOL	CONDITION	STANDARD VALUE			UNIT
			MIN.	TYP.	MAX.	
Input Voltage	VDD	VDD = + 5V	4.5	5.0	5.5	V
Supply Current	IDD	VDD = 5V	–	1.0	1.4	mA
Recommended LC Driving Voltage for Normal Temp.	VDD-V0	- 20°C	5.3	5.5	5.7	V
Version Module		25°C	4.7	4.9	5.1	
		7°C	4.1	4.4	4.7	
LED Forward Voltage	VF	25°C	–	4.2	4.6	V
LED Forward Current	IF	25°C	–	20	40	mA
EL Power Supply Current	IEL	Vel = 110VAC:400Hz	–	–	–	mA

PIN NUMBER	SYMBOL	FUNCTION
1	$\overline{\text{VLED}}$	Power Supply for LED BL "-"
2	Vss	GND
3	Vdd	+ 5V
4	Vo	Contrast Adjustment
5	AO	H: Data L: Instruction
6	E1	Chip Enable for U1 (Segment 1~61)
7	E2	Chip Enable for U1 (Segment 62~122)
8	DB0	Data Bus Line
9	DB1	Data Bus Line
10	DB2	Data Bus Line
11	DB3	Data Bus Line
12	DB4	Data Bus Line
13	DB5	Data Bus Line
14	DB6	Data Bus Line
15	DB7	Data Bus Line
16	R/W	H: read data L: write data

DIMENSIONS in millimeters





Notice

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.