


320 x 240 Dots Graphic LCD



FEATURES

- 320 x 240 dots FSTN
- 4-bit data bus
- Built-in EL backlight & EL inverter
- + 5 V power supply
- 1/240 duty cycle

MECHANICAL DATA		
ITEM	STANDARD VALUE	UNIT
Module Dimension	92.2 (H) x 73.3 (W) x 7.8	mm
Viewing Area	81.4 x 62.2	mm
Dot Size	0.22 x 0.22	mm
Dot Pitch	0.24 x 0.24	mm


ABSOLUTE MAXIMUM RATING					
ITEM	SYMBOL	STANDARD VALUE			UNIT
		MIN.	TYP.	MAX.	
Power Supply	VDD-VSS	-	5.0	6.5	V
Input Voltage	VI	0.8 V _{DD}	-	VDD	V

NOTE: VSS = 0 Volt, VDD = 5.0 Volt

ELECTRICAL SPECIFICATIONS						
ITEM	SYMBOL	CONDITION	STANDARD VALUE			UNIT
			MIN.	TYP.	MAX.	
Input Voltage	VDD	L level	0.8 V _{DD}	-	V _{DD}	V
	VIO	H level	V _{SS}	-	0.2 V _{DD}	V
Supply Current	IDD	VDD = 5 V	-	-	-	mA
Recommended LC Driving Voltage for Normal Temp.	VDD - V0	0 °C	-	-	-	V
Version Module		25 °C	-	21.6	-	
		50 °C	-	-	-	
LED Forward Voltage	VF	25 °C	-	-	-	V
LED Forward Current	IF	25 °C	-	-	-	mA
Power Consumption	-	VDD = 5 V VEE = 21.6 V VEL = 5 V	-	0.52	-	mA

PIN NUMBER	SYMBOL	FUNCTION
1	CL2 (SCP)	Data Shift Pulse
2	CL1 (LP)	Data Latch Pulse
3	FLM	Scan Start-Up Signal
4	M (N.C)	Frame Reverse Signal (Alternate Signal)
5	DB0	Display Data
6	DB1	Display Data
7	DB2	Display Data
8	DB3	Display Data
9	Vee	Power Supply for LCD (+V)
10	Vdd	Power Supply for LOGIC
11	Vss	Power Supply (0 V)
12	BLE	H:EL Enable L:EL Disable
13	V _{ELG}	Power Supply for EL (GND, 0 V)
14	V _{EL}	Power Supply for EL (+)

DIMENSIONS in millimeters





Notice

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.