



T-2 Telephone Slide Base - Type 5 (short)




| Part Number | Design Voltage | Amps | MSCP | Life Hours | Filament Type |
|-------------|----------------|------|-------|------------|---------------|
| CM18ESB | 18.0 | .040 | 850 | 5,000 | C-2F |
| CM24CSB | 24.0 | .017 | 100 | 15,000 | C-2F |
| CM24ESB | 24.0 | .040 | 850 | 8,000 | C-2F |
| CM28ESB | 28.0 | .040 | 1,500 | 6,000 | C-2F |
| CM48ESB | 48.0 | .040 | 3,000 | 5,000 | CC-2F |

T-2 Telephone Slide Base Type 5 (standard)



| Part Number | Design Voltage | Amps | MSCP | Life Hours | Filament Type |
|-------------|----------------|------|-------|------------|---------------|
| CM6PSB | 6.0 | .140 | 550 | 20,000 | C-2V |
| CM12PSB | 12.0 | .170 | 2,000 | 12,000 | C-2F |
| CM24PSB | 24.0 | .073 | 3,000 | 10,000 | C-2F |
| CM28PSB | 28.0 | .040 | 1,600 | 5,000 | C-2F |
| CM48PSB | 48.0 | .053 | 1,800 | 10,000 | C-7A |
| CM60PSB | 60.0 | .050 | 2,200 | 7,500 | C-7A |
| CM120PSB | 120.0 | .025 | 1,200 | 5,000 | CC-7A |

T-2 Telephone Slide Base - Type 3



| Part Number | Design Voltage | Amps | MSCP | Life Hours | Filament Type |
|-------------|----------------|------|-------|------------|---------------|
| CM4A | 4.0 | .190 | 450 | 5,000 | C-2 |
| CM6A | 6.0 | .140 | 510 | 15,000 | C-2V |
| CM6B | 6.0 | .290 | 270 | 15,000 | C-2F |
| CM6C | 6.0 | .040 | 180 | 4,000 | C-2 |
| CM8A | 8.0 | .090 | 600 | 1,000 | C-2 |
| CM10A | 10.0 | .110 | 600 | 5,000 | C-2V |
| CM10B | 10.0 | .250 | 900 | 5,000 | C-2F |
| CM10EX | 10.0 | .035 | 100 | 10,000 | C-6 |
| CM12A | 12.0 | .100 | 1,200 | 8,000 | C-2F |
| CM12B | 12.0 | .035 | 650 | 2,000 | C-6 |
| CM12C | 12.0 | .170 | 1,500 | 5,000 | C-2V |
| CM15A | 15.0 | .100 | 720 | 1,000 | C-2F |
| CM16A | 16.0 | .100 | 720 | 5,000 | C-2F |
| CM18A | 18.0 | .040 | 800 | 1,000 | C-2F |
| CM18B | 18.0 | .100 | 600 | 10,000 | C-2F |
| CM24A | 24.0 | .030 | 600 | 1,000 | C-2F |
| CM24B | 24.0 | .040 | 1,000 | 4,000 | C-2F |
| CM24C | 24.0 | .072 | 1,400 | 6,000 | C-2F |