



SAW Components

Data Sheet B3521





SAW Components

B3521

Low Loss Filter

1575,42 MHz

Data Sheet


Features

- RF low-loss filter for remote control application
- Package for **Surface Mounted Technology (SMT)**
- Hermetically sealed ceramic package
- No matching network required for operation at 50 Ω
- Compliant to EU RoHs Directive (2002/95/EC)
- Lead free soldering compatible with J - STD20C

Terminals

- Ni, gold-plated


Ceramic package **DCC6C**



Dimensions in mm, approx. weight 0,037 g

Pin configuration

- | | |
|------------|--------|
| 2 | Input |
| 5 | Output |
| 1, 3, 4, 6 | Ground |



Type	Ordering code	Marking and Package according to	Packing according to
B3521	B39162-B3521-U410	C61157-A7-A67	F61074-V8168-Z000

Electrostatic Sensitive Device (ESD)

Maximum ratings

Operable temperature range	T	-40/+85	°C	
Storage temperature range	T_{stg}	-45/+90	°C	
DC voltage	V_{DC}	0	V	
Source power	P_S	10	dBm	source impedance 50 Ω



Data Sheet

Characteristics


Operating temperature range: $T = -40 \dots +85^\circ \text{C}$
 Terminating source impedance: $Z_S = 50 \Omega$
 Terminating load impedance: $Z_L = 50 \Omega$

		min.	typ.	max.	
Center frequency	f_c	—	1575,42	—	MHz
Maximum insertion attenuation	α_{\max}				
	1574,42 ... 1576,42 MHz	—	3,2	3,5	dB
Amplitude ripple (p-p)	$\Delta\alpha$				
	1574,42 ... 1576,42 MHz	—	0,5	1,0	dB
Input VSWR					
	1574,42 ... 1576,42 MHz	—	1,9	2,3	
Output VSWR					
	1574,42 ... 1576,42 MHz	—	1,9	2,3	
Attenuation	α				
	850,00 MHz	45	65	—	dB
	1500,00 MHz	40	43	—	dB
	1535,42 MHz	35	42	—	dB
	1615,42 MHz	25	33	—	dB
	1640,00 MHz	45	48	—	dB
	1700,00 MHz	50	52	—	dB




Data Sheet

Transfer function




Transfer function (wideband)






Data Sheet

Input VSWR



Output VSWR





SAW Components

B3521

Low Loss Filter

1575,42 MHz

Data Sheet

Published by EPCOS AG

Surface Acoustic Wave Components Division, SAW COM AE PD

P.O. Box 80 17 09, D-81617 München

© EPCOS AG 2005. All Rights Reserved. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

The information contained in this brochure describes the type of component and shall not be considered as guaranteed characteristics. Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.