

SAW Components

Data Sheet B3563





SAW Components	B3563
Low-loss Filter	864,00 MHz
Data Sheet	

Ceramic package DCC6C

05

Dimensions in mm, approx. weight 0,037 g

Pin configuration

Features

50 Ω

(SMT)

Terminals

Ni, gold-plated

Low amplitude ripple


Low loss RF filter for wireless audio application

No matching network required for operation at

■ Package for Surface Mounted Technology

■ High image frequency suppression

2	Input
5	Output
1, 3, 4, 6	Ground



Electrostatic Sensitive Device (ESD)

Maximum ratings

Operable temperature range	Т	0/+40	°C	
Storage temperature range	T _{stg}	-40/+85	°C	
DC voltage	V _{DC}	0	V	
Source power	Ps	0	dBm	source impedance 50 Ω



Oct 09, 2002




SAW Components						B3563
Low-loss Filter					864,0	00 MHz
Data Sheet						
Characteristics						
Operating temperature range:	Т	= 0 4	40 °C			
Terminating source impedance:	Z_{S}	= 50 Ω				
Terminating load impedance:	Z_{L}	= 50 Ω				
			min.	typ.	max.	
Center frequency		f _c	—	864,00	—	MHz
Maximum insertion attenuation		α_{max}				
862,50 865,50	MHz		—	4,0	6,0	dB
Amplitude ripple		Δα				
862,50 865,50	MHz		—	1,5	2,5	dB
Relative attenuation (relative to α_{max})		$\alpha_{\rm rel}$				
841,60 843,60	MHz		40,0	44,0	—	dB
852,30 853,30	MHz		30,0	38,0	—	dB
879,00 915,00	MHz		30,0	38,0	—	dB
Temperature coefficient of frequency		TC _f	_	-30		ppm/K




SAW Components	B3563
Low-loss Filter	864,00 MHz

Data Sheet

Transfer function



Transfer function (wideband)



4

Oct 09, 2002



SAW Components	B3563
Low-loss Filter	864,00 MHz

Data Sheet

Published by EPCOS AG Surface Acoustic Wave Components Division, SAW CE AE P.O. Box 80 17 09, 81617 Munich, GERMANY

©.EPCOS AG 2002. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.



Oct 09, 2002