


SBC



PCI-381LF

PCI VIA Mark CPU Card
w / VGA / Audio / LAN

Features :

- Support VIA MARK CPU up to 800 MHz
- Equipped with VIA MARK with FSB 133MHz
- Support DOC up to 288MB
- Support PC 104 BUS Interface
- Support CRT, TTL & LVDS



PROTECH SYSTEMS

It's the right choice

No. 24, Lane 365, Yang Guang St., Nei Hu District, Taipei 114, Taiwan, R.O.C.

Tel: +886-2-8751-1111

Fax: +886-2-8751-1199

Email: sales@protech.com.tw

<http://www.protech.com.tw>




ISO CERTIFIED

9001 14001

PCI-381LF

PCI VIA Mark CPU Card w / VGA / Audio / LAN



Specifications	
System	
CPU Type	VIA Mark Processor
CPU Frequency	533/800MHz
Chipset	Mark + VT82C686B
DRAM	1 x 144-pin SO-DIMM, support PC100/133 SDRAM up to 512MB
BIOS	Phoenix-Award PnP BIOS, with VGA BIOS
Watchdog	16 level Watchdog timer selectable w / Reset / NMI
Power Supply	Support AT / ATX power
Power Requirement	+5V, +12V
Power Consumption	+5V : 2.74A / +12V : 0.065A (VIA Mark 533MHz) +5V : 2.81A / +12V : 0.121A (VIA Mark 800MHz)
Dimension	185mm x 122mm (7.28" x 4.8")
I/O Ports	
IDE Interface	1 x 40-pin IDE (UDMA 33/66/100)
SSD	32-pin socket supports DOC up to 288MB
FDD Interface	1
Bus Interface	PC/104
Serial Port	2 x COM ports, COM1 for RS232, COM2 for RS232/422/485
Parallel Port	1 x parallel (SPP / EPPP / ECP)
IrDA	1 (SIR)
Keyboard	Mini DIN connector or external connector
Mouse	Mini DIN connector (selectable w / KB) or Y-cable

LAN	Realtek RTL8100BL (10/100Mbps) Support Wake-on-LAN with ATX power
USB	2 x USB 1.1
Display	
Graphic	Built-in VIA Mark, share system memory, Support CRT, TTL & LVDS
LCD Interface	18/24-bit TTL, 18/36-bit LVDS
LCD Interface	18/36-bit LVDS
Environment	
Operation Temp.	0°~60°C(32°~140°F)
Storage Temp.	-40°~85°C(-40°~185°F)
Humidity	Operation humidity 20~90%, Storage humidity 20~95%

Ordering Information	
PCI-381LF-C533	PCI CPU Card w VIA Mark 533MHz / VGA / LAN (10/100Mbps)
PCI-381LF-C800	PCI CPU Card w VIA Mark 800MHz / VGA / LAN (10/100Mbps)
Certificate: CE, FCC CLASS A	

All of trademarks and brand names are the property of their owners. Trademark "Protech" is the property of Protech Systems Co., Ltd.
All information contained in this document is subject to change without any prior notice. This catalog is copyrighted in DEC. 2006.

