DESCRIPTION

SPM10WL is the white LED module for lighting application. The module accepts universal input. This module is suited for white LED lamp applications up to 7 LEDs in series for 8W~12W application.

FEATURES

- Universal Input
- Constant Current
- High Efficiency
- High Performance and Low Cost





ABSOULTE MAXIMUM RATINGS (Ta = 25°C Unless otherwise noted)

| Parameter | Symbol | Typical | Unit |
|---------------------------|--------|---------|------------|
| Input Voltage | Vin | 265 | V |
| Output Power | Pout | 12 | W |
| Operation Temperature | Toper | -10/70 | $^{\circ}$ |
| Storage Temperature Range | Tstg | -40/150 | $^{\circ}$ |

2009/06/22 **Ver.3** Page 1

ELECTRICAL CHARACTERISTICS (Ta = 25°C Unless otherwise noted)

| Parameter | Symbol | Min | TYP | Max | Unit |
|-----------------|--------|-----|-----|-----|------|
| Input Voltage | Vin | 90 | | 260 | V |
| Input Current | Iin | | | 170 | mA |
| Output Voltage | Vout | 12 | | 27 | V |
| Output Current* | Iout | | | 700 | mA |

^{*}Out Current needs to be decided before ordering.

EFFICIENCY

| VIN (AC) | IIN (A) | PIN (W) | VDD (V) | VOUT (V) | IOUT (A) | EFF (%) |
|----------|---------|---------|---------|----------|----------|----------------|
| 260 | 0.0915 | 9.66 | 24.4 | 24.62 | 0.313 | 79.8% |
| 240 | 0.0959 | 9.59 | 24.3 | 24.83 | 0.311 | 80.5% |
| 220 | 0.105 | 9.51 | 24.3 | 24.89 | 0.308 | 80.6% |
| 140 | 0.1345 | 9.07 | 24.3 | 24.48 | 0.299 | 80.7% |
| 110 | 0.158 | 9.16 | 24.1 | 24.578 | 0.301 | 80.7% |
| 90 | 0.1852 | 9.54 | 24 | 24.796 | 0.309 | 80.3% |

DIMENSION

| PART NUMBER | DIMENSION |
|-------------|------------------------------|
| SPM10WLS-x | 4cmΦ x 2.35cm |
| SPM10WLR-x | 2.1cm W x 6.15cm L x 2.1cm T |

ORDERING INFORMATION

| PART NUMBER | OUTPUT CURRENT |
|-------------|----------------|
| SPM10WLS-4 | 350 mA |
| SPM10WLS-7 | 700 mA |
| SPM10WLR-4 | 350 mA |
| SPM10WLR-7 | 700 mA |

2009/06/22 **Ver.3** Page 2



Information provided is alleged to be exact and consistent. SYNC Power Corporation presumes no responsibility for the penalties of use of such information or for any violation of patents or other rights of third parties which may result from its use. No license is granted by allegation or otherwise under any patent or patent rights of SYNC Power Corporation. Conditions mentioned in this publication are subject to change without notice. This publication surpasses and replaces all information previously supplied. SYNC Power Corporation products are not authorized for use as critical components in life support devices or systems without express written approval of SYNC Power Corporation.

©The SYNC Power logo is a registered trademark of SYNC Power Corporation
©2004 SYNC Power Corporation – Printed in Taiwan – All Rights Reserved
SYNC Power Corporation
7F-2, No.3-1, Park Street
NanKang District (NKSP), Taipei, Taiwan 115
Phone: 886-2-2655-8178

Fax: 886-2-2655-8468 http://www.syncpower.com

2009/06/22 **Ver.3** Page 3