

**Micro Commercial Components** 

Micro Commercial Components 20736 Marilla Street Chatsworth

CA 91311

Phone: (818) 701-4933 Fax: (818) 701-4939 2SC1740S-Q 2SC1740S-R 2SC1740S-S

# **Features**

- Lead Free Finish/Rohs Compliant ("P"Suffix designates Compliant. See ordering information)
- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL rating 1
- Power dissipation: P<sub>CM</sub> = 0.3W(T<sub>amb</sub>=25°C)
- Collector current: I<sub>CM</sub> = 0.15A
- Collector-base voltage: V<sub>(BR)CBO</sub> = 60V
- Operating and storage junction temperature range

 $T_J$ ,  $T_{stq}$ : -55°C to + 150°C


## Electrical Characteristics @ 25% Unless Otherwise Specified

Symbol	Parameter	Min	Тур	Max	Unit
$V_{\text{CEO}}$	Collector-Emitter Voltage (I <sub>C</sub> =-50 μ A, I <sub>E</sub> =0)	50			V
$V_{CBO}$	Collector-Base Voltage (I <sub>C</sub> =-1 $\mu$ A, I <sub>B</sub> =0)	60			V
$V_{\text{EBO}}$	Emitter-Base Voltage (I <sub>E</sub> =-50 μ A, I <sub>C</sub> =0)	7.0			٧
I <sub>CBO</sub>	Collector cut-off Current (V <sub>CB</sub> =-20V, I <sub>E</sub> =0)			0.1	μА
I <sub>EBO</sub>	Emitter cut-off Current (V <sub>EB</sub> =-5V, I <sub>C</sub> =0)			0.1	μА
h <sub>FE</sub>	DC current gain (V <sub>CE</sub> =-2V, I <sub>C</sub> =-0.1A)	120		560	
$V_{\text{CE}(\text{sat})}$	Collector-Emitter Saturation Voltage (I <sub>C</sub> =-2A, I <sub>B</sub> =-0.1A)			0.4	V
$f_{T}$	Transition Frequency (Vc=2 0Vdc, lc=0 5Adc)	100			MHz

### **CLASSIFICATION OF h**

	2 <u> </u>					
Rank	Q	R	S			
Range	120-270	180-390	270-560			

# NPN Plastic-Encapsulate Transistors



www.mccsemi.com

D

.02

0.45



## **Ordering Information**

Device	Packing
(Part Number)-BP	Bulk;1000pcs/Bag

#### \*\*\*IMPORTANT NOTICE\*\*\*

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes.
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp. and all the companies whose products are represented on our website, harmless against all damages.

### \*\*\*APPLICATIONS DISCLAIMER\*\*\*

Products offer by *Micro Commercial Components Corp* . are not intended for use in Medical,

Aerospace or Military Applications.