


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0022012165](#)
Status: **Active**
Overview: [kk](#)
Description: 2.54mm (.100") Pitch KK® Crimp Terminal Housing, Friction Ramp, 16 Circuits, Use with 4809

Documents:

3D Model	Product Specification PS-99020-0088 (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification PS-10-07 (PDF)	



Agency Certification

CSA	LR19880
UL	E29179

General

Product Family	Crimp Housings
Series	6471
Overview	kk
Product Name	KK®

Physical

Circuits (maximum)	16
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Female
Glow-Wire Compliant	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	0°C to +75°C

Solder Process Data

Lead-free Process Capability	Wave Capable (TH only)
------------------------------	------------------------

Material Info

Old Part Number	6471-16(I)
-----------------	------------

Reference - Drawing Numbers

Product Specification	PS-10-07, PS-99020-0088
Sales Drawing	SD-6471-N***, SDE-6471-N**

<p>EU RoHS ELV and RoHS Compliant REACH SVHC Not Reviewed Halogen-Free Status Halogen-Free</p>	<p>China RoHS</p>
--	--------------------------

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)


Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[6471Series](#)




Mates With
 2.54mm (.100") Pitch KK ® PCB Headers

Use With
 4809 KK® Crimp Terminal


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



28	68.58±0.35	71.58±0.35
27	66.04±0.35	69.04±0.35
26	63.50±0.35	66.50±0.35
25	60.96±0.35	63.96±0.35
24	58.42±0.35	61.42±0.35
23	55.88±0.35	58.88±0.35
22	53.34±0.35	56.34±0.35
21	50.80±0.35	53.80±0.35
20	48.26±0.35	51.26±0.35
19	45.72±0.35	48.72±0.35
18	43.18±0.35	46.18±0.35
17	40.64±0.35	43.64±0.35
16	38.10±0.35	41.10±0.35
15	35.56±0.35	38.56±0.35
14	33.02±0.35	36.02±0.35
13	30.48±0.35	33.48±0.35
12	27.94±0.35	30.94±0.35
11	25.40±0.35	28.40±0.35
10	22.86±0.35	25.86±0.35
9	20.32±0.35	23.32±0.35
8	17.78±0.35	20.78±0.35
7	15.24±0.35	18.24±0.35
6	12.70±0.15	15.70±0.15
5	10.16±0.15	13.16±0.15
4	7.62±0.15	10.62±0.15
3	5.08±0.15	8.08±0.15
2	2.54±0.15	5.54±0.15
No. OF CCTS	DIM A	DIM B



- NOTES:
- MATERIAL: POLYAMIDE (PA66/6), UL94 V-0
COLOR: NATURAL PER THE FOLLOWING 89992-0086
 - FOR USE WITH ANTI-FISH HOOKING TERMINAL No. 4809-*
 - SEE SHT. 3 FOR PARTS WITH VOIDS.
 - OPTIONAL CENTRE PEGS TO BE USED ON Tact & LARGER SIZES ONLY. SEE SHT. 3 FOR CHARTED ENG. No.'S.
 - PART No. PRECEDED BY CODE LETTER DESIGNATES MFG. LOC'N. I=IRELAND
- E-6471-N-***
- No. OF CCTS
- BLANK = STD. VOID
B = OPT. STYLE VOID
VOID CCT LOC'N.
- BLANK NO LOCKING RAMP
HOUSING STYLE
I = LOCKING RAMP & POL. RIB
S = OPT. PEG
R = LOCKING RAMP ONLY
6. 'MX*' MARK AND PART I.D. '6471' APPEAR EITHER ON FRONT OR BACK SIDE. SEE END VIEW FOR SIDE ORIENTATION.



ADJUST TOLERANCE EC NO: E2010-0105 2009/09/23 DRAWN: BMAGUIRE 2009/09/23 CHKD: 2009/09/23 APPR: BMAGUIRE 2009/09/23 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- SF 3 PLACES ± --- ± --- 2 PLACES ± 0.15 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± --- °	DRAWN BY DATE 2000/07/14	CHECKED BY DATE JWASZKIEWICZ 2006/02/27	TITLE 2.54 MM KK CRP TRM HSG IL	MOLEX INCORPORATED
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART	DOCUMENT NO. SD-6471-N-***	SHEET NO. 1 OF 5		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

PART NO. SEE CHART
 DWG. NO. SD-6471-N-***

PART No.	ENG No.	No. OF CIRCUITS	RAMP & POL. RIBS	DIM. A	DIM. B
22-01-2025	E-6471-021	2	YES	↑	↑
↑ -2035	↑ -031	3	↑		
-2045	-041	4			
-2055	-051	5			
-2065	-061	6			
-2075	-071	7			
-2085	-081	8			
-2095	-091	9			
-2105	-101	10			
-2115	-111	11			
-2125	-121	12			
-2135	-131	13			
-2145	-141	14			
-2155	-151	15			
-2165	-161	16			
-2175	-171	17			
-2185	-181	18			
-2195	-191	19			
-2205	-201	20			
-2215	-211	21			
-2225	-221	22			
↓ -2235	↓ -231	23			
22-01-2245	-241	24			
NOT TOOLED	-251	25			
22-01-2265	-261	26			
NOT TOOLED	↓ -271	27			
22-01-2285	E-6471-281	28	YES	↓	↓

SEE SHEET I FOR DIMENSION
 SEE SHEET I FOR DIMENSION

PART No.	ENG No.	No. OF CIRCUITS	LOCKING FEATURE	DIM. A	DIM. B
22-01-2026	E-6471-2	2	NO	↑	↑
↑ -2036	↑ -3	3	↑		
-2046	-4	4			
-2056	-5	5			
-2066	-6	6			
-2076	-7	7			
-2086	-8	8			
-2096	-9	9			
-2106	-10	10			
-2116	-11	11			
-2126	-12	12			
-2136	-13	13			
-2146	-14	14			
-2156	-15	15			
-2166	-16	16			
-2176	-17	17			
-2186	-18	18			
-2196	-19	19			
-2206	-20	20			
↓ -2216	↓ -21	21			
22-01-2226	-22	22			
NOT TOOLED	-23	23			
22-01-2246	-24	24			
NOT TOOLED	-25	25			
22-01-2266	-26	26			
22-01-2276	↓ -27	27			
22-01-2286	E-6471-28	28	NO	↓	↓

SEE SHEET I FOR DIMENSION
 SEE SHEET I FOR DIMENSION

A SEE SHEET I	LTR	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH	DRWG BY	REVISE ONLY ON CAD SYSTEM		SH.	REV.
			UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 8	SF	CADCAM FILENAME SD-6471-N-*.S02		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
			3 PLACE ± .	CHK'D BY	TITLE		2.54 mm KK Crp Trm Hsg II	
			2 PLACE ± .	APP'D BY	MOLEX EUROPE		SHEET NO.	DATE
1 PLACE ± .	SCALE	-	PART NO.		20F	15/07/00	SIZE	B
DRAFT WHERE APPL (CABLE MUST REMAIN WITHIN DIMENSIONS)			DESIGN DIMENSION (PRIMARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN.	SEE CHART		SD-6471-N-***		
EQUIVALENT DIMENSION (SECONDARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN.								

7132-1283

PART NO.
SEE CHART
DWC. NO.
SD-6471-N-***

PART No.	ENG No.	No. OF CIRCUITS	RAMP & POL. RIBS	VOID CCT LOCATION	DIM. A	DIM. B
22-01-4022	E-6471-021-02	2	YES	2	↑	↑
↑ -4032	↑ -031-02	3	↑	↑		
-4042	-041-02	4				
-4052	-051-02	5				
-4062	-061-02	6				
-4072	-071-02	7				
-4082	-081-02	8				
-4092	-091-02	9				
-4102	-101-02	10				
-4112	-111-02	11				
-4122	-121-02	12				
-4132	-131-02	13				
-4142	-141-02	14				
-4152	-151-02	15				
-4162	-161-02	16				
-4172	-171-02	17				
-4182	-181-02	18				
-4192	-191-02	19				
-4202	-201-02	20				
-4212	-211-02	21				
-4222	-221-02	22				
-4232	-231-02	23				
-4242	-241-02	24				
-4252	-251-02	25				
-4262	-261-02	26				
↓ -4272	↓ -271-02	27	↓	↓		
22-01-4282	E-6471-281-02	28	YES	2	↓	↓

PART No.	ENG No.	No. OF CIRCUITS	LOCKING FEATURE	VOID CCT LOCATION	DIM. A	DIM. B
22-01-4021	E-6471-02-02	2	NO	2	↑	↑
↑ -4031	↑ -03-02	3	↑	↑		
-4041	-04-02	4				
-4051	-05-02	5				
-4061	-06-02	6				
-4071	-07-02	7				
-4081	-08-02	8				
-4091	-09-02	9				
-4101	-10-02	10				
-4111	-11-02	11				
-4121	-12-02	12				
-4131	-13-02	13				
-4141	-14-02	14				
-4151	-15-02	15				
-4161	-16-02	16				
-4171	-17-02	17				
-4181	-18-02	18				
-4191	-19-02	19				
-4201	-20-02	20				
-4211	-21-02	21				
-4221	-22-02	22				
-4231	-23-02	23				
-4241	-24-02	24				
-4251	-25-02	25				
-4261	-26-02	26				
↓ -4271	↓ -27-02	27	↓	↓		
22-01-4281	E-6471-28-02	28	NO	2	↓	↓

SEE SHEET I.	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH		DRWG BY SF	REVISE ONLY ON CAD SYSTEM		SHL. REV.
		UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 0.5°			CAD/CAM FILENAME: SD-6471-N - .303		
		INCH (METRIC)		CHK'D BY	TITLE		
		3 PLACE ± .		APP'D BY	2.54 mm KK Crp Trm Hsg II		
		2 PLACE ± .		SCALE	MOLEX EUROPE		
		1 PLACE ± .			SHEET NO. DATE		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			30F 13/07/00		
		DESIGN DIMENSION (PRIMARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN.			PART NO. DWG NO.		
		EQUIVALENT DIMENSION (SECONDARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN.			SEE CHART SD-6471-N-***		
					SIZE B		

7132-1283

PART NO. SEE CHART
 DWG. NO. SD-6471-N-***

HOUSING WITH OPTIONAL PEGS

PART No.	ENG No.	No. OF CIRCUITS	RAMP & POL. RIBS	DIM. A	DIM. B
NOT TOOLED	E-6471-7S	7	YES	↑	↑
↑	↑	↑	↑	↑	↑
	-8S	8			
	-9S	9			
	-10S	10			
	-11S	11			
	-12S	12			
	-13S	13			
	-14S	14			
	-15S	15			
	-16S	16			
	-17S	17			
	-18S	18			
	-19S	19			
	-20S	20			
	-21S	21			
	-22S	22			
	-23S	23			
	-24S	24			
	-25S	25			
	-26S	26			
	-27S	27			
NOT TOOLED	E-6471-28S	28	YES	↓	↓

PART No.	ENG No.	No. OF CIRCUITS	RAMP & POL. RIBS	VOID CCT LOCATION	DIM. A	DIM. B
22-01-4123	E-6471-12-11	12	NO	11	↑	↑
22-01-4124	-121-11	12	YES	11	↑	↑
NOT TOOLED	-24-01	24	NO	1	↑	↑
NOT TOOLED	-241-01	24	YES	1	↑	↑
22-01-6132	-13-51	13	NO	2 & 5	↑	↑
NOT TOOLED	-131-51	13	YES	2 & 5	↑	↑
22-01-6134	-13-52	13	NO	9 & 12	↑	↑
22-01-6135	-131-52	13	YES	9 & 12	↑	↑
NOT TOOLED	-7-3	7	NO	3	↑	↑
97-00-0739	-71-3	7	YES	3	↑	↑
97-00-0061	-15-51	15	NO	2 & 8	↑	↑
NOT TOOLED	-151-51	15	YES	2 & 8	↑	↑
97-00-0189	-5-4	5	NO	4	↑	↑
97-00-0620	-51-4	5	YES	4	↑	↑
97-00-0619	-51-3	5	YES	3	↑	↑
97-00-0740	E-6471-61-3	6	YES	3	↓	↓

SEE SHEET I FOR DIMENSION

A SEE SHEET I	LTR	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH		DRWG BY SF	REVISE ONLY ON CAD SYSTEM		SH.	REV.
			UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 8			CAD/CAM FILENAME SD-6471-N - .104		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
			3 PLACE ± .	#		TITLE 2.54 mm KK Crp Trm Hsg il		SHEET NO. DATE 40F 17/07/00	
			2 PLACE ± .	#		MOLEX EUROPE		PART NO. DWG NO. SEE CHART SD-6471-N-***	
			1 PLACE ± .	#	APP'D BY	SCALE			
			DRAFT WHERE APPL (CABLE MUST REMAIN WITHIN DIMENSIONS)						
			DESIGN DIMENSION (PRIMARY)	<input type="checkbox"/> (MM)					
			EQUIVALENT DIMENSION (SECONDARY)	<input type="checkbox"/> (MM)					

7132-1283

PART NO. SEE CHART
 DWG. NO. SD-6471-N-...

OPTIONAL STYLE VOID (SECTION E-E)

PART No.	ENG No.	No. OF CIRCUITS	VOID CCT LOCATION	RAMP & POL. RIBS	DIM. A	DIM. B
22-01-6021	E-6471-02-02B	2	2	NO	↑	↑
NOT TOOLED	↑ -021-02B	2	↑	YES	↑ FOR DIM	↑ FOR DIM
22-01-6071	-07-02B	7		NO		
NOT TOOLED	-071-02B	7		YES		
22-01-6101	-10-02B	10		NO		
NOT TOOLED	-101-02B	10		YES		
22-01-6111	↓ -11-02B	11	↓	NO	↓ SEE SHT. 1 FOR DIM	↓ SEE SHT. 1 FOR DIM
NOT TOOLED	E-6471-111-02B	11	2	YES	↓	↓

PART No.	ENG No.	No. OF CIRCUITS	RAMP ONLY	DIM. A	DIM. B
97-00-1062	E-6471-2R	2	YES	↑	↑
↑ -1063	↑ -3R	3	↑		
-1064	-4R	4			
-1065	-5R	5			
-1066	-6R	6			
-1067	-7R	7			
-1068	-8R	8			
-1069	-9R	9			
-1070	-10R	10			
-1071	-11R	11			
-1072	-12R	12			
-1073	-13R	13			
-1074	-14R	14			
-1075	-15R	15			
↓ -1076	-16R	16			
97-00-1077	-17R	17			
NOT TOOLED	-18R	18			
↑	-19R	19			
	-20R	20			
	-21R	21			
	-22R	22			
	-23R	23			
	-24R	24			
	-25R	25			
	-26R	26			
	-27R	27			
NOT TOOLED	E-6471-28R	28	YES	↓	↓

SEE SHEET 1 FOR DIMENSION
 SEE SHEET 1 FOR DIMENSION

SEE SHEET 1.

DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 8° 3 PLACE ± . 2 PLACE ± . 1 PLACE ± . DRAFT WHERE APPL (CABLE MUST REMAIN WITHIN DIMENSIONS DESIGN DIMENSION (PRIMARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN. EQUIVALENT DIMENSION (SECONDARY) <input type="checkbox"/> (MM) <input type="checkbox"/> IN.	DRWG BY SF	REVISE ONLY ON CAD SYSTEM		SHL. REV.
	CHK'D BY	CAD/CAM FILENAME SD-6471-N - .305		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
	APP'D BY	TITLE 2.54 mm KK Cpr Trm Hsg II		SHEET NO. DATE 50F 17/07/00
	SCALE -	MOLEX EUROPE	PART NO. SEE CHART	DWG NO. SD-6471-N-...

7132-1283

DWG. NO. SDE-6471-N**

F

E





D

C


B

A

8 7 6 5 4 3 2 1



68.58 ^{+0.33}	71.58 ^{+0.46}	E-6471-281	28
66.04 ^{+0.33}	69.04 ^{+0.46}	-271	27
63.50 ^{+0.33}	66.50 ^{+0.46}	-261	26
60.96 ^{+0.33}	63.96 ^{+0.43}	-251	25
58.42 ^{+0.31}	61.42 ^{+0.43}	-241	24
55.88 ^{+0.31}	58.88 ^{+0.43}	-231	23
53.34 ^{+0.30}	56.34 ^{+0.41}	-221	22
50.80 ^{+0.30}	53.80 ^{+0.41}	-211	21
48.26 ^{+0.25}	51.26 ^{+0.36}	-201	20
45.72 ^{+0.23}	48.72 ^{+0.33}	-191	19
43.18 ^{+0.23}	46.18 ^{+0.33}	-181	18
40.64 ^{+0.20}	43.64 ^{+0.30}	-171	17
38.10 ^{+0.20}	41.10 ^{+0.30}	-161	16
35.56 ^{+0.20}	38.56 ^{+0.30}	-151	15
33.02 ^{+0.18}	36.42 ^{+0.28}	-141	14
30.48 ^{+0.16}	33.48 ^{+0.28}	-131	13
27.94 ^{+0.16}	30.94 ^{+0.28}	-121	12
25.40 ^{+0.15}	28.40 ^{+0.25}	-111	11
22.86 ^{+0.15}	25.86 ^{+0.25}	-101	10
20.32 ^{+0.13}	23.32 ^{+0.23}	-091	9
17.78 ^{+0.13}	20.78 ^{+0.23}	-081	8
15.24 ^{+0.13}	18.24 ^{+0.23}	-071	7
12.70 ^{+0.10}	15.70 ^{+0.23}	-061	6
10.16 ^{+0.10}	13.16 ^{+0.20}	-051	5
7.62 ^{+0.10}	10.62 ^{+0.20}	-041	4
5.08 ^{+0.10}	8.07 ^{+0.20}	-031	3
2.54 ^{+0.10}	5.53 ^{+0.20}	E-6471-021	2
A	B	ENG. NO.	種数 NO. OF CKTS.



角度 ANGLE	>3°					材料 MATERIAL	ナイロン6/6, UL94V-0
30°以上 OVER	+0.3					ワイヤ WIRE RANGE	NYLON6/6, UL94V-0
10°以上 未満 UNDER	+0.25					仕上げ FINISH	—
10°以下 未満 UNDER	+0.2					適用電線範囲 INS. RANGE	—
未通	+0.2	V	新規作成	Y.K	97/09/19	被覆外径	—
一般公差 GENERAL TOLERANCES			RELEASED (JC80224)	Y.M	97/09/19	INS. RANGE	—
			記号 LTR	変更内容 REVISION RECORD	DR. DATE	尺度 SCALE	—
						DRAWN BY	97/09/19
						CHK'D BY	97/09/19
						Y.KANNO	
						APP'D BY	97/09/19
						M.FUKUSHIMA	

MOLEX-JAPAN CO., LTD.
日本モレックス株式会社

REVISE ONLY ON CAD SYSTEM

TITLE 名称
HOUSING ,KK (2.54)/.100
CRIMP TYPE ,ANTI
FISH-HOOKING TERMINAL
WITH LOCKING RAMP

DWG. NO. SHEET 1 OF 2 REV
SDE-6471-N** V

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX (JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス(株)の所有する情報を含むもので、当社の許可なく複製を禁止する。 EN-01C(032)MXJ-32

DWG. NO. SDE-6471-N*-**
 E
 D
 C
 B
 A
 DIMENSIONS IN METRIC DO NOT SCALE DRAWING

8 7 6 5 4 3 2 1

22-01-2285	E-6471-281	28	○	↑	↑
NOT TOoled	↑ -271	27	↑		
22-01-2265	-261	26			
NOT TOoled	-251	25			
22-01-2245	-241	24			
↑ -2235	-231	23			
-2225	-221	22			
-2215	-211	21			
-2205	-201	20			
-2195	-191	19			
-2185	-181	18			
-2175	-171	17			
-2165	-161	16			
-2155	-151	15			
-2145	-141	14			
-2135	-131	13			
-2125	-121	12			
-2115	-111	11			
-2105	-101	10			
-2095	-091	9			
-2085	-081	8			
-2075	-071	7			
-2065	-061	6			
-2055	-051	5			
-2045	-041	4			
↓ -2035	↓ -031	3	○	↓	↓
22-01-2025	E-6471-021	2	○	↓	↓
PART NO.	ENG. NO.	種数 NO. OF CKTS.	挿入部 RAMP & POL. RIBS	A	B

注記
NOTES

- 適合ターミナル 4809-* (22-30 GA)
クランプ部 被覆外径 Φ1.58mm以下
FOR USE TERMINAL 4809-* (22-30 GA)
CRIMP TYPE ,MAX. INSULATION Φ1.58mm
- ハウジングの端と端を合わせて積み重ねることができる。
TWO(2) HOUSINGS MAY BE STACKED END TO END.
- () 内寸法は参考寸法
() DIMENSION IS FOR REFERENCE.
- 本製品は仕様書NO. 10-071に基づく。
THIS PART CONFORMS TO MOLEX PRODUCT SPEC. NO.10-07
- △ トレードマーク：MOLEX プラス1文字の製造国を示すアルファベットにて構成。
(例：I=アイルランド)
TRADE MARK FORMED BY MOLEX AND 1 MORE LETTER OF ALPHABET WHICH MEAN THE MANUFACTURING COUNTRY. (c.g. I=IRELAND)
- 19から28極は標準品ではありません。
19-28 CIRCUITS ARE NON-STANDARD.
- 一般公差：±0.4
GENERAL TOLERANCES:±0.4

角度 ANGLE		材料 MATERIAL	MOLEX MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社
30以上 OVER	±0.3	ナイロン6/6, UL94V-0 NYLON6/6,UL94V-0	REVISE ONLY ON CAD SYSTEM
10以上 未満 OVER 30 UNDER	±0.25	仕上げ FINISH	TITLE 名称 HOUSING ,KK (2,54)/.100
未満 UNDER	±0.2	適用電線範囲 WIRE RANGE	CRIMP TYPE ,ANTI FISH-HOOKING TERMINAL WITH LOCKING RAMP
一般公差 GENERAL TOLERANCES	±0.4	被覆外径 INS. RANGE	DWG. NO. SHEET 2 OF 2 REV V
記号 LTR	変更内容 REVISION RECORD	新規作成 RELEASED (JC80224)	CHK'D BY '97/09/19 Y.MIZUNO
DR	DATE	Y.K. 97/09/19	APPR'D BY '97/09/19 M.FUKUSHIMA
CHK	SCALE		尺 寸

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX/JAPAN AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
 本図面は日本モレックス(株)の所有する情報を含むもので 当社の許可なく複製を禁止する。 EN-01C(032)MXJ-32

8 7 6 5 4 3 2 1