

# PPC

## PPC-7500

### 10.4" Panel PC with Pentium® M Solution

#### Features and Benefits:

- Supports Intel® Pentium® M / Celeron® M CPU up to 1.8 GHz
- Intel® 855GME Chipset
- Low power consumption and economical solution
- Compact size with high performance
- High speed Gigabit LAN
- On-board IDE interface, Type II CompactFlash slot
- High precision touchscreen
- Built-in PC/104-Plus support



No. 24, Lane 365, Yang Guang St., Nei Hu District, Taipei 114, Taiwan, R.O.C.

Tel: +886-2-8751-1111

Fax: +886-2-8751-1199

Email: sales@protech.com.tw

http://www.protech.com.tw




ISO CERTIFIED

9001 14001


# PPC-7500

10.4" Panel PC with Pentium® M Solution


Front View



Rear View



Side View



Unit: mm

## Specification

### Systems

<b>CPU Support</b>	Intel® Pentium® M / Celeron® M up to 1.8GHz
<b>Memory Support</b>	1 x 200pin DDR SO-DIMM, Support DDR 333 SDRAM up to 1GB
<b>Front Bazel</b>	Aluminum
<b>IP65 / NEMA4</b>	Yes
<b>Power Supply</b>	AC 110W power supply
<b>O.S. Support</b>	Win 98SE / 2000 / XP / CE.net, Linux Redhat 8.0/9.0
<b>Dimension (W x H x D)</b>	280 x 232 x 80 mm (11.02" x 9.13" x 3.15")
<b>System Weight</b>	6 Kg (13.22lb)
<b>VESA Mounting Support</b>	75mm / 100mm
<b>Certificate</b>	CE / FCC

### I/O Ports

<b>USB</b>	2 x USB2.0
<b>KB / Mouse</b>	2
<b>Audio</b>	Line in / Line out / MIC in
<b>Parallel</b>	1 x parallel port (SPP / EPP / ECP)
<b>Serial Port</b>	2 x COMs, COM1 supports +5V or +12V, COM2 for RS232/422/485, supports +5V only

<b>Digital I/O</b>	N/A
<b>LAN</b>	10/100/1000Mbps
<b>VGA</b>	N/A
<b>Brightness Control</b>	VR on rear panel
<b>Drive Bay</b>	1 x 2.5" HDD, 1 x IDE CF slot on board
<b>Expansion Slots</b>	PC104+ / 1 x USB CF slot on back cover

### Display

<b>LCD</b>	10.4" SVGA TFT LCD
<b>Touch Screen</b>	5W Analog resistive (USB interface)

### Environment

<b>Operating Temp.</b>	0° ~ 40°C
<b>Storage Temp.</b>	-20° ~ 60°C
<b>Humidity</b>	20% ~ 90%

### Ordering

<b>PPC-7500</b>	Panel PC with 10.4" LCD, S478 Pentium M CPU board, resistive touchscreen, 110W AC power supply
-----------------	--

All of trademarks and brand names are the property of their owners. Trademark "Protech" is the property of Protech Systems Co., Ltd. All information contained in this document is subject to change without any prior notice. This catalog is copyrighted in DEC. 2006.