

\$104-5

Canvas Buckets

Features:

Rope handle reinforced with leather for water resistance and strength.

Durable, straight-wall and tapered-wall buckets are made of heavy-duty canvas.

EST STORY TOOLS

5104

The No. canvas refers to the canvas weight. No. 1 being the thickest and No. 8 being the thinnest.

High-density polyethylene top ring for strength and chemical resistance.



Leather-Bottom Buckets

Additional Features:

- No. 1 canvas.
- Leather reinforced bottom.
- Leather cuff extends 3" (76 mm) up the side.
- Inside pocket measures 8" x 8" (203 mm x 203 mm).
- Rope handle.



| Cat. No. | Top Diameter | Bottom Diameter | Height | Extra Features | Weight (lbs.) |
|-------------|-----------------|--------------------|--------------|--------------------------------|------------------|
| 5104 | 12" (305 mm) | 12" (305 mm) | 17" (432 mm) | | 2.71 |
| 5104S | 12" (305 mm) | 12" (305 mm) | 17" (432 mm) | swivel snap (Cat. No. 2012) | 2.93 |

Straight-Wall Buckets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.



| Cat. No. | Diameter | Height | Extra Features | Weight (lbs.) |
|-------------|-------------|--------------|--|------------------|
| 5106 | 9" (229 mm) | 14" (356 mm) | , | 1.51 |
| 5106P | 9" (229 mm) | 14" (356 mm) | two 7" x 7" (178 mm x 178 mm) inside pockets | 1.62 |
| 5106S | 9" (229 mm) | 14" (356 mm) | swivel snan (Cat. No. 2012) | 1.80 |

Wide-Opening Straight-Wall Buckets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.

| Cat. No. | Diameter | Height | Extra Features | Weight (lbs.) |
|----------|--------------|--------------|--|------------------|
| 5109 | 12" (305 mm) | 15" (381 mm) | | 2.06 |
| 5109P | 12" (305 mm) | 15" (381 mm) | one 8" x 8" (203 mm x 203 mm) inside pocket | 2.12 |
| 5109S | 12" (305 mm) | 15" (381 mm) | swivel snap (Cat. No. 2012) | 2.35 |
| 5109PS | 12" (305 mm) | 15" (381 mm) | one 8" x 8" (203 mm x 203 mm) inside pocket and swivel snap (Cat. No. 2012) | 2.40 |



5109

198

Tapered-Wall Buckets

Additional Features:

- No. 6 canvas.
- Black molded $polypropylene\ bottom.$
- Rope handle.



| Cat. No. | Top Diameter | Bottom Diameter | Height | Extra Features | Weight (lbs.) |
|-------------|-----------------|--------------------|--------------|--------------------------------|------------------|
| 5113 | 12" (305 mm) | 9" (229 mm) | 13" (330 mm) | | 1.55 |
| 5113S | 12" (305 mm) | 9" (229 mm) | 13" (330 mm) | swivel snap (Cat. No. 2012) | 1.84 |

Heavy-Duty Tapered-Wall Bucket

Additional Features:

- Tough No. 4 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Riveted leather glove strap.
- Equipped with Cat. No. 2012 swivel snap hook.



| 5103S 12" (305 mm) 9" (229 mm) 12" (305 mm) swivel snap | Cat. No. | Top Diameter | Bottom Diameter | Height | Extra Features | Weight (lbs.) |
|---|----------|-----------------|--------------------|--------------|--------------------------------|------------------|
| (64.116.12 | 5103S | 12" (305 mm) | 9" (229 mm) | 12" (305 mm) | swivel snap (Cat. No. 2012) | 1.95 |

Heavy-Duty Tapered-Wall Buckets with Pockets

Additional Features:

- Tough No. 4 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Riveted leather glove strap.
- Equipped with Cat. No. 2012 swivel snap hook.

| Cat. No. | Top Diameter | Bottom Diameter | Height | Outside Pockets | Extra Features | Weight (lbs.) |
|----------|-----------------|--------------------|--------------|-------------------|--------------------------------|------------------|
| 5171PS | 12" (305 mm) | 9" (229 mm) | 12" (305 mm) | 4 outside pockets | swivel snap (Cat. No. 2012) | 2.20 |
| 5172PS | 12" (305 mm) | 9" (229 mm) | 12" (305 mm) | 15 inside pockets | swivel snap (Cat. No. 2012) | 2.35 |



Oval Bucket with 41 Pockets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Sisal-Rope handle.
- Equipped with Cat. No. 2012 swivel snap hook.
- Tripod suspension rope for greater stability.
- 26 pockets inside and 15 pockets outside.

| Cat. No. | Length | Width | Height | Pockets | Extra Features | Weight (lbs.) |
|----------|-----------------|----------------|-----------------|---|--------------------------------|------------------|
| 5152S | 14" (356 mm) | 7" (177 mm) | 10" (254 mm) | 26 inside pockets 15 outside pockets | swivel snap (Cat. No. 2012) | 2.46 |



5152S

Oval Bucket with 15 Interior Pockets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Sisal-Rope handle.
- Equipped with Cat. No. 2012 swivel snap hook.
- Tripod suspension for greater stability.

| Cat. No. | Length | Width | Height | Pockets | Extra Features | Weight (lbs.) |
|----------|-----------------|----------------|-----------------|-------------------|--------------------------------|------------------|
| 5144S | 14" (356 mm) | 7" (177 mm) | 10" (254 mm) | 15 inside pockets | swivel snap (Cat. No. 2012) | 2.17 |



5144S





Canvas Buckets

Aerial-Basket Oval Bucket with 15 Interior Pockets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Two nylon 66 polymer hooks (Cat. No. 5144H) supplied with Cat. No. 5144.

| Cat. No. | Length | Width | Height | Pockets | Extra Features | Weight (lbs.) |
|----------|-----------------|----------------|-----------------|-------------------|-------------------------------|------------------|
| 5144 | 14" (356 mm) | 7" (177 mm) | 10" (254 mm) | 15 inside pockets | two hooks (Cat. No. 5144H) | 2.01 |
| 5144B | 14" (356 mm) | 7" (177 mm) | 10" (254 mm) | 15 inside pockets | | 1.5 |



Aerial-Basket Tool Carrier

- Heavy-duty vinyl.
- Equipped with tool loops, tool holster, knife sheath, and small parts bag to keep tools organized.
- Hangs inside aerial basket to make tools readily available.
- Stiffening rod across the top holds carrier straight.
- Replacement hooks available (Cat. No. 5144H).

| Cat. No. | Height | Width | Weight (lbs.) |
|----------|--------------|--------------|---------------|
| 5169 | 21" (533 mm) | 19" (483 mm) | 2.85 |



5169

Line-Hose Bag

- No. 6 canvas with Cycolac top ring and molded bottom.
- Large enough to accommodate several pieces of hose.
- Can also be used to raise protective rubber blankets that are rolled.
- Leather cuff extends 3" (76 mm) up the side.
- Polypropylene rope handle is reinforced with leather.

| Cat. No. | Diameter | Depth | Weight (lbs.) |
|----------|-------------|---------------|---------------|
| 5110-48 | 7" (178 mm) | 48" (1219 mm) | 1.91 |

All dimensions are in inches and (millimeters).



5110-48

Canvas Electrode Bag

- Made of tough No. 4 canvas.
- Heat-resistant, hard leather bottom.
- Web loop for sliding over belt.

| Cat. No. | Diameter | Front Depth | Back Depth | Weight (lbs.) |
|----------|-------------------|-----------------|---------------------|------------------|
| 5471 | 2-1/2" (64 mm) | 12" (305 mm) | 15-1/2" (394 mm) | .25 |

5471

200

Canvas Tapered-Bottom Bag

- No. 10 canvas.
- Two pockets are provided for small parts.
- Bottom is tapered so parts will stay in center.
- Equipped with a snap for hanging.

| Cat. No. | Diameter | Depth | Weight (lbs.) |
|----------|-----------------|-------------|---------------|
| 5143 | 6-1/2" (165 mm) | 8" (203 mm) | .30 |



5143

Hooks

Swivel Snap Hook

Additional Features:

- This is NOT an occupational protective hook. NOT for human support.
- Bronze swivel snap hook made for use on canvas buckets.
- Maximum safe load is 150 lbs. (68 kg).

| Cat. No. | Length | Width | Weight (lbs.) |
|----------|--------------------|-------------------|---------------|
| 2012 | 4-3/8" (111 mm) | 1-5/8" (41 mm) | .28 |



Hook for Aerial-Baskets

- All weather, durable, nylon 66 polymer.
- Most manufacturers' aerial basket trucks accommodate bucket hook.
- Replacement hook for both Cat. No. 5144 and Cat. No. 5169

| Cat. No. | Weight (lbs.) | |
|----------|---------------|--|
| 5144H | .30 | |



AWARNING: This is NOT an occupational protective device. NOT for human support.

Slings

5606

Pole Sling

- For use where a running loop wrap around pole is desired.
- Nylon web stitched with nylon thread.
- Copper rivets with burrs at the point of wear.
- NOT an occupational protective device. NOT for human support.
- Resistant to oil, creosote, and moisture.

| Cat. No. | Rated Capacity (Maximum Working Load) | | Overall Length | Width | Weight (lbs.) |
|----------|---------------------------------------|--------------|-----------------|---------------|---------------|
| | Choke Hitch | Basket Hitch | | | |
| 5606 | 3000 lbs | 4700 lbs | 39" (991 mm) | 2" (51 mm) | 1.33 |

AWARNING: This is NOT an occupational protective device. NOT for human support.

AWARNING: This is NOT an occupational protective device. NOT for human support.

NOT FOR HUMAN SUPPORT

All dimensions are in inches and (millimeters).

Downloaded from Elcodis.com electronic components distributor