

PDM: Rev:B

STATUS: Released



Α

В

CAT. NO. & DIMENSIONS

NO. OF	0.17	DI	MENSIO	NS (NC	TE2)
CONTACTS (n)	CAT. NO.	A ± 0.2	B ± 0.2	C ± 0.1	D ± 0.1
4	SFV4R-1/2STHLF	7.5	5.9	1.5	2.7
5	SFV5R-1/2STHLF	8.0	6.4	2.0	3.2
6	SFV6R-1/2STHLF	8.5	6.9	2.5	3.7
7	SFV7R-1/2STHLF	9.0	7.4	3.0	4.2
8	SFV8R-1/2STHLF	9.5	7.9	3.5	4.7
9	SFV9R-1/2STHLF	10.0	8.4	4.0	5.2
10	SFV10R-1/2STHLF	10.5	8.9	4.5	5.7
11	SFV11R-1/2STHLF	11.0	9.4	5.0	6.2
12	SFV12R-1/2STHLF	11.5	9.9	5.5	6.7
13	SFV13R-1/2STHLF	12.0	10.4	6.0	7.2
14	SFV14R-1/2STHLF	12.5	10.9	6.5	7.7
15	SFV15R-1/2STHLF	13.0	11.4	7.0	8.2
16	SFV16R-1/2STHLF	13.5	11.9	7.5	8.7
17	SFV17R-1/2STHLF	14.0	12.4	8.0	9.2
18	SFV18R-1/2STHLF	14.5	12.9	8.5	9.7
19	SFV19R-1/2STHLF	15.0	13.4	9.0	10.2
20	SFV20R-1/2STHLF	15.5	13.9	9.5	10.7
21	SFV21R-1/2STHLF	16.0	14.4	10.0	11.2
22	SFV22R-1/2STHLF	16.5	14.9	10.5	11.7
23	SFV23R-1/2STHLF	17.0	15.4	11.0	12.2
24	SFV24R-1/2STHLF	17.5	15.9	11.5	12.7
25	SFV25R-1/2STHLF	18.0	16.4	12.0	13.2
26	SFV26R-1/2STHLF	18.5	16.9	12.5	13.7
27	SFV27R-1/2STHLF	19.0	17.4	13.0	14.2
28	SFV28R-1/2STHLF	19.5	17.9	13.5	14.7
29	SFV29R-1/2STHLF	20.0	18.4	14.0	15.2
30	SFV30R-1/2STHLF	20.5	18.9	14.5	15.7
31	SFV31R-1/2STHLF	21.0	19.4	15.0	16.2
32	SFV32R-1/2STHLF	21.5	19.9	15.5	16.7
33	SFV33R-1/2STHLF	22.0	20.4	16.0	17.2
34	SFV34R-1/2STHLF	22.5	20.9	16.5	17.7
35	SFV35R-1/2STHLF	23.0	21.4	17.0	18.2

SERIES NAME

NO. OF CONTACTS

RIGHT ANGLE TYPE

FOR FPC/FFC, CONTACT

DIRECTION

1. LOWER CONTACT TYPE

2. UPPER CONTACT TYPE

FOR AUTOMATIC MOUNTING

(SMT)

PACKAGE STYLE

HALOGEN and LEAD FREE

NOTES

- THIS PRODUCT IS THE CONNECTOR USED FOR FPC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE PART DRAWINGS FOR DIMENSIONS A~D.

ma	mat'l. code				ISO 1302 V ISO 1101						ction	product family 58EF C							
ltr	ecn	no	dr	date	tolera	nces i	nles	s se spe	cified	1 4		title							
В					angles					m	m	CAT. NO. TABLE FOR 0.5 m CONTACT SPACING CONNECTO (Cat. No. : SFVR-1/2ST_						OR	_,
										scale	\propto	7 (Cat	. No). : :	SFV	_R-1,	/2ST.	H	_F)
					dr	SM0	Tul	UN 20/0-9-14		4	655550 -c555- P.	dwg no				shee	t 2 c	of 9	siz
					engr chr A			11/18 2010-9-14				10112793							A ₄
					appd	Man	B	Sen	16/10	•		type	Pro	duct	Cus	tomer	Drav	ving	I
she	et	revi	sion			7		r											Re
inde	ех	she	et																В

PDM: Rev:B

STATUS: Released


Printed: Sep 19, 2010

<u>C</u>

D


С

Copyright FCI.



PDM: Rev:B

STATUS: Released



PDM: Rev:B

status: Released



Α

В

 C

CODE

JP

Rev В D

2

SFV__R-1/2STE1HLF)

CAT. NO. & DIMENSIONS

Α

С

NO. OF CONTACTS	CAT NO	DIMENS	SIONS (NO	TE3)
(n)	CAT. NO.	F±5	G ± 0.3	H ± 0.1
4	SFV4R-1/2STE1HLF	20.4	16	
5	SFV5R-1/2STE1HLF	20.4	16	
6	SFV6R-1/2STE1HLF	20.4	16	
7	SFV7R-1/2STE1HLF	28.4	24	
8	SFV8R-1/2STE1HLF	28.4	24	
9	SFV9R-1/2STE1HLF	28.4	24	
10	SFV10R-1/2STE1HLF	28.4	24	
11	SFV11R-1/2STE1HLF	28.4	24	
12	SFV12R-1/2STE1HLF	28.4	24	
13	SFV13R-1/2STE1HLF	28.4	24	
14	SFV14R-1/2STE1HLF	28.4	24	
15	SFV15R-1/2STE1HLF	28.4	24	
16	SFV16R-1/2STE1HLF	28.4	24	
17	SFV17R-1/2STE1HLF	28.4	24	
18	SFV18R-1/2STE1HLF	28.4	24	
19	SFV19R-1/2STE1HLF	28.4	24	
20	SFV20R-1/2STE1HLF	28.4	24	
21	SFV21R-1/2STE1HLF	28.4	24	
22	SFV22R-1/2STE1HLF	28.4	24	
23	SFV23R-1/2STE1HLF	36.4	32	28.4
24	SFV24R-1/2STE1HLF	36.4	32	28.4
25	SFV25R-1/2STE1HLF	36.4	32	28.4
26	SFV26R-1/2STE1HLF	36.4	32	28.4
27	SFV27R-1/2STE1HLF	36.4	32	28.4
28	SFV28R-1/2STE1HLF	36.4	32	28.4
29	SFV29R-1/2STE1HLF	36.4	32	28.4
30	SFV30R-1/2STE1HLF	36.4	32	28.4
31	SFV31R-1/2STE1HLF	48.4	44	40.4
32	SFV32R-1/2STE1HLF	48.4	44	40.4
33	SFV33R-1/2STE1HLF	48.4	44	40.4
34	SFV34R-1/2STE1HLF	48.4	44	40.4
35	SFV35R-1/2STE1HLF	48.4	44	40.4

CAT. NO. SFV (n) R = 1 ST E1 HLF SERIES NAME NO. OF CONTACTS RIGHT ANGLE TYPE FOR FPC/FFC, CONTACT DIRECTION 1. LOWER CONTACT TYPE 2. UPPER CONTACT TYPE FOR AUTOMATIC MOUNTING (SMT) TAPE PACKAGING HALOGEN and LEAD FREE -

NOTES

- 1. THIS PRODUCT IS THE CONNECTOR USED FOR FPC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. THIS CATALOG NO. INDICATES PLASTIC TAPE PACKAGED CONNECTOR.
- 3. SEE PART DRAWINGS FOR DIMENSIONS F~H.

Ë.																					
Copyright	ma	t'l. ‹	code)		sur1	130	2 🗸	ISC			pro	jection	pro	duct	far	mily		58EF	-	CC
d O	Itr	ecn	no	dr	date	toler	ranc	esur	less	speci	fied	T		title					***************************************		
ŏ	В					angl	es	linea					mm		NO. T 0.5 mr	n COI	VTACT	SPACII	NG CO	NNECT	
										·		scal	le χ	(0	at. r	١٥.	: SF	V1	۱ – ۱	2511	LIMLI
						dr	S.	Matr	fr	20/0-9		ATTIE	-	dwg	l no			S	hee	t 5 o	f 9
						engr chr	S. M.	Arc Va VARIA	le-	20/0-9		F	C j,				101	127	93		
						appo	M	CAT	5 *	Solt	110			typ	e P	rodu	ct C	usto	mer	Draw	/ing
	she	et	revi	sion			0.1			TT											
D	ind	ex	she	et																	


STATUS: Released

Printed: Sep 19, 2010

sheet 5 of 9 size

form: A4 Downloaded from Elcodis.com electronic components distributor

PDM: Rev:B



PDM: Rev:B

STATUS: Released




Α

В

С

D



С

Copyright FCI

Α

PT. NO.	PARTS NAME	CAT. NO.	MATERIAL	Q'TY	NOTE
1	REEL		CARDBOARD	1	COLOR : WHITE
2	PLASTIC (EMBOSS) TAPE		A-PET		COLOR : TRANSPARENCY
3	COVER		POLYESTER		COLOR : TRANSPARENCY
4	CONNECTOR	SFVR-2STHLF	SEE ATTACHED DWG.	3000	UPPER CONTACT TYPE

NOTES

- 1. THIS IS PLASTIC TAPE PACKAGED CONNECTOR USED FOR FPC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE JIS C 0806 (PACKING OF ELECTRONIC COMPONENTS ON CONTINUOUS TAPES (SURFACE MOUNTING DEVICES)) FOR SHAPE AND DIMENSIONS OF PLASTIC (EMBOSS) TAPE AND REEL.
- 3. F DIMENSION IS PORTION OF THE CORE.

mat'l. code						ISO 1302 V ISO 1101							ection	prod	uct	famil	У	581	1	CODE JP	
ltr	ecn	no	dr	dat	е	tolera	tolerances unle				es unless otherwise specified			title							
В						angles	<u> ا</u>	nea	±5			1	nm	0.5 m	nm C	ONTAC	CKAGED ACING CONNEC				
						±5°	±5'						= X	7 (0	(Cat. No. : SFVR-2STE1HLF)
						dr ,	5.	Ma	h	20/0	-9-14	ACCOUNT		dwg	no			shee	t 7 o	f 9	si
						engr	or S. Weller	184121 2010-9-14			Ci.			1	0112	2793					
						chr MYAMAK				MAGH				10112.						Δ	
						appd /	M	ant	3	Sin	16/10		STATE OF THE PARTY	type	Pro	duct	Custo	mer	Draw	ing	
she	et	revi	sion				7,			7											R
inde	ex	she	et																		


form: A4

PDM: Rev:B

STATUS: Released

Printed: Sep 19, 2010

Downloaded from Elcodis.com electronic components distributor



PDM: Rev:B

STATUS: Released

