






7 6 5 4 3 2 1




NOTE :

- MATERIAL : HOUSING :POLYESTER(PBT),GLASS FIBER FILLED, UL94-V0,COLOR:SEE TABLE  
TERMINAL #PHOSPHOR BRONZE  
METAL SHELL :FRONT SHELL:SUS 304  
BACK SHELL:SPCC
- PLATING :  
TERMINAL :  
CONTACT AREA :SEE TABLE  
SOLDER TAIL :FINISH ALLOY,THICKNESS-75 MICRONCH MN/19 MICROMETER MIN.  
UNDER PLATE :NICKEL(IN),THICKNESS-50 MICRONCH MN/127 MICROMETER MIN.  
METAL SHELL :TIN PLATING,THICKNESS-100 MICRONCH MN/2.54 MICROMETER MIN.  
UNDER PLATE :NICKEL (IN),THICKNESS-50 MICRONCH MN/127 MICROMETER MIN.
- RECOMMENDED PCB THICKNESS :1.60 +/- 0.05mm
- PRODUCT SPECIFICATION:REFER TO PS-67298-001
- TEST SUMMARY:REFER TO TS-67298-008
- PACKAGING:REFER TO PK-67298-003
- THE HOUSING MATERIAL IS NOT FOR IR REFLOW PROCESS OR SURFACE MOUNTING COMPATIBLE PROCESS.
- LEAD FREE AND ROHS COMPLIANCE PRODUCT
- WEEK CODE XXXXX



P/N	COLOR	CONTACT PLATING
67298-3090	BLACK	GOLD FLASH
67298-4090	WHITE	GOLD FLASH
67298-3091	BLACK	30 MICRO INCH
67298-4091	WHITE	30 MICRO CHEN



L/F FOR 67298 EC NO: SH2005020297 DRWN: CHEN12 2005/05/06 CHKD: 2005/05/10 APPR: WWSCHANG 2005/05/10 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.25</td> <td>±---</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>±---</td> </tr> <tr> <td colspan="3">ANGULAR ± 3 °</td> </tr> </tbody> </table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	± 0.25	±---	1 PLACE	± 0.25	±---	ANGULAR ± 3 °			DIMENSION STYLE MM ONLY	SCALE DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH																			
	4 PLACES		±---	±---																			
	3 PLACES		±---	±---																			
2 PLACES	± 0.25	±---																					
1 PLACE	± 0.25	±---																					
ANGULAR ± 3 °																							
=0 <math>\nabla=0</math>	DRAWN BY IVY-LIN DATE 2005/03/11	TITLE USB DUAL STACKED A CONNECTOR (LEAD FREE VERSION)																					
CHECKED BY ALL IN DATE 2005/04/01	APPROVED BY WWSCHANG DATE 2005/04/01	MOLEX INCORPORATED																					
MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-67298-008	SHEET NO. 1 OF 1																					

fb\_frame\_A4\_P\_AM\_T  
Rev. D 2004/06/28

6 5 4 3 2 1