

This document was generated on 05/01/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status:	<u>87438-0443</u> Active		(Canon
Overview: Pico-Spox™ Description: 1.50mm Pitch Picc		SPOX™ Wire-to-Board Header, Surface Mount, Right Angle, s, Embossed Tape on Reel, Lead-Free	AND DO DO DO DO
Documents:			
<u>3D Model</u> <u>Drawing (PDF)</u> Product Specification	<u>n PS-87437 (PDF)</u>	RoHS Certificate of Compliance (PDF) Product Literature (PDF)	Series
Agency Certifica	ation		image - Reference only
UL		E29179	EU RoHS China RoHS ELV and RoHS
General			Compliant
Product Family		PCB Headers	REACH SVHC
Series		87438	Contains SVHC: No
Application		Signal, Wire-to-Board	Low-Halogen Status
MolexKits		Yes	Not Low-Halogen
Overview		<u>Pico-Spox™</u>	Need more information on product
Product Literature Order No		USA-235	environmental compliance?
Product Name		Pico-SPOX™	
Physical			Email productcompliance@molex.com
Breakaway		No	For a multiple part number RoHS Certificate
Circuits (Loaded)		4	Compliance, <u>click here</u>
Circuits (maximum)		4	Please visit the Contact Us section for any
Color - Resin		Natural	non-product compliance questions.
Durability (mating cycles max)		10	
First Mate / Last Break		No	
Flammability		94V-0	
Glow-Wire Compliant		No	Search Parts in this Series
Guide to Mating Part		No	<u>87438</u> Series
Keying to Mating Par	rt	None	
Lock to Mating Part Material - Metal		Yes Brass	Mates With
Material - Metal Material - Plating Mating		Tin	87439 Pico-SPOX™ Wire-to-Board Housi
Material - Plating Ter		Tin	
Material - Resin		High Temperature Thermoplastic	
Number of Rows		1	
Orientation		Right Angle	
PCB Locator		No	
PCB Retention		None	
Packaging Type		Embossed Tape on Reel	
Pitch - Mating Interface		1.50mm	
Plating min - Mating Plating min - Termina	ation	2.540µm 2.540µm	
Polarized to Mating F		Yes	
Polarized to PCB	un	Yes	
Shrouded		Fully	
Stackable		No	
Temperature Range		-55°C to +105°C	
Termination Interface	e: Style	Surface Mount	
Electrical			
Electrical		0.4	

Current - Maximum per Contact

3A

Downloaded from Elcodis.com electronic components distributor

Voltage - Maximum

350V

Material Info

Reference - Drawing Numbers Product Specification

Sales Drawing

PS-87437, RPS-87437, RPS-87437-001, RPS-87437-200, RPS-87438-002 SD-87438-**31

This document was generated on 05/01/2012 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION