


SAW Bandpass Filter 202160B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)


2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202160B	
		Rev. Date	2004-03-19	
		Rev.	NW3028-CS02	1/5

SAW Bandpass Filter 202160B



3. Specifications

Fo = 70 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

Operating temperature range : -10°C ~ +60°C		Minimum	Typical	Maximum
Center Frequency	MHz	-	70.0	-
Insertion Loss	dB	-	10.8	12.0
1dB Bandwidth	MHz	-	0.18	-
3dB Bandwidth	MHz	0.25	0.32	-
40dB Bandwidth	MHz	-	1.05	1.2
Amplitude Ripple (Fo +/- 0.05 MHz)	dB	-	0.4	0.8
Group Delay Variation (Fo +/- 0.05 MHz)	nsec	-	80	300
Absolute Delay	usec	-	3.1	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C ²	-	-0.03	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration
- 3) Electrical margin has been built into the design to account for the variations due to temperature drift and manufacturing tolerances
- 4) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202160B	
		Rev. Date	2004-03-19	
		Rev.	NW3028-CS02	2/5

SAW Bandpass Filter 202160B



4. Matching Schematic


(Actual matching values may vary due to PCB layout and parasitics)



5. Marking Configuration

ITF¹⁾ 04A001²⁾
202160B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number


	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202160B
		Rev. Date	2004-03-19
		Rev.	NW3028-CS02 3/5

SAW Bandpass Filter 202160B







6. Typical Performance (at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202160B	
		Rev. Date	2004-03-19	
		Rev.	NW3028-CS02	4/5

SAW Bandpass Filter 202160B



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202160B	
		Rev. Date	2004-03-19	
		Rev.	NW3028-CS02	5/5