



STM3220G-SK/KEI

Keil™ starter kit for STM32F2 series microcontrollers (STM32F207IG MCU)

Data brief

Features

- The Keil MDK-Lite development tools:
 - μ Vision@4 IDE/Debugger for application programming and debugging
 - ARM C/C++ compiler
 - RTX real-time kernel, a multi-tasking operating system for embedded applications
 - MDK-Lite supports applications with up to 32 KB code-size
- ULINK-ME in-circuit debugger/programmer with USB interface to host PC and 20-pin JTAG or 10-pin CoreSight debug interface
- Full-featured Keil evaluation board with a 120 MHz STM32F207IG MCU

Description

The Keil starter kit is a complete, cost-effective solution for starting application development and evaluating the STMicroelectronics STM32F2 series ARM Cortex™-M3 processor-based microcontrollers.

The STM3220G-SK/KEI starter kit provides all the hardware and software you need to start developing applications for the STM32 ARM core-based families of microcontrollers. It comes complete with a full-featured evaluation board (including Ethernet, USB HS, VGA camera, external memories, CAN, USARTs, Audio, and QVGA Touchscreen LCD), Keil's MDK-ARM Lite Edition (32 KB) development tools, and the ULINK-ME™ (USB/JTAG) adapter.

Keil starter kits are available for a full range of ST ARM core-based microcontrollers.




Table 1. Device summary

Reference	Order code
Keil™ starter kit for STM32F2 series microcontrollers	STM3220G-SK/KEI

Starter kit architecture

Keil development software is a suite of software development tools for creating and debugging microcontroller applications that includes:

- **μVision® integrated development environment**, which integrates the ARM Compilation Tools and Keil's debugging software so that users can quickly and easily develop and debug their applications while they run on a target microcontroller.
- **ARM Compilation Tools (RVCT)** 32 Kbyte code-size limited version of the optimizing C/C++ compiler for ARM™ core-based microcontrollers.
- **ULINK-ME™ USB/JTAG in-circuit debugger / programmer**, which integrates fully with μVision, allowing users to download the application to the target and debug it while it runs on the ST ARM core-based microcontroller on the evaluation board.
- **Keil™ evaluation board**, an application board that provides a full range of features to help users evaluate and start developing applications for the included STM32F207IG microcontroller. The Keil MCBSTM32F200 evaluation board includes the following key features:
 - 120 MHz STM32F207IG ARM Cortex-M3 processor-based MCU in 176-pin BGA package
 - On-chip memory: 1 MB Flash, 132 KB SRAM
 - On-board memory: 2 MB SRAM, 8 MB NOR Flash, 512 MB NAND Flash, 8 KB EEPROM (I²C) with NFC (wireless near field communication) interface
 - 2.4 inch color QVGA TFT LCD with resistive touch-screen
 - 10/100 Ethernet port
 - USB 2.0 Full Speed - USB, USB-OTG, and USB Host
 - USB 2.0 High Speed - USB, USB-OTG, and USB Host
 - CAN interface
 - Serial/UART port
 - MicroSD Card interface
 - 5-position joystick
 - Push-buttons for Reset, Wakeup, Tamper and User
 - 8 LEDs directly connected to port pins
 - 3-axis digital Accelerometer
 - 3-axis digital Gyroscope
 - Analog voltage control for ADC input (potentiometer)
 - Audio CODEC/DAC with line-in/out and speaker/microphone
 - Digital microphone
 - Digital VGA camera
 - All MCU signals are connected to headers grouped by ports
 - Two jumpers to select boot mode
 - Power supply via: High Speed (micro) USB connector, Full Speed (micro) USB connector, Power jack (8 V-12 V)
 - Debug interface connectors: 20-pin JTAG (0.1 inch connector), 10-pin Cortex debug (0.05 inch connector), 20-pin Cortex debug + ETM Trace (0.05 inch connector)

Ordering information

Keil starter kits can be ordered from Keil or from your nearest ST distributor or sales office for STM32F2 series microcontroller (ST order code: STM3220G-SK/KEI).

For more information and complete documentation, please refer to the Keil web site or the STMicroelectronics microcontroller support site on www.st.com.

Revision history

Table 2. Document revision history

Date	Revision	Changes
03-Oct-2011	1	Initial release.
11-May-2012	2	Modified Features and Description for clarification.

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2012 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com