MicroTouch™ CT150 Touch Monitor – Bezel Options

CT150 Touch Monitor with Slimline Bezel (standard)

Standard product includes bezel shown. Bezel is flush to edges of display.
Reinforced bosses on monitor case for bracket mounting. Ideal for rear mount applications.

CT150 Touch Monitor with Contour Flanged Bezel (optional)

This bezel is contoured on the front to resemble a desktop monitor bezel.
Designed for front mount or "drop-in" applications. Bezel only, monitor sold separately. (Part number: 29369)

MicroTouch™ CT150 Touch Monitor – Bezel Options

CT150 Touch Monitor with Industrial Flanged Bezel (optional)
Rugged, gasketed bezel with wide flange and multiple attachment points to both the display and the enclosure.
Bezel only, monitor sold separately. (Part number: 29368)

Top Mount Configuration

Side Mount Configuration

Standard Steel Mounting Brackets
(standard with CT150 Touch Monitior)

MicroTouch™ CT150 Touch Monitor Mounting Bracket

Heavy-duty VESA Mounting Bracket
(Part number: 30113, shown below with CT150 and Contour Flanged bezel)

Depth adjustable

Laterally adjustable

Four bracket alignment pins engage corresponding indents
in monitor case to ensure proper installation.

Rear View

Front View

# MicroTouch™ CT150 Touch Monitor Arm Mounting Option

Arm Mounting Option

75mm VESA-compliant mounting pattern attaches to an array of ergonomic arms, mounts and bases...an ideal configuration for any application where installation flexibility is required.

Mounting arm (courtesy of Ergotron) and cable management tubing shown here are not available from 3M.

# MicroTouch™ CT150 Touch Monitor Mounting Options

**Slimline Bezel
Mounting Method**
(with standard brackets)

**Contour Flanged Bezel
Mounting Method**
(with standard brackets)

**Contour Flanged Bezel
Mounting Method**
(with optional VESA-mounting bracket)

**Industrial Flanged Bezel
Mounting Method**
(no brackets required)

MicroTouch™ CT150 Touch Monitor Connectors/Controls

Flush Button OSD Controls

MENU   SELECT   ◄   ►   ⏻

Power / Video
status indicator light

Contour Flanged
Bezel Shown

110/220V
AC Power

12V DC In

Optional Remote
OSD Control
Jack

Touch Screen
USB

D-SUB

CT150 Touch Monitor Remote OSD Control

Simplifies video adjustment of installed monitors. (Part Number: 30114)

Power / Video
status indicator light

MENU   SELECT   ◄   ►   ⏻

MicroTouch™ ClearTek™ II Capacitive Touch Screen Technology

MicroTouch™ ClearTek™ II Capacitive Touch Screen Technology
(mounted to LCD display)

Small amount of voltage is applied to the four corners of the touch screen.

The x,y location of the point of contact is calculated by the controller and transmitted to the PC.

A finger touches the screen and draws a minute amount of current to the point of contact.

MicroTouch EX II Controller provides fast, accurate touch.