





wiha 
Premium Tools
Tech Tools


Innovations that work





Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	4-5
	Precision Phillips Drivers	5
	Precision Pozidriv® Drivers	6
	Precision Hex Drivers	6
	Precision Ball End Drivers	7
	Precision Nut Drivers	8
	Precision Torx® Drivers	9
		Precision Chip Lifters





Wiha ESD Safe Precision Handles/Blades

	Description	Page
	SYSTEM 4 Handles/Blades	15-16
	SYSTEM 4 Sets	17-18



Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc Handle & Blades	16
	SYSTEM 4 Drive-Loc Set	16


Wiha Precision Screwdriver Accessories

	Description	Page
	Precision Master Tech Set	9
	Precision Pocket Clip	9
	Precision Stand	9
	Precision Pouch	8,13


ESD Safe Micro Bit Handles, Bits & Sets

	DESCRIPTION	Page
	Micro Bits Handles/Bits/Sets	19-21
	ESD Safe Micro Bit Sets	22


Wiha Precision PicoFinish Drivers

	Description	Page
	PicoFinish Screwdrivers	10-13
	Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	









Wiha Magnetizer/Demagnetizer
















	Description	Page
	Magnetizer/Demagnetizer	7







Wiha Precision Protturn Drivers

	Description	Page
	Protturn Drivers & Blade Sets	14
	Slotted, Phillips, Torx, Chip Lifter	

Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	23
	Electronic Diagonal Cutters Wide Shape with Wire Holding Spring	23
	Electronic Diagonal Cutters Narrow Shape	23
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	24
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	24
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	24
	Electronic Diagonal Cutters Short Nose Precision Pliers	24
	Electronic Stripping Pliers	24

Wiha Professional Tweezers		
	Description	Page
	ESD Safe Tweezers	25-27
	Standard Tweezers	28-30
	Wafer Tweezers	31
	Cutting Tweezers	31
	Guide Pin Tweezers	32
	SMD Tweezers	32-33
	Microscopy Tweezers	33
	Self Closing Tweezers	34
	Long Tweezers w/Long Tips	35
	Isolated Tweezers	35
	Super Thin Tweezers	35
	Inspection Mirrors	36
	All Stainless Hooks	36
	All Stainless Excavators	37
	All Stainless Probes	37

Wiha Stripping Tools		
	Description	Page
	Self Adj. Cut & Strip Tools	38
	Adjustable Cable Stripper	39
	Adjustable Stripping Tool	39
	CATV/Satellite Stripper	39
	2 Step Stripping Tools	40
	3 Step Stripping Tools	41

Wiha ESD Safe Tech Tools

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc
Handles/Blades/Sets

ESD Safe Pliers & Cutters



Catalog 99945.wo



Wiha Long Life Precision Series



260 Slotted Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
260 08	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
260 10	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
260 12	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
260 15	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
260 18	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
260 20	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
260 22	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
260 23	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
260 25	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
260 27	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
260 28	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
260 30	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
260 32	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
260 33	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
260 34	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
260 35	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
260 40	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
260 41	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
260 42	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate

Rotating cap

for precise turning and control with fingertip

Precision handle

high quality plastic, cadmium free

Molded on tapered handle

allows rapid rotation

High performance blades

chrome-vanadium-molybdenum steel, Hard chrome finished

Tip

precision ground for exact fit, hard chromed non-slip surface



260 90 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
260 90	Slotted: 1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



260 99 8 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.		lbs.
260 99	Slotted: 1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle
Blade high alloy chrome-vanadium-molybdenum steel.

Item	+	-	+	-	+	-	+	-	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
261 02	000	40	1.6	2.0	.08	120	4.7	.02	10
261 00	00	40	1.6	2.0	.08	120	4.7	.02	10
261 01	00	75	3.0	2.0	.08	155	6.1	.02	10
261 05	0	50	2.0	3.0	.12	145	5.7	.02	10
261 08	0	75	3.0	3.0	.12	170	6.7	.03	10
261 07	0	100	3.9	3.0	.12	195	7.6	.05	10
261 09	0	150	5.9	3.0	.12	245	9.6	.06	10
261 10	1	60	2.4	4.0	.16	170	6.7	.05	10
261 13	1	80	3.1	4.0	.16	190	7.5	.05	10
261 14	1	100	3.9	4.0	.16	210	8.2	.06	10
261 15	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



260 92 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	+	-
260 92	Slotted:	lbs.
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	



261 90 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	+	-
261 90	Slotted:	lbs.
	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



261 94 4 Piece Precision Phillips Set
Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished.

Item No.	+	-
261 94	Phillips: 000, 00 x 40mm	lbs.
	0 x 50mm, 1 x 60mm	.18



In canvas storage pouch

261 99 8 Piece Precision Slotted/Phillips Set
Blade high alloy CVM steel, hard chrome finished.

Item No.	+	-
261 99	Slotted: 1.0, 2.0 x 40mm, 3.0 x 50mm	lbs.
	4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm,	
	1 x 60mm	



261 92 5 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	+	-
261 92	Slotted:	lbs.
	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	



Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
262 05	0	50	2.0	3.0	.12	145	5.7	.03	10
262 10	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
263 07	.71	.028	40	1.6	120	4.7	.02	10	
263 09	.89	.035	40	1.6	120	4.7	.02	10	
263 13	1.27	.050	40	1.6	120	4.7	.02	10	
263 15	1.5	-	50	2.0	145	5.7	.03	10	
263 20	2.0	5/64	50	2.0	145	5.7	.03	10	
263 25	2.5	-	60	2.4	170	6.7	.04	10	
263 30	3.0	-	60	2.4	170	6.7	.04	10	
263 40	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
263 07	.028	.71	40	1.6	120	4.7	.02	10	
263 09	.035	.89	40	1.6	120	4.7	.02	10	
263 13	.050	1.27	40	1.6	120	4.7	.02	10	
263 16	1/16	-	50	2.0	145	5.7	.03	10	
263 20	5/64	2.0	50	2.0	145	5.7	.03	10	
263 23	3/32	-	60	2.4	170	6.7	.04	10	
263 27	7/64	-	60	2.4	170	6.7	.04	10	
263 31	1/8	-	60	2.4	170	6.7	.04	10	
263 33	9/64	60	2.4	170	6.7	.05	10		
263 36	5/32	60	2.4	170	6.7	.05	10		

*Metric dimensions actual - Inch dimensions approximate



263 91 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
263 91 Hex Inch:	lbs.
.028, .035, .050 x 1.6"	.32
1/16, 5/64 x 2.0"	
3/32, 7/64, 1/8 x 2.4"	



263 90 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
263 90 Hex Metric:	lbs.
.71, .89, 1.27 x 40mm	.28
1.5, 2.0 x 50mm	
2.5, 3.0 x 60mm	




263 99 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	
263 99 Hex Inch:	lbs.
.028, .035, .050 x 1.6"	
1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.55

Wiha Ball End Precision Series




264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13	.050	40	1.6	120	4.7	.02	10
264 16	1/16	50	2.0	145	5.7	.03	10
264 19	5/64	50	2.0	145	5.7	.03	10
264 23	3/32	50	2.0	145	5.7	.03	10
264 27	7/64	60	2.4	170	6.7	.03	10
264 31	1/8	60	2.4	170	6.7	.05	10
264 36	9/64	60	2.4	170	6.7	.05	10
264 39	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13	1.27	.050	40	1.6	120	4.7	.02	10
264 15	1.5	-	50	2.0	145	5.7	.03	10
264 20	2.0	-	50	2.0	145	5.7	.03	10
264 25	2.5	-	60	2.4	170	6.7	.04	10
264 30	3.0	-	60	2.4	170	6.7	.05	10
264 40	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 91 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
264 91	1.27 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



264 90 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
264 90	.050 x 1.6"	.28
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64,	
	5/32 x 2.4"	



264 99 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex:	lbs.
264 99	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

400 10 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.	Each
400 10	2.1" x 2.0" x 1.1"	.30	\$5.98

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
265 10	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
265 15	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
265 20	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
265 25	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
265 30	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
265 32	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
265 35	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
265 40	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
265 45	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
265 50	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
265 55	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
265 60	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
265 70	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 90 8 Pc. Precision Nut Driver Set - Metric Blade CVM steel.

Item No.	lbs.
265 90 Metric Nut Drivers:	.48
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	

265 92 Set 7 Pcs. Nut Driver Metric

Item No.	265 92
	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm



265 98 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
265 98 Metric Nut Drivers:	.70
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
265 23	3/32	60	2.4	155	6.1	.16	.16	.04	10
265 27	7/64	60	2.4	155	6.1	.20	.20	.05	10
265 31	1/8	60	2.4	155	6.1	.20	.20	.05	10
265 36	9/64	60	2.4	155	6.1	.21	.24	.05	10
265 39	5/32	60	2.4	155	6.1	.22	.24	.05	10
265 47	3/16	60	2.4	155	6.1	.25	.28	.05	10
265 56	7/32	60	2.4	170	6.7	.30	.32	.06	10
265 63	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 91 8 Pc. Precision Nut Driver Set - Inch Blade CVM steel.

Item No.	lbs.
265 91 Inch Nut Drivers:	47
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	



265 99 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
265 99 Inch Nut Drivers:	.72
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	



911 18 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
911 18	14 1/2" W x 7 3/4" L	.13	1

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 03	T3	40	1.6	120	4.7	.02	10
267 04	T4	40	1.6	120	4.7	.02	10
267 05	T5	40	1.6	120	4.7	.02	10
267 06	T6	40	1.6	120	4.7	.02	10
267 07	T7	40	1.6	120	4.7	.02	10
267 08	T8	40	1.6	120	4.7	.03	10
267 09	T9	50	2.0	145	5.7	.03	10
267 10	T10	50	2.0	145	5.7	.03	10
267 15	T15	60	2.4	170	6.7	.05	10
267 20	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



267 90 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	lbs.	pkg.
267 90 TORX®:	lbs.	
T6, T7, T8 x 40mm	.30	
T9, T10 x 50mm		
T15 x 60mm		



267 99 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.	pkg.
267 99 TORX®: T3, T4, T5, T6, T7, T8 x 40mm	lbs.	
T9 x T10 x 50mm	.50	



267 92 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	lbs.	pkg.
267 92 TORX®:	lbs.	
T5, T6, T7, T8 x 40mm	.33	
T9, T10 x 50mm		
T15 x 60mm		



921 90 Master Technicians Bench Top Set

Plexiglass frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
921 90	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.25	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



260 01 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	lbs.	pkg.
260 01	Fits all Precision handles	.0035 1



260 00 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench.

Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
260 00	Rack for 6 Precision screwdrivers	.08 1

Wiha Precision Chip Lifter



268 10 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated.

Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
268 10	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes



CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

Item	↓	⊖	⊖	⊖	⊖	⊖	⊖
No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
260 50	0.8	.03	40	1.6	134	5.3	10
260 51	1.0	.04	40	1.6	134	5.3	10
260 52	1.2	.05	40	1.6	134	5.3	10
260 53	1.5	.06	40	1.6	134	5.3	10
260 54	1.5	.06	60	2.4	154	6.1	10
260 55	1.8	.07	40	1.6	134	5.3	10
260 56	1.8	.07	60	2.4	154	6.1	10
260 60	2.0	.08	40	1.6	140	5.5	10
260 61	2.0	.08	60	2.4	160	6.3	10
260 63	2.0	.08	100	3.9	200	7.9	10
260 65	2.5	.09	50	2.0	150	5.9	10
260 66	2.5	.09	75	3.0	175	6.9	10
260 68	2.5	.09	100	3.9	200	7.9	10
260 70	3.0	.13	50	2.0	150	5.9	10
260 72	3.0	.13	100	3.9	200	7.9	10
260 73	3.0	.13	150	5.9	250	9.8	10
260 74	3.5	.14	60	2.4	160	6.3	10
260 76	4.0	.16	60	2.4	160	6.3	10
260 79	4.0	.16	100	3.9	200	7.9	10
260 80	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



260 93 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

Item No.		⊖
260 93	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	lbs. .54



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	⊕	⊖	⊖	⊖	⊖	⊖	⊖	⊖
No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
261 30	000	40	1.6	2.0	.08	134	5.3	10
261 32	00	40	1.6	2.0	.08	134	5.3	10
261 33	00	60	2.4	2.0	.08	154	6.1	10
261 35	0	50	2.0	3.0	.12	150	5.9	10
261 36	0	75	3.0	3.0	.12	175	6.9	10
261 40	1	60	2.4	4.0	.16	160	6.3	10
261 42	1	80	3.1	4.0	.16	180	7.1	10
261 45	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



261 93 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		⊖
261 93	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	lbs. .55

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
267 32	T1	40	1.6	134	5.3	10
267 33	T2	40	1.6	134	5.3	10
267 35	T3	40	1.6	134	5.3	10
267 36	T4	40	1.6	134	5.3	10
267 37	T5	40	1.6	134	5.3	10
267 39	T6	40	1.6	140	5.5	10
267 41	T7	40	1.6	140	5.5	10
267 43	T8	40	1.6	140	5.5	10
267 45	T9	50	2.0	150	5.9	10
267 47	T10	50	2.0	150	5.9	10
267 49	T15	60	2.4	160	6.3	10
267 51	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



267 93 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle
Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
267 93	T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50



267 96 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle
Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
267 96	T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle
Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 21	T6	40	1.6	140	5.5	.03	10
267 23	T7	40	1.6	140	5.5	.03	10
267 25	T8	40	1.6	140	5.5	.03	10
267 27	T9	50	2.0	150	5.9	.04	10
267 29	T10	50	2.0	150	5.9	.04	10
267 31	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



267 98 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle
Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX® :	lbs.
267 98	T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.45

Pico Soft Grip Precision Chip Lifter



268 15 Soft PicoFinish Precision Chip Lifter
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
268 15	1	3.5	50	150	5.9	.03	1







268 15 Standard Soft PicoFinish handle

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	pkg.
263 41	.028(.71)	40	1.6	134	5.3	10
263 43	.035(.89)	40	1.6	134	5.3	10
263 45	.050(1.27)	40	1.6	134	5.3	10
263 49	5/64(2.0)	50	2.0	150	5.9	10
263 63	1/16	50	2.0	144	5.7	10
263 67	3/32	60	2.4	160	6.3	10
263 69	7/64	60	2.4	160	6.3	10
263 71	1/8	60	2.4	160	6.3	10


*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 92 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle







Blade high alloy CVM steel, hardened, hard chromed.

Item No.		
263 92	Hex Inch: .028, .035, .050 x 1.6"	lbs.
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
263 41	.71(.028)	40	1.6	134	5.3	10
263 43	.89(.035)	40	1.6	134	5.3	10
263 45	1.27(.050)	40	1.6	134	5.3	10
263 47	1.5	50	2.0	144	5.7	10
263 49	2.0(5/64)	50	2.0	150	5.9	10
263 51	2.5	60	2.4	160	6.3	10
263 53	3.0	60	2.4	160	6.3	10


*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 93 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.







Item No.		
263 93	Hex Metric: .71, .89, 1.27 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.


Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
264 55	1/16	2.0	50	5.9	150	10
264 57	5/64	2.0	50	5.9	150	10
264 59	3/32	2.0	50	5.9	150	10
264 61	7/64	2.4	60	6.3	160	10
264 63	1/8	2.4	60	6.3	160	10
264 65	9/64	2.4	60	6.3	160	10
264 67	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



264 93 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle







Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
264 93	Ball End Hex Inch: 1/16, 5/64, 3/32 x 2.0"	lbs.
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
264 41	1.27	40	1.6	134	5.3	10
264 43	1.5	50	2.0	150	5.9	10
264 45	2.0	50	2.0	150	5.9	10
264 47	2.5	60	2.4	160	6.3	10
264 49	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
265 71	3/32	2.4	60	6.3	160	10
265 72	7/64	2.4	60	6.3	160	10
265 73	1/8	2.4	60	6.3	160	10
265 74	9/64	2.4	60	6.3	160	10
265 75	5/32	2.4	60	6.3	160	10
265 76	3/16	2.4	60	6.3	160	10
265 77	7/32	2.4	60	6.3	160	10
265 78	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



265 93 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.		Weight
265 93	Inch Nut Drivers: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72



265 Metric Nut Drivers, With Precision PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
265 79	1.5	60	2.4	160	6.3	10
265 81	2.0	60	2.4	160	6.3	10
265 82	2.5	60	2.4	160	6.3	10
265 83	3.0	60	2.4	160	6.3	10
265 84	3.5	60	2.4	160	6.3	10
265 85	4.0	60	2.4	160	6.3	10
265 86	4.5	60	2.4	160	6.3	10
265 87	5.0	60	2.4	160	6.3	10
265 88	5.5	60	2.4	160	6.3	10
265 89	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



265 96 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.		Weight
265 96	Inch Nut Drivers: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	lbs. .66



911 18 Rugged Polyester Canvas Storage Pouch
Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	Weight	Package
911 18	14 1/2" W x 7 3/4" L	.13	1



Wiha Protturn Precision Screwdrivers

protturn

Rotating cap
for precise turning and control with fingertip

Tapered handle
allows rapid rotation

Molded on ergonomic handle

Blade
CVM steel, black finish blades

Tip
precision ground for exact fit



951 90 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
951 90	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



650 90 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
650 90	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



968 00 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
968 00	1.0	50	145	5.7	.07	1



629 90 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

629 90 Set includes the following blades:


- Slotted: 1.5, 2.0, 3.0, 4.0
- Phillips: #000, #00, #0, #1
- lbs. .15



629 93 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

629 93 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0
- Phillips: #000, #00, #0, #1
- TORX®: T6, T7, T8, T9, T10, T15, T20
- lbs. .35



629 95 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

629 95 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0
- Phillips: #000, #00, #0, #1
- TORX®: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .87


629 94 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

629 94 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .66 Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



269 00 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
269 00	4.0	.1574	14.0	.55	.04



269 01 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
269 01	4.0	.1574	14.0	.55	.06



280 00 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 00	4.0	.1574	14.0	.55	.04



280 01 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 01	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
269 03	1.5 + 3.0	120	4.7	.05	
269 04	2.0 + 3.5	120	4.7	.05	
269 05	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
269 11	000 + 00	120	4.7	.03	
269 12	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
269 71	1.5 + 000	120	4.7	.05	
269 72	2.0 + 00	120	4.7	.05	
269 73	3.0 + 0	120	4.7	.05	
269 74	4.0 + 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
269 22	0 + 1	120	4.7	.03	



269 SYS 4 TORX Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item				
No.	Size	Size	lbs.	
269 51	T6 + T8		.03	
269 52	T7 + T9		.03	
269 53	T10 + T15		.03	
269 54	T15 + T20		.03	



269 SYSTEM 4 TORX Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item			
No.	Size	lbs.	
269 55	T3	.03	
269 56	T4	.03	
269 57	T5	.03	



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
269 32	1.27 + 1.27	120	4.7	.05	
269 33	1.5 + 1.5	120	4.7	.05	
269 34	2.0 + 2.0	120	4.7	.06	
269 35	2.5 + 2.5	120	4.7	.06	
269 36	3.0 + 3.0	120	4.7	.06	
269 37	4.0 + 4.0	120	4.7	.06	

Wiha SYSTEM 4 Precision Blades



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item No.	Inch	mm	Inch	lbs.
280 21	.050	120	4.7	.06
280 23	1/16	120	4.7	.06
280 24	5/64	120	4.7	.06
280 25	3/32	120	4.7	.06
280 26	7/64	120	4.7	.06
280 27	1/8	120	4.7	.06
280 28	9/64	120	4.7	.06
280 29	5/32	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item No.	mm	mm	Inch	lbs.	pkg.
280 33	1.5	120	4.7	.06	1
280 34	2.0	120	4.7	.06	1
280 35	2.5	120	4.7	.06	1
280 36	3.0	120	4.7	.06	1
280 37	4.0	120	4.7	.06	1



269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item No.	Inch	mm	Inch	lbs.
269 21	.050	120	4.7	.06
269 23	1/16	120	4.7	.06
269 24	5/64	120	4.7	.06
269 25	3/32	120	4.7	.06
269 26	7/64	120	4.7	.06
269 27	1/8	120	4.7	.06
269 28	9/64	120	4.7	.06
269 29	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item No.	mm	mm	Inch	lbs.
269 13	.71	120	4.7	.06
269 14	.89	120	4.7	.06
269 15	1.27	120	4.7	.06
269 16	1.5	120	4.7	.06
269 17	2.0	120	4.7	.06
269 18	2.5	120	4.7	.06
269 19	3.0	120	4.7	.06
269 20	4.0	120	4.7	.06



269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
269 62	3/32	.16	.16	.04
269 63	7/64	.20	.20	.04
269 64	1/8	.20	.20	.04
269 65	9/64	.21	.24	.04
269 66	5/32	.22	.24	.04
269 67	3/16	.26	.28	.04
269 68	7/32	.30	.32	.04
269 69	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item No.	mm	mm	Inch	Inch	lbs.
269 40	1.5+1.8	.12	.12	.03	
269 41	2.0+2.5	.16	.16	.03	
269 38	1.5 -	.11	.11	.04	
269 39	1.8 -	.12	.12	.04	
269 49	2.0 -	.13	.13	.06	
269 50	2.5 -	.16	.16	.06	
269 42	3.0 -	.20	.20	.06	
269 43	3.2 -	.20	.20	.06	
269 44	3.5 -	.22	.24	.06	
269 45	4.0 -	.22	.24	.06	
269 46	4.5 -	.25	.28	.06	
269 47	5.0 -	.27	.28	.06	
269 48	5.5 -	.30	.32	.06	

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



269 61 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant

10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
269 61	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

Item No.	mm	mm	lbs.
269 58	1.5	+ 3.0	.02
269 59	2.0	+ 3.5	.02
269 60	2.5	+ 4.0	.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

Item No.	Size	Size	lbs.
269 75	000	+ 00	.02
269 76	0	+ 1	.02



269 SYSTEM 4 TORX Drive-Loc Reversible Locking Blades On 4mm Hex


Item No.	Size	Size	lbs.
269 77	T1	+ T2	.02
269 78	T3	+ T4	.02
269 79	T5	+ T6	.02
269 80	T6	+ T8	.02
269 81	T7	+ T9	.02
269 82	T10	+ T15	.02



269 85 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch


Item No.	ESD Safe Drive-Loc Handle
↔	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0 lbs. .44
⌘	Phillips: 000x00, 0x1
⌘	TORX: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets




Canvas Pouch

269 90 4 Piece Slotted & Phillips Precision Interchangeable Blade Set


Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

269 90 Set includes the following blades:

↓  **Slotted:** 2.0, 3.0, 4.0mm


⊕ **Phillips:** 00, 0, 1

↔ **lbs.** .17




Canvas Pouch

269 91 6 Piece Slotted & Phillips Precision Interchangeable Blade Set Wiha ESD


Safe  precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

269 91 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

↔ **lbs.** .29




Canvas Pouch

269 92 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set Wiha ESD

Safe  precision collet lock handle and 15 Wiha interchangeable blades.

269 92 Set include the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"

⬢ **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

Proturm Chip Lifter - #96800


↔ **lbs.** .63




Slotted, Phillips, TORX® Set In Steel Box



280 94 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set Wiha ESD

Safe  precision collet lock handle and 10 Wiha interchangeable blades.


280 94 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1


⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ **lbs.** 1.51




Canvas Pouch

280 80 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

280 80 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⊗ **Torx:** T3, T4, T5, T6, T7, T8, T9, T10, T15

⬢ **Hex Sizes:** .028, .035


⬢ **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Proturm Chip Lifter - #96800

↔ **lbs.** .33




ESD Technicians Kit
Precision Screwdrivers & Tweezers




Canvas Pouch

445 90 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set Wiha ESD

Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

445 90 Set includes the following blades:

↓  **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

⊗ **Torx:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

44501 Fine Point - AA SA

44509 Extra Fine Point - 5 SA


44505 Flat and Blunt - 2a SA

44510 Curved Fine Point - 7a SA


↔ **lbs.** .60




Slotted & Phillips Set In Steel Box



269 93 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

269 93 Set includes the following blades:


↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1


↔ **lbs.** .87




ESD Anti-Static Vinyl Pouch Set



280 91 6 Piece Slotted & Phillips Precision Interchangeable Blade Set


Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

280 91 Set includes the following blades:


↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↪ **lbs.** .25



280 97 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


280 97 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T5, T6, T7, T8, T9, T10, T15


↪ **lbs.** .33



280 84 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.

280 84 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↪ **lbs.** .44



280 87 8 Piece TORX® Precision Interchangeable Blade Set


Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.

280 87 Set includes the following blades:


⊗ **TORX® Sizes on standard blades:** T3, T4, T5

⊗ **TORX® Sizes on reversible blades:** T6, T7, T8, T9, T10, T15, T20


↪ **lbs.** .29



269 96 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.


269 96 ⊕ **Phillips:** 000, 00, 0, 1

↓  **Slotted:** 1.5, 2.0, 3.0, 3.5mm


↪ **lbs.** .24



269 97 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.

269 97 ⊕ **Phillips:** 000, 00, 0, 1


↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊗ **TORX®:** T6, T7, T8, T9, T10, T15

↪ **lbs.** .34



269 99 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.


269 99 ⬢ **Hex Metric:** .71, .89, 1.27, 1.5,

2.0, 2.5, 3.0, 4.0mm

↪ **lbs.** .36



269 89 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.


269 89 ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32,

7/64, 1/8, 9/64, 5/32"

↪ **lbs.** .35



269 95 5 Piece TORX® Precision Blade Set


Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.

269 95 ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↪ **lbs.** .24



269 87 8 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

269 87 Set includes the following blades:

⊗ **TORX® standard blades:** T3, T4, T5

⊗ **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20

↪ **lbs.** .33



Wiha SYSTEM 4 Micro Bits

**SYSTEM 4
Handles &
Micro Bits**



Tips
Exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance




Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension






750 SYSTEM 4 Slotted Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item			
No.	mm	mm	Inch lbs.
750 08	0.8	28	1.1 .01
750 12	1.2	28	1.1 .01
750 15	1.5	28	1.1 .01
750 18	1.8	28	1.1 .01
750 20	2.0	28	1.1 .01
750 25	2.5	28	1.1 .01
750 30	3.0	28	1.1 .01
750 35	3.5	28	1.1 .01
750 40	4.0	28	1.1 .01






751 SYSTEM 4 Phillips Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item			
No.	Size	mm	Inch lbs.
751 05	000	28	1.1 .01
751 10	00	28	1.1 .01
751 15	0	28	1.1 .01
751 20	1	28	1.1 .01






753 SYSTEM 4 Hex Metric Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item			
No.	mm	mm	Inch lbs.
753 07	.71	28	1.1 .01
753 09	.89	28	1.1 .01
753 13	1.27	28	1.1 .01
753 15	1.5	28	1.1 .01
753 20	2.0	28	1.1 .01
753 25	2.5	28	1.1 .01
753 30	3.0	28	1.1 .01
753 40	4.0	28	1.1 .01







753 SYSTEM 4 Hex Inch Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item			
No.	Inch	mm	Inch lbs.
753 07	.028	28	1.1 .01
753 09	.035	28	1.1 .01
753 13	.050	28	1.1 .01
753 50	1/16	28	1.1 .01
753 52	5/64	28	1.1 .01
753 54	3/32	28	1.1 .01
753 56	7/64	28	1.1 .01
753 58	1/8	28	1.1 .01
753 60	9/64	28	1.1 .01
753 40	5/32	28	1.1 .01



758 00 SYSTEM 4 Standard Precision Bit Handle

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
758 00	4.0	.1574	14.0	.55 .06







758 01 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant.

Advantages:

- For working in ESD sensitive applications
Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
758 01	4.0	.1574	14.0	.55 .06



Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 TORX® Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item	Size	mm	Inch	lbs.
757 03	T3	28	1.1	.01
757 04	T4	28	1.1	.01
757 05	T5	28	1.1	.01
757 06	T6	28	1.1	.01
757 07	T7	28	1.1	.01
757 08	T8	28	1.1	.01
757 09	T9	28	1.1	.01
757 10	T10	28	1.1	.01
757 15	T15	28	1.1	.01
757 20	T20	28	1.1	.01



757 SYSTEM 4 TORX® Tamper Resistant Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item	Size	mm	Inch	lbs.
757 27	T7s	28	1.1	.01
757 28	T8s	28	1.1	.01
757 29	T9s	28	1.1	.01
757 35	T10s	28	1.1	.01
757 39	T15s	28	1.1	.01
757 42	T20s	28	1.1	.01



753 SYSTEM 4 Metric Tamper Resistant Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item	mm	mm	Inch	lbs.
753 22	2.0	28	1.1	.01
753 27	2.5	28	1.1	.01
753 32	3.0	28	1.1	.01
753 42	4.0	28	1.1	.01



753 SYSTEM 4 Tamper Resistant Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item	Inch	mm	Inch	lbs.
753 62	5/64	28	1.1	.01
753 64	3/32	28	1.1	.01
753 66	7/64	28	1.1	.01
753 68	1/8	28	1.1	.01
753 70	9/64	28	1.1	.01
753 72	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



759 02 Micro Bit 1/4" Drive Power Tool Adapter

Shaft CVM steel, hardened, corrosion protected.

For 4mm bits. 2.3" OAL

Item	Size	mm	mm	lbs.
759 02	4.0	60	4.0	.07

SYSTEM 4 Micro Bit Extension Blades



759 00 Extension blade for SYSTEM 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected.

Ball retainer bit extension for 4 mm bits.

Item	Size	mm	mm	lbs.
759 00	4.0	100	4.0	.07



759 01 Magnetic Bit extension blade for SYSTEM 4 Micro Bits

Shaft Chrome-vanadium-molybdenum steel, hardened, corrosion protected. Magnetic bit holder.

Item	Size	mm	mm	lbs.
759 01	4.0	105	4.0	.04

SYSTEM 4 Interchangeable Bit Set

759 90 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.


Item SYSTEM 4

No. Combination Bit Set

759 90 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⚙️ **Slotted Sizes:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips Sizes:** 000, 00, 0, 1
- ⚙️ **TORX® Sizes:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⚙️ **Hex Metric Sizes:** 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⚙️ **Hex Inch Sizes:** .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙️ **105mm Bit Extension**
- ⚙️ lbs. .65




40 Pc. Set



Wiha SYS 4 Micro Bits & Compact Bit Sets

759 99 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.



- Item No. Combination Bit Set**
759 99 Set with Standard Precision Handle
Set includes the following bits:
- ↓ ⚙️ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
 - ⊕ **Phillips:** 000, 00, 0, 1
 - ⬢ **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
 - ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - **105mm Bit Extension**
 - ↔️ **lbs. .34**



26 Pc. Set

757 sets SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.



- Sets include Wiha precision handle, bit extension and 9 Wiha interchangeable bits.
- Item SYSTEM 4 TORX® Bit Set**
No. Set with ESD Safe Precision Handle ⚠️
757 92 and the following bits:
- ⊕ **TORX® Sizes:**
T3, T4, T5, T6, T7, T8, T9, T10, T15
 - **105mm Bit Extension**
 - ↔️ **lbs. .26**



11 Pc. Set

753 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.




- Item No. Combination Bit Set**
753 95 Set with Standard Precision Handle
Includes the following bits:
- ⬢ **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
 - ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - **105mm Bit Extension**
 - ↔️ **lbs. .31**



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.




- Item Handle Options for SYSTEM 4**
No. Combination Bit Sets
759 91 Set with Standard Precision Handle
759 92 Set with ESD Safe Precision Handle ⚠️
- Sets include the following bits:**
- ↓ ⚙️ **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm
 - ⊕ **Phillips Sizes:** 000, 00, 0, 1
 - ⊕ **TORX® Sizes:** T3, T4, T5, T6, T7, T8, T9, T10, T15
 - ⬢ **Hex Inch Sizes:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - **105mm Bit Extension**
 - ↔️ **lbs. .34**



27 Pc. Set

759 96 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.




- Item SYSTEM 4**
No. Combination Bit Set
759 96 Set with ESD Safe Precision Handle ⚠️
- Set includes the following bits:**
- ↓ ⚙️ **Slotted Sizes:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
 - ⊕ **Phillips Sizes:** 000, 00, 0, 1
 - ⊕ **TORX® Sizes:** T3, T4, T5, T6, T7, T8, T9, T10, T15
 - ⬢ **Hex Metric Sizes:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
 - ⬢ **Hex Inch Sizes:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - **105mm Bit Extension**
 - ↔️ **lbs. 1.04**



40 Pc. Set



759 94 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.



- Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.
- Item SYSTEM 4**
No. Combination Bit Set
759 94 Set with ESD Safe Precision Handle ⚠️
- Set includes the following bits:**
- ↓ ⚙️ **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm
 - ⊕ **Phillips Sizes:** 000, 00, 0, 1
 - ⊕ **TORX® Sizes:**
T3, T4, T5, T6, T7, T8, T9, T10, T15
 - ⬢ **Hex Metric Sizes:**
.71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
 - **105mm Bit Extension**
 - ↔️ **lbs. .26**



27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Light weight & compact

Rotation cap

Handle tapered for precise control

Bits hardened for extreme durability

Surface resistance of handles is $10^6 - 10^9$ Ohms

NEW
From Wiha




750 93 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 93 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓ ↻ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **105mm Bit Extension**
- ↔ **lbs.** .17




750 95 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 95 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓ ↻ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **105mm Bit Extension**
- ↔ **lbs.** .17




750 94 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 94 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓ ↻ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- **105mm Bit Extension**
- ↔ **lbs.** .17



750 96 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 96 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **105mm Bit Extension**
- ↔ **lbs.** .17



Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free black finish

Precision ground cutting edges for smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically designed multi component handle

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

Electronic Diagonal Cutters




Full Flush

568 18 Precision Electronic Diagonal Cutters, Wide Pointed Head

Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

#568 18	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

Electronic Diagonal Cutters



Semi Flush

568 15 Precision Electronic Diagonal Cutters, Wide Pointed Head


Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires.

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.	lbs.
#568 15	138	5.5	2.0mm/12AWG	0.8	5	.23

Electronic Diagonal Cutters



Wire Holding Spring




Full Flush

568 25 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring

Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#568 25	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.23

Electronic Diagonal Cutters



Full Flush

568 12 Precision Electronic Diagonal Cutters, Narrow Shape


Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#568 12	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	5	.19

Electronic Diagonal Cutters



Wire Holding Spring




Full Flush

568 13 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#568 13	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	5	.19

Electronic Oblique 48° Cutter




Full Flush

568 33 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#568 33	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

Narrow Front Cutter/Long Nose Pliers




Full Flush

568 30 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#568 30	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	5	.19


Electronic Pointed Pliers



568 01 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#568 01	mm	Inch	Pkg.	lbs.
	138	5.5	5	.23

Electronic Stripping Pliers



568 71 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#568 71	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	5	.15





Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
445 01	AA SA ESD - 130mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Fine Round Points For Assembly

Item No.	Description	wt.
445 06	3 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Sturdy Long, Fine Round Points

Item No.	Description	wt.
445 02	GG SA ESD - 130mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Fine Round Points Shorter

Item No.	Description	wt.
445 07	3c SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Long Narrow Body Low Force

Item No.	Description	wt.
445 03	SS SA ESD - 135mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Very Fine Points/Tapered To Tip

Item No.	Description	wt.
445 08	4 SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Reduced Body To Medium Point

Item No.	Description	wt.
445 04	2 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
445 09	5 SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Flat Round Tip Smooth Sides

Item No.	Description	wt.
445 05	2a SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Curved Extra Fine Rounded Tips

Item No.	Description	wt.
445 10	7a SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		

Wiha Professional Quality ESD Safe Tweezers



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
445 11	50 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
445 18	22 SA ESD - 150mm	.10
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
445 12	51 SA ESD - 130mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Universal Blunt Tip Serrated

Item No.	Description	wt.
445 20	40 SA ESD - 145mm	.11
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
445 13	52 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
445 21	12 SA-SMD ESD - 120mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
445 14	53 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.
445 22	13 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
445 15	54 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.
445 23	PSF SA ESD - 125mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		

Wiha Professional Quality ESD Safe Tweezers



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
445 24	58 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip Bent 30° 1.6mm

Item No.	Description	wt.
445 29	8b SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
445 25	7abb SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	wt.
445 30	59 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	wt.
445 26	SSbb SA ESD - 140mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



ESD Safe General Purpose Fine Point

Item No.	Description	wt.
445 31	1 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
445 27	5abb SA ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
445 32	00 SA ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
445 28	5bb SA ESD - 107mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	wt.
445 33	7 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

Professional Quality Tweezers - In Standard & Special Sizes



Blunt Tip, Serrated

Item No.	Description	wt.
430 10	40 - 145mm	.11

Carbon steel tweezers. Nickel-plated finish.



Blunt Tip Serrated

Item No.	Description	wt.
430 14	40 SA - 145mm	.11

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Heavy Duty Forming Tweezers

Item No.	Description	wt.
438 00	8 SA - 120mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Long Tapered to Fine Tip Serrated

Item No.	Description	wt.
450 10	30 - 145mm	.09

Carbon steel tweezers. Nickel-plated finish.



Tapered to Fine Tip Serrated

Item No.	Description	wt.
452 10	34 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Bent Fine Tip & Serrated

Item No.	Description	wt.
452 11	34b SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Curved Extra Fine, 3mm Long Angled Tip

Item No.	Description	wt.
469 50	7abb SA - 120mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Fine Points Angled With 40° - Tip Bend

Item No.	Description	wt.
469 70	5abb SA - 117mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Narrow Body Low Force Bent 35° - 3mm Long Tip

Item No.	Description	wt.
469 71	SSbb SA - 140mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Extra Fine Points Bent 30° - 3mm Long Tip

Item No.	Description	wt.
469 72	5bb SA - 107mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Fine Hooked & Tapered Tips

Item No.	Description	wt.
469 87	6 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Strong Tweezers Tapered To Point

Item No.	Description	wt.
481 50	OO S - 120mm	.08

Stainless steel tweezers. Brushed finish.

Professional Quality Tweezers - In Standard & Special Sizes



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
487 00	OO SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Angled Upward Extra Fine Tips

Item No.	Description	wt.
493 75	7 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



General Purpose Fine Points

Item No.	Description	wt.
489 80	1 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Curved Extra Fine Tips

Item No.	Description	wt.
493 76	7a SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Universal Fine Points Tweezers

Item No.	Description	wt.
491 84	AA - 130mm	.08

Carbon steel tweezers. Nickel-plated finish.



Fine Points Angled for Visibility

Item No.	Description	wt.
493 77	5a SA - 110mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Blunt 1mm Wide Tip Serrated

Item No.	Description	wt.
491 85	PSF - 125mm	.08

Carbon steel tweezers. Nickel-plated finish.



Flat Round Tip Smooth Sides

Item No.	Description	wt.
493 78	2a SA - 120mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Universal Fine Points Tweezers

Item No.	Description	wt.
492 84	AA S - 130mm	.08

Stainless steel tweezers. Natural finish.



Extra Fine Points & Tapered To Tip

Item No.	Description	wt.
493 79	5 SA - 110mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Flat Round Tip Bent 30° Smooth Sides

Item No.	Description	wt.
493 68	2ab SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Very Fine Points Bent 40° Tapered To Tip

Item No.	Description	wt.
493 80	4b SA - 110mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommaloy.



Professional Quality Tweezers In Standard & Special Sizes



Reduced Body to Medium Point

Item No.	Description	wt.
493 81	2 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Flat and Broad Tips 3mm Wide

Item No.	Description	wt.
493 82	F SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Fine Points for Assembly

Item No.	Description	wt.
493 83	3 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Universal Fine Points Tweezers

Item No.	Description	wt.
493 84	AA SA - 130mm	.09

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Blunt Tips - 1.0mm Wide Serrated

Item No.	Description	wt.
493 85	PSF SA - 125mm	.09

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Long Narrow Body Low Force

Item No.	Description	wt.
493 87	SS SA - 140mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Strong, Long Tapered Fine Tips

Item No.	Description	wt.
493 88	GG SA - 130mm	.09

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Flat Round Tip Smooth Sides

Item No.	Description	wt.
494 78	2a SA T - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Teflon finish tweezers made from Vomalloy.



Longer Narrow Body Low Force

Item No.	Description	wt.
494 87	SSL SA - 160mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Bent Flat & Broad Tips 3mm Wide

Item No.	Description	wt.
496 40	Fb SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Very Fine Round Points & Tapered To Tip

Item No.	Description	wt.
497 79	4 SA - 110mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Fine Round Points Shorter

Item No.	Description	wt.
497 83	3c SA - 110mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Very Fine Points Tapered Long

Item No.	Description	wt.
498 79	4L SA - 140mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

Professional Quality Wafer Tweezers



Back Stop, Top 2.4 Bottom 7mm

Item No.	Description	wt.
437 99	37 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Angled 12mm Wide Flat, Back Stop

Item No.	Description	wt.
476 00	91 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



9mm Wide With Back Stop Pins

Item No.	Description	wt.
439 48	89 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Long Flat Straight 5mm Wide

Item No.	Description	wt.
495 84	39 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



12mm Wide With Back Stop Pins

Item No.	Description	wt.
439 49	89a SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Flat Angled 5mm Wide

Item No.	Description	wt.
495 87	38a SA - 103mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Angled 4 Pin 12mm Wide

Item No.	Description	wt.
441 49	16 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Wafer tweezers made from Vommeloy.



End Cutting Tweezers

Item No.	Description	wt.
465 00	D - 95mm	.11

Carbon steel. UnPlated finish.



16mm Wide With Back Stop

Item No.	Description	wt.
441 59	49 SA - 125mm	.09

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Curved Very Fine Cutting Tweezers

Item No.	Description	wt.
483 07	C7 - 115mm	.08

Carbon steel made from Vommeloy. Brushed finish.



Bent Large 20mm Wide, Back Stop

Item No.	Description	wt.
460 69	61 SA - 125mm	.11

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommeloy.



Angled Head, Cutting Nippers

Item No.	Description	wt.
495 01	1 5a - 115mm	.11

Carbon steel. Natural finish.

Professional Quality Guide Pins Tweezers



Fine Tip Straight, Guide Pin, Fine Serrated

Item No.	Description	wt.
420 12	17 - 120mm	.08
Carbon steel. Nickel-plated finish.		



Fine Tip Bent, Guide Pin, Fine Serrated

Item No.	Description	wt.
420 13	17B - 120mm	.08
Carbon steel. Nickel-plated finish.		



Heavy, Blunt, Straight, Guide Pin, Serrated

Item No.	Description	wt.
432 13	45b SA - 120mm	.09
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		



Bent, Long, Guide Pin, Fine Serrated Tweezers

Item No.	Description	wt.
451 13	33b - 165mm	.10
Carbon steel. Nickel-plated finish.		



Universal Straight Guide Pin, Fine Serrated

Item No.	Description	wt.
452 12	35 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		



Fine Bent, Guide Pin, Serrated

Item No.	Description	wt.
452 13	35B SA - 145mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		



Long Pointed, Angled Tip, Guide Pin & Lock

Item No.	Description	wt.
491 50	20S - 150mm	.10
Stainless steel. Polished finish.		



Narrow Body, Bent, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
491 53	22b - 155mm	.12
Carbon steel. Nickel-plated finish.		



Narrow Body, Bent, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
491 54	22b S - 155mm	.09
Stainless steel. Natural finish.		



Narrow Body, Straight, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
491 59	22 SA - 155mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Narrow Body, Bent, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
491 60	22b SA - 155mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		

SMD Tweezers



Holds 0.8 to 2.0 Diameter

Item No.	Description	wt.
421 41	50 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		



Flat Bent 35° 3mm Dia. Milled Slot

Item No.	Description	wt.
421 42	58 SA SMD - 117mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

Professional SMD Tweezers

COMPONENT POSITIONING & DESOLDERING TWEEZERS



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
421 46	54 SA - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.08



Holds 1.5 to 3.0 Diameter

Item No.	Description	wt.
421 48	51 SA - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.08



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
421 49	52 SA - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.08



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
421 50	53 SA - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.08



Vertical 1.5 to 3.5mm Diameter

Item No.	Description	wt.
421 55	55 SA - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.08



Vertical Long, Holds 2.5 to 5mm Diameter

Item No.	Description	wt.
434 14	64 SA - 145mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.10



Bent Long, Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
434 19	63 SA - 145mm Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.	.10

Microscopy Tweezers



MicroTip 30° Bend & 0.5mm Slot Milled

Item No.	Description	wt.
466 11	11SA SMD - 117mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08



MicroTip 40° Hook 1x1x2mm Long

Item No.	Description	wt.
466 12	12SA SMD - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08



MicroTip 40° Hook 1.6x1x1mm Wide

Item No.	Description	wt.
466 13	13SA SMD - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08



MicroTip Straight & 0.5mm Slot Milled

Item No.	Description	wt.
466 15	8SA SMD - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08



Uncoated

MicroTip Bent 30° - 1.6mm

Item No.	Description	wt.
466 16	8b SA SMD - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08



MicroTip 30° Bent & Angled With 0.5 Slot

Item No.	Description	wt.
466 19	19 SA SMD - 120mm Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.	.08

Professional Quality Self Closing Tweezers



Long Straight Tweezers

Item No.	Description	wt.
432 70	R29 S - 160mm	.11

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Reverse 2 Flat Round Tip Smooth Sides

Item No.	Description	wt.
458 02	R2a SA - 115mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Long Bent Tweezers

Item No.	Description	wt.
432 71	R29b SA - 160mm	.12

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Reverse 3 Fine Round Points For Assembly

Item No.	Description	wt.
458 03	R3 SA - 115mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Pointed Self Closing Long Straight

Item No.	Description	wt.
432 72	R29 - 160mm	.11

Carbon steel. Nickel-plated finish.



Chip Holding Curved Fine Micro Tip

Item No.	Description	wt.
466 10	R10 SA SMD - 117mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Long Bent Tweezers

Item No.	Description	wt.
432 73	R29b - 160mm	.12

Carbon steel. Nickel-plated finish.



Straight Flat Square End 5mm Wide

Item No.	Description	wt.
480 50	R50 SA - 105mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Pointed Self Closing LD Long Straight

Item No.	Description	wt.
432 74	R28 - 160mm	.11

Carbon steel. Nickel-plated finish.



Bent Flat Square End 5mm Wide

Item No.	Description	wt.
480 51	R50b SA - 105mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vommeloy.



Blunt Heat Dissipating Copper Tips

Item No.	Description	wt.
432 75	R32 - 160mm	.12

Carbon steel, Copper. Nickel-plated finish.



Strong With Square Ends Deep Serrated

Item No.	Description	wt.
480 75	R30 - 160mm	.13

Carbon steel. Nickel-plated finish.

Super Thin Foil Tweezers



Blunt, Thin .035", Very Low Force

Item No.	Description	wt.
492 15	112 SA - 100mm	.05

Stainless steel, anti-magnetic and acid resistant.
Polished finish tweezers made from Vommelloy.



Pointed, Thin .035", Very Low Force

Item No.	Description	wt.
492 20	113 SA - 100mm	.05

Stainless steel, anti-magnetic and acid resistant.
Polished finish tweezers made from Vommelloy.

Long Tweezers With Serrated Pattern Tips



Rounded Tip Long With Grip Pattern

Item No.	Description	wt.
497 09	D13 SA - 160mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vommelloy.



Rounded Tip Long with Grip Pattern

Item No.	Description	wt.
497 14	D13 - 160mm	.10

Carbon steel. Nickel-plated finish.

Isolated Tweezers With Dipped Handles



Blunt End Straight Isolated & Serrated

Item No.	Description	wt.
430 15	40 isol - 145mm	.12

Carbon steel. Nickel-plated finish.



Narrow Pointed & Straight Isolated Serrated

Item No.	Description	wt.
491 58	22 isol - 155mm	.10

Carbon steel. Nickel-plated finish.



Blunt End Bent Isolated & Serrated

Item No.	Description	wt.
430 16	40b isol - 145mm	.12

Carbon steel. Nickel-plated finish.



Universal Pointed Tip Isolated

Item No.	Description	wt.
481 00	AA isol - 130mm	.10

Carbon steel. Nickel-plated finish.



Narrow Pointed, Bent, Isolated Serrated

Item No.	Description	wt.
491 57	22b isol - 145mm	.10

Carbon steel. Nickel-plated finish.

Isolated 5 Piece Tweezers Set



Isolated Tweezers Set

Item No.	Description	wt.
491 90	5 pc. set in pouch	.68

Set includes: 43015, 43016, 49157, 49158, 48100
Carbon steel. Nickel-plated finish. Dipped handles.

Inspection Mirrors All Stainless Detachable & Boilable

Mirrors-Clean Room Quality

For Visual Checks and Fault Finding at Inaccessible Locations

Natural Finish, Stainless Steel

Magnifying, Boilable



Inspection Mirror - Stainless 10mm

Item No.	Description	wt.
404 10	#000 IM - 185mm	.09



Inspection Mirror - Stainless 14mm

Item No.	Description	wt.
404 14	#0 IM - 200mm	.09



Inspection Mirror - Stainless 20mm

Item No.	Description	wt.
404 20	#3 IM - 205mm	.09



Inspection Mirror - Stainless 22mm Short Stem

Item No.	Description	wt.
404 22	#4 IM -175mm	.10



Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	wt.
404 24	#5 IM - 175mm	.10



Inspection Mirror - Stainless 26mm

Item No.	Description	wt.
404 26	#6 IM - 215mm	.10



Inspection Mirror - Stainless 30mm

Item No.	Description	wt.
404 30	#8 IM - 215mm	.10



Disposable Inspection Mirrors

Item No.	Description	wt.
404 25	5 Pack - Plastic	.10

Set includes: White disposable inspection mirror
#5 Inspection Mirrors - 24mm x 146mm

One Piece All Stainless Hooks

Sculpting & Scribing Hooks- Clean Room Quality

- Sharp Hooks For Cutting & Marking
- Surgical Stainless Steel
- Natural Finish
- For Work on PCB's, Modeling
- All Stainless Single Piece Construction



Approx. 5mm Wide Short Tapered & Curved

Item No.	Description	wt.
432 36	3230.6-60 Hook - 155mm	.10



Approx. 4mm Wide Squared & Curved

Item No.	Description	wt.
432 35	3230.5-59 Hook - 155mm	.10



Approx. 2mm Wide Squared & Curved

Item No.	Description	wt.
432 34	3230.4-33 Hook - 155mm	.10



Approx. 4.5mm Wide Sharp Pointed & Curved

Item No.	Description	wt.
432 33	3230.3-06 Hook - 155mm	.10



Approx. 3mm Wide Pointed & Curved

Item No.	Description	wt.
432 32	3230.2-03 Hook - 155mm	.10




Approx. 2mm Wide Sharp Curved Hook

Item No.	Description	wt.
432 31	3230.1-01 Hook - 155mm	.10


Professional Quality Excavators & Probes

One Piece All Stainless Probes



Probes-Clean Room Quality

- For Levering & Removing Components
- Stainless Steel, For Work on PCB's, Modeling, Polished Finish



Stainless Steel Straight Probe

Item No.	Description	wt.
432 29	3220.9-11 Probe - 170mm	.07



Soldering Hook

Item No.	Description	wt.
432 30	3221 - 165mm	.10

All Stainless Single Piece Construction-Clean Room Quality



Stainless Steel Probe

Item No.	Description	wt.
432 21	3220.1-07 Probe - 170mm	.08

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 25	3220.5-09 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 22	3220.2-06 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 26	3220.6-10 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 23	3220.3-05 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 27	3220.7-17 Probe - 170mm	.08

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 24	3220.4-16 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
432 28	3220.8-02 Probe - 170mm	.08

Stainless steel, polished finish.

One Piece All Stainless Excavators

Excavators-Clean Room Quality

- Can Be Used as Mini-Spatulas
- For Work on PCB's, Modeling
- Surgical Stainless Steel, Polished Finish
- Single Piece Construction



1mm Excavator

Item No.	Description	wt.
432 51	3225.1-39 - 165mm	.09



2mm Excavator

Item No.	Description	wt.
432 52	3225.2-35 - 165mm	.09



2.5mm Excavator

Item No.	Description	wt.
432 53	3225.3-31 - 165mm	.10



Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

442 12 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

#442 12	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
	191	7.5	34 - 8	0.02-10mm ²	.30	1

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Straight 34-8 AWG

442 14 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#442 14	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm ²	.02	1

Replaceable Cassette - 4-16mm²



Stripping Range 4-16mm²



Radius Blade 10-5 AWG

442 69 Replaceable Cassette, 4-16mm Stripping Range


Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#442 69	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm ²	.02	1

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range 0.1 - 4mm²




VBC for PTFE 28-12 AWG

442 13 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#442 13	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm ²	.02	1

Heavy Duty Adjustable Cable Stripper



Circular + Straight
Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

442 17 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#442 17	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	168	6.6	4.5-25mm ²	0-4.5mm	.26	1

Replacement Blade



Replacement cutting blades can be stored within the tool

442 18 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#442 18	Replacement Blade For	lbs.	Pkg.
	44217 Stripper	.01	1

Precision Adjustable Stripping Tool



Replaceable Blade

Cables: Multi core cable, Modplug cable. Fiber optic cable etc.

442 20 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

#442 20	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

Replacement Blade



Replacement Blade

442 21 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

#442 21	Strip Range	Strip Dim.	lbs.	Pkg.
	2.5-11mm	11mm/0.43"	.01	1

CATV/Satellite Stripper



Strips: RG59 & RG6
CATV coaxial cables

442 06 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.


#442 06	mm	Inch	Strip Length	lbs.	Pkg.
	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks




Reversible Cassettes Long Life



Stepped Stripping Depth For Reduced Friction




Blue Cassette Stripping Tool Kit




Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Red Cassette Stripping Tool Kit




Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Yellow Cassette Stripping Tool Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/
188/195/316/6/
Belden 8281

Stripping Tool - No Cassette



442 00 **Cassette Hand-Stripping Tool** Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

#442 00	lbs.	Pkg.
	.07	1

442 27 **Blue Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 27	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

442 22 **2 Step Red Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 22	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

442 24 **2 Step Yellow Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 24	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

442 **2 Step Replacement Stripping Cassettes** High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
442 37	Blue	1.87-7.6mm	6.8(0.27")	.01	1
442 38	Red	1.87-7.6mm	6.0(0.24")	.01	1
442 39	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
442 40	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set



442 90 **10 Piece Set, Cassette Hand-Stripping Tool**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes.

#442 90	Set includes: Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes	lbs.	Pkg.
		.10	1



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks




Reversible Cassettes Long Life



Stepped Stripping Depth For Reduce Friction

3 Step



	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282



442 41 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 41	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		

3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283



442 45 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 45	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
			0.10"-0.30"	6.0mm(C)		

3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284



442 49 3 Step White Cassette Kit


Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#442 49	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		

3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6




442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
442 51	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
442 55	Green	6.0mm/.24"	6.0mm/.24"	.01	1
442 59	White	2.5mm/.10"	6.8mm/.27"	.01	1
442 60	Dk. Brown	3.5mm/.14"	7.5mm/.30"	.01	1
442 61	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



442 92 11 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

#442 92	Set includes:	lbs.	Pkg.
	Stripping Tool, L-key, 4 Cable V-blocks, 5 Stripping Cassettes	.11	1



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26000	9	26135	10	26449	12	26704	9	26932	15	26997	18
26001	9	26136	10	26455	12	26705	9	26933	15	26999	18
26008	4	26140	10	26457	12	26706	9	26934	15	28000	15
26010	4	26142	10	26459	12	26707	9	26935	15	28001	15
26012	4	26145	10	26461	12	26708	9	26936	15	28021	16
26015	4	26190	5	26463	12	26709	9	26937	15	28023	16
26018	4	26192	5	26465	12	26710	9	26938	16	28024	16
26020	4	26193	10	26467	12	26715	9	26939	16	28025	16
26022	4	26194	5	26490	7	26720	9	26940	16	28026	16
26023	4	26199	5	26491	7	26721	11	26941	16	28027	16
26025	4	26205	6	26493	12	26723	11	26942	16	28028	16
26027	4	26210	6	26499	7	26725	11	26943	16	28029	16
26028	4	26307	6	26510	8	26727	11	26944	16	28033	16
26030	4	26309	6	26515	8	26729	11	26945	16	28034	16
26032	4	26313	6	26520	8	26731	11	26946	16	28035	16
26033	4	26315	6	26523	8	26732	11	26947	16	28036	16
26034	4	26316	6	26525	8	26733	11	26948	16	28037	16
26035	4	26320	6	26527	8	26735	11	26949	16	28080	17
26040	4	26323	6	26530	8	26736	11	26950	16	28084	18
26041	4	26325	6	26531	8	26737	11	26951	15	28087	18
26042	4	26327	6	26532	8	26739	11	26952	15	28091	18
26050	10	26330	6	26535	8	26741	11	26953	15	28094	17
26051	10	26331	6	26536	8	26743	11	26954	15	28097	18
26052	10	26333	6	26539	8	26745	11	26955	15	40010	7
26053	10	26336	6	26540	8	26747	11	26956	15	40410	36
26054	10	26340	6	26545	8	26749	11	26957	15	40414	36
26055	10	26341	12	26547	8	26751	11	26958	16	40420	36
26056	10	26343	12	26550	8	26790	9	26959	16	40422	36
26060	10	26345	12	26555	8	26792	9	26960	16	40424	36
26061	10	26347	12	26556	8	26793	11	26961	16	40425	36
26063	10	26349	12	26560	8	26796	11	26962	16	40426	36
26065	10	26351	12	26563	8	26798	11	26963	16	40430	36
26066	10	26353	12	26570	8	26799	9	26964	16	42012	32
26068	10	26363	12	26571	13	26810	9	26965	16	42013	32
26070	10	26367	12	26572	13	26815	11	26966	16	42141	32
26072	10	26369	12	26573	13	26900	15	26967	16	42142	32
26073	10	26371	12	26574	13	26901	15	26968	16	42146	33
26074	10	26390	6	26575	13	26903	15	26969	16	42148	33
26076	10	26391	6	26576	13	26904	15	26971	15	42149	33
26079	10	26392	12	26577	13	26905	15	26972	15	42150	33
26080	10	26393	12	26578	13	26911	15	26973	15	42155	33
26090	4	26399	6	26579	13	26912	15	26974	15	43010	28
26092	5	26413	7	26581	13	26913	16	26975	16	43014	28
26093	10	26415	7	26582	13	26914	16	26976	16	43015	35
26099	4	26416	7	26583	13	26915	16	26977	16	43016	35
26100	5	26419	7	26584	13	26916	16	26978	16	43213	32
26101	5	26420	7	26585	13	26917	16	26979	16	43221	37
26102	5	26423	7	26586	13	26918	16	26980	16	43222	37
26105	5	26425	7	26587	13	26919	16	26981	16	43223	37
26107	5	26427	7	26588	13	26920	16	26982	16	43224	37
26108	5	26430	7	26589	13	26921	16	26985	16	43225	37
26109	5	26431	7	26590	8	26922	15	26987	18	43226	37
26110	5	26436	7	26591	8	26923	16	26989	18	43227	37
26113	5	26439	7	26592	8	26924	16	26990	17	43228	37
26114	5	26440	7	26593	13	26925	16	26991	17	43229	37
26115	5	26441	12	26596	13	26926	16	26992	17	43230	37
26130	10	26443	12	26598	8	26927	16	26993	17	43231	36
26132	10	26445	12	26599	8	26928	16	26995	18	43232	36
26133	10	26447	12	26703	9	26929	16	26996	18	43233	36

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Notes:
43234	36	44513	26	49190	35	75120	19	
43235	36	44514	26	49215	35	75307	19	
43236	36	44515	26	49220	35	75309	19	
43251	37	44518	26	49284	29	75313	19	
43252	37	44520	26	49368	29	75315	19	
43253	37	44521	26	49375	29	75320	19	
43270	34	44522	26	49376	29	75322	20	
43271	34	44523	26	49377	29	75325	19	
43272	34	44524	27	49378	29	75327	20	
43273	34	44525	27	49379	29	75330	19	
43274	34	44526	27	49380	29	75332	20	
43275	34	44527	27	49381	30	75340	19	
43414	33	44528	27	49382	30	75342	20	
43419	33	44529	27	49383	30	75350	19	
43799	31	44530	27	49384	30	75352	19	
43800	28	44531	27	49385	30	75354	19	
43948	31	44532	27	49387	30	75356	19	
43949	31	44533	27	49388	30	75358	19	
44149	31	44590	17	49478	30	75360	19	
44159	31	45010	28	49487	30	75362	20	
44200	40	45113	32	49501	31	75364	20	
44212	38	45210	28	49584	31	75366	20	
44213	38	45211	28	49587	31	75368	20	
44214	38	45212	32	49640	30	75370	20	
44217	39	45213	32	49709	35	75372	20	
44218	39	45802	34	49714	35	75395	21	
44220	39	45803	34	49779	30	75703	20	
44221	39	46069	31	49783	30	75704	20	
44206	39	46500	31	49879	30	75705	20	
44222	40	46610	34	56801	24	75706	20	
44224	40	46611	33	56812	23	75707	20	
44227	40	46612	33	56813	24	75708	20	
44237	40	46613	33	56815	23	75709	20	
44238	40	46615	33	56818	23	75710	20	
44239	40	46616	33	56825	23	75715	20	
44240	40	46619	33	56830	24	75720	20	
44241	41	46950	28	56833	24	75727	20	
44245	41	46970	28	56871	24	75728	20	
44249	41	46971	28	62990	14	75729	20	
44251	41	46972	28	62993	14	75735	20	
44255	41	46987	28	62994	14	75739	20	
44259	41	47600	31	62995	14	75742	20	
44260	41	48050	34	65090	14	75792	21	
44261	41	48051	34	75008	19	75800	19	
44269	38	48075	34	75012	19	75801	19	
44290	40	48100	35	75015	19	75900	20	
44292	41	48150	28	75018	19	75901	20	
44501	25	48307	31	75020	19	75902	20	
44502	25	48700	29	75025	19	75990	20	
44503	25	48980	29	75030	19	75991	21	
44504	25	49150	32	75035	19	75992	21	
44505	25	49153	32	75040	19	75994	21	
44506	25	49154	32	75093	22	75996	21	
44507	25	49157	35	75094	22	75999	21	
44508	25	49158	35	75095	22	91118	8,13	
44509	25	49159	32	75096	22	92190	9	
44510	25	49160	32	75105	19	95190	14	
44511	26	49184	29	75110	19	96800	14	
44512	26	49185	29	75115	19			

wiha



Premium Tools

(800) 494-6104

fax: (800) 494-7456

email: cservice@wihatools.com



Catalog Item No. 99006.w0
version - 12/15/10

Subject to change without notice

©2010 Willi Hahn Corporation

®Torx is a registered
trademark of camcar/textron



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 763.295.6591
fax: 763.295.6598

To:

Coming soon...

Coming soon...



Product Guide



Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99951.w0 - Bits Catalog



99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99919.w0 - Insulated Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog