

Hoods/Housings with metric thread		Page
Technical Characteristics		31.02
Size Han® 3 A	Standard Hoods/Housings	31.04
	Han® M	31.09
	Han® EMC	31.11
	Han® HPR	31.13
	Han-INOX®	31.14
Size Han® 10 A	Standard Hoods/Housings	31.15
	Han® EMC	31.17
Size Han® 16 A	Standard Hoods/Housings	31.18
	Han® EMC	31.20
Size Han® 32 A	Standard Hoods/Housings	31.21
Size Han® 6 B	Standard Hoods/Housings	31.25
	Han® M	31.30
	Han® EMC	31.32
	Han® EMC/B	31.33
	Han® HPR	31.34
Size Han® 10 B	Standard Hoods/Housings	31.36
	Han® M	31.44
	Han® EMC	31.47
	Han® EMC/B	31.48
	Han® HPR	31.50
	Han-INOX®	31.52
Size Han® 16 B	Standard Hoods/Housings	31.53
	Han® Easy Hood	31.56
	Han® M	31.63
	Han® EMC	31.66
	Han® EMC/B	31.67
	Han® HPR	31.68
Size Han® 24 B	Standard Hoods/Housings	31.70
	Han® Easy Hood	31.73
	Han® M	31.80
	Han® EMC	31.83
	Han® EMC/B	31.84
	Han® HPR	31.85
Size Han® 32 B	Standard Hoods/Housings	31.87
Size Han® 48 B	Standard Hoods/Housings	31.89
	Han® M	31.90

Han Hoods
Housings

Note: Han® hoods and housing with NPT-thread also available by HARTING Inc. of North America, USA

Han® 3 A Standard Hoods/Housings Metal hoods/housings for industrial applications

Material	zinc die-cast
Colour	RAL 7037 (grey)
Surface	powder-coated
Locking element	steel, zinc-plated
Lever type	lever, metal
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Flammability acc. to UL 94	V 0
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 44 IP 67 is achieved with seal screw 09 20 000 9918

Han® M Hoods/Housings Hoods/Housings for higher environmental requirements

Material	aluminium die-cast
- Size Han® 3 A	zinc die-cast
Colour	RAL 9005 (black)
Surface	
- Top coat	epoxy powder paint
Locking element	stainless steel
Lever type	lever, metal
Hoods/Housings sealing	FPM
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65
- Size Han® 3 A	IP 44 IP 67 is achieved with seal screw 09 20 000 9918

Han® 3 A Hoods/Housings Plastic hoods/housings for industrial applications

Material	Polycarbonate
Colour	RAL 7032 (light grey)
Locking element	polyamide
Lever type	lever, plastic
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Flammability acc. to UL 94	V 0
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 67

Han® 3 A HPR Hoods/Housings Hoods/Housings for harsh environmental requirements

Material	zinc die-cast
Colour	RAL 9005 (black)
Surface	
- Top coat	epoxy powder paint
Locking element	
- Screw locking	M4
- Material	stainless steel
- Tightening torque	2 Nm
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 68

Han® Standard Hoods/Housings Metal hoods/housings for industrial applications

Material	aluminium die-cast
Colour	RAL 7037 (grey)
Surface	powder-coated
Locking element	stainless steel
Lever type	Han-Easy Lock®
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65

Han® HPR Hoods/Housings Hoods/Housings for harsh environmental requirements

Material	aluminium die-cast, corrosion resistant
Colour	RAL 9005 (black)
Surface	
- Top coat	epoxy powder paint
Locking element	
- Screw locking	M6
- Material	stainless steel
- Tightening torque	4 Nm
- Toggle locking	
- Material	stainless steel
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 68

Han® 3 A EMC Hoods/Housings Hoods/Housings for higher EMC requirements

Material	zinc die-cast
Colour	non coloured
Surface	electrical conductive
Locking element	steel, zinc-plated
Lever type	lever, metal
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 44 IP 67 is achieved with seal screw 09 20 000 9918

Han-INOX® Hoods/Housings for higher corrosion requirements

Material	stainless steel
Colour	non coloured
Surface	electrical conductive
Locking element	stainless steel
Lever type	lever, metal
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65
- Size Han® 3 A	IP 44 IP 67 is achieved with seal screw 09 20 000 9918

Han® EMC Hoods/Housings Hoods/Housings for higher EMC requirements

Material	aluminium die-cast
Colour	non coloured
Surface	electrical conductive
Locking element	
- Screw locking	M5
- Material	stainless steel
- Tightening torque	3 Nm
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65






Han-Drive® Housings for motor applications

Material	aluminium die-cast
Colour	RAL 7037 (grey)
Surface	powder-coated
Locking element	stainless steel
Lever type	Han-Easy Lock®
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65

Han® EMC/B Hoods/Housings Hoods/Housings for higher EMC requirements

Material	
- Hoods/Housings	aluminium die-cast
- shielded frames	zinc die-cast alloy
Colour	non coloured
Surface	
- Hoods/Housings	electrical conductive
- shielded frames	electrical conductive
Locking element	stainless steel
Lever type	Han-Easy Lock®
Hoods/Housings sealing	NBR
Limiting temperatures	-40 °C / +125 °C
Approval acc. to UL 50	NEMA 4/12
Degree of protection acc. to DIN EN 60 529 for coupled connector	IP 65

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 20 003 1640	1 x 20		
Hoods top entry 	19 20 003 1440	1 x 20		
Protection covers for hoods	09 20 003 5422²⁾ 09 20 003 5421¹⁾			











Han Hoods
Housings

31
04

¹⁾ for mounted female insert
²⁾ for mounted male insert

Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system







Identification	Part number	Cable entry metric	Drawing	Dimensions in mm	
Housings, bulkhead mounting		09 20 003 0301		Panel cut out 22 x 22 mm	
		without sealing 09 20 003 0305²⁾ with sealing 09 20 003 0306¹⁾		Panel cut out 22 x 22 mm	
		09 20 003 0801			Panel cut out 22 x 22 mm
Housings, surface mounting side entry		19 20 003 1250 bottom closed 19 20 003 1252	1 x 20 1 x 20		Panel cut out 22 x 22 mm
Housings, screw mounting top entry		19 20 003 1150	1 x 20		

Han Hoods
Housings

¹⁾ for mounted female insert
²⁾ for mounted male insert

Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods, cable to cable top entry 	19 20 003 1750	1 x 20		
Protection covers  	for housings 09 20 003 5426²⁾ for housings 09 20 003 5425¹⁾ for hoods cable to cable 09 20 003 5428²⁾ for hoods cable to cable 09 20 003 5427¹⁾		 	






Han Hoods
Housings

31
06







¹⁾ for mounted female insert
²⁾ for mounted male insert

Stock items in bold type

Plastic hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	light grey 19 20 003 0620 black 19 20 003 0627	1 x 20 1 x 20		
Hoods top entry 	light grey 19 20 003 0420 black 19 20 003 0427	1 x 20 1 x 20		
Protection covers for hoods 	light grey 09 20 003 5442 ⁴⁾ light grey 09 20 003 5441 ²⁾			

Plastic hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	light grey 09 20 003 0320 black 09 20 003 0327		 <p>Panel cut out 22 x 22 mm</p>	
	light grey 09 20 003 0820 black 09 20 003 0827		 <p>Panel cut out 22 x 22 mm</p>	
Housings, surface mounting top entry 	light grey 19 20 003 0220 black 19 20 003 0227	1 x 20 1 x 20	 <p>Panel cut out 22 x 22 mm</p>	









Han Hoods Housings

¹⁾ for metal housings and cable to cable hoods also
²⁾ for mounted female insert

³⁾ for mounted Han-Brid® male and female insert
⁴⁾ for mounted male insert

Stock items in bold type

Plastic hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods, cable to cable top entry 	light grey 19 20 003 0720 black 19 20 003 0727	1 x 20 1 x 20		
Protection covers 	light grey 09 20 003 5407 ¹⁾ light grey 09 20 003 5408¹⁾³⁾			
Protection covers for housings 	light grey 09 20 003 5445²⁾ light grey 09 20 003 5446 ⁴⁾ light grey 09 20 003 5447 ¹⁾³⁾			
Protection covers for hoods, cable to cable 	light grey 09 20 003 5448 ⁴⁾ light grey 09 20 003 5449³⁾			






Han Hoods
Housings

¹⁾ for metal housings and cable to cable hoods also
²⁾ for mounted female insert







³⁾ for mounted Han-Brid® male and female insert
⁴⁾ for mounted male insert

Stock items in bold type

Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 37 003 1640	1 x 20		54,4
Hoods top entry 	19 37 003 1440	1 x 20		60
Protection covers	09 37 003 5402 ²⁾ 09 37 003 5401 ¹⁾			

Hoods/Housings for higher environmental requirements / 1 lever locking system






Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	09 37 003 0301			Panel cut out 22 x 22 mm
	09 37 003 0801			Panel cut out 22 x 22 mm
Housings, surface mounting top entry 	19 37 003 1250	1 x 20		Panel cut out 22 x 22 mm

Han Hoods
Housings

¹⁾ for mounted female insert
²⁾ for mounted male insert

Stock items in bold type

Hoods/Housings for higher environmental requirements / 1 lever locking system





Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, screw mounting top entry 	19 37 003 1150	1 x 20		M, 24, 125, 48, 25
Hoods, cable to cable top entry 	19 37 003 1750	1 x 20		M, 24,2, 57, 25
Protection covers for housings	09 37 003 5405¹⁾ 09 37 003 5406 ²⁾			26,5, 4,3

Han Hoods
Housings







¹⁾ for mounted female insert
²⁾ for mounted male insert

Stock items in bold type

Hoods/Housings for higher EMC requirements / 1 lever locking system




Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 62 003 1640	1 x 20		
Hoods top entry 	19 62 003 1440	1 x 20		

Hoods/Housings for higher EMC requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	09 62 003 0301		 <p>Panel cut out 22 x 22 mm</p>	
	09 62 003 0801		 <p>Panel cut out 22 x 22 mm</p>	
Housings, surface mounting top entry 	19 62 003 1250	1 x 20	 <p>Panel cut out 22 x 22 mm</p>	







Han Hoods
Housings

Hoods/Housings for higher EMC requirements / 1 lever locking system





Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods, cable to cable top entry 	19 62 003 1750	1 x 20		

Han Hoods
Housings

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
<p>Hoods</p> <p>top entry</p> 	<p>Toggle locking 19 40 003 0400¹⁾</p> <p>Screw locking 19 40 003 0410¹⁾</p>	<p>1 x 20</p> <p>1 x 20</p>	 <p>① Sealing screw</p>	
<p>Housings, bulkhead mounting</p> 	<p>Toggle locking 09 40 003 0301¹⁾</p> <p>Screw locking 09 40 003 0311¹⁾</p>		 <p>Panel cut out 21.3 x 21.3 mm</p> <p>① Sealing screw</p>	
<p>Housings bulkhead and surface mounting</p> <p>side entry</p> 	<p>closed 19 40 003 0950¹⁾</p> <p>open 09 40 003 0950¹⁾</p>	1 x 20	 <p>① Sealing screw</p>	

Accessories / Screw/toggle locking system



Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
<p>Adaptor</p> <p>for assembly of bulkhead mounted housings in angled position</p> 	09 40 003 0902	—		
<p>Adaptor</p> <p>for assembly of bulkhead mounted housings in angled position with metric entry</p> 	19 40 003 0900	1 x 20		

Han Hoods Housings



¹⁾ with sealing screw; sealing on the insert has to be removed

Stock items in bold type

Hoods/Housings made of stainless steel / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods top entry 	19 44 003 1440 with glued sealing 19 44 003 1443	1 x 20 1 x 20		

Hoods/Housings made of stainless steel / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	19 44 003 0301			

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods side entry	19 20 010 1540		1 x 20		
side entry		19 20 010 0546	1 x 25		
Hoods top entry	19 20 010 1440		1 x 20		
top entry		19 20 010 0446	1 x 25		
Protection covers	metal 09 20 010 5423				

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting	09 20 010 0301 with thermo- plastic cover 09 20 010 0321				

Han Hoods
Housings

1) only metal glands

Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, surface mounting side entry side entry		19 20 010 0251¹⁾		1 x 25	
		19 20 010 0290 with thermo-plastic cover 19 20 010 0295		2 x 20 2 x 20	
Protection covers 		metal 09 20 010 5425			

Han Hoods Housings



¹⁾ only metal glands

Stock items in bold type

Hoods/Housings for higher EMC requirements / 1 lever locking system









Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Hoods</p> <p>side entry</p> 	19 62 015 0546	1 x 25	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 25</td> <td>64</td> <td>63</td> </tr> </table>	Size	a	h	M 25	64	63	
Size	a	h								
M 25	64	63								
<p>Hoods</p> <p>top entry</p> 	19 62 015 0446	1 x 25	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 25</td> <td>64</td> <td>63</td> </tr> </table>	Size	a	h	M 25	64	63	
Size	a	h								
M 25	64	63								

Hoods/Housings for higher EMC requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Housings,</p> <p>bulkhead mounting</p> 	09 62 015 0301		 <table border="1"> <tr> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>70</td> <td>81</td> <td>24 x 57</td> </tr> </table>	a	b	Panel cut out	70	81	24 x 57	
a	b	Panel cut out								
70	81	24 x 57								




Han Hoods
Housings

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods side entry		19 20 016 1540	1 x 20		
Hoods top entry		19 20 016 1440	1 x 20		
Protection covers		metal 09 20 016 5423			

Han Hoods Housings

Metal hoods/housings for industrial applications / 1 lever locking system






Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting		09 20 016 0301 with thermo- plastic cover 09 20 016 0321			

31
18

1) only metal glands

Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, surface mounting side entry 	19 20 016 0251¹⁾		1 x 25		
		side entry 			19 20 016 0290 19 20 016 0291 with thermo-plastic cover 19 20 016 0295
Protection covers 	metal 09 20 016 5425				

Han Hoods Housings



¹⁾ only metal glands

Stock items in bold type

Hoods/Housings for higher EMC requirements / 1 lever locking system







Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Hoods side entry 	19 62 025 0546	1 x 25	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>80</td> <td>70</td> </tr> </tbody> </table>	Size	a	h	M 25	80	70	
Size	a	h								
M 25	80	70								
Hoods top entry 	19 62 025 0446	1 x 25	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>80</td> <td>70</td> </tr> </tbody> </table>	Size	a	h	M 25	80	70	
Size	a	h								
M 25	80	70								

Hoods/Housings for higher EMC requirements / 1 lever locking system







Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Housings, bulkhead mounting 	09 62 025 0301		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>86</td> <td>96</td> <td>24 x 73</td> </tr> </tbody> </table>	a	b	Panel cut out	86	96	24 x 73	
a	b	Panel cut out								
86	96	24 x 73								

Han Hoods
Housings

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods side entry		19 20 032 1521	1 x 25		
Hoods top entry		19 20 032 0426 19 20 032 0427	1 x 25 1 x 32		

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting		09 20 032 0301			
Housings, surface mounting side entry		19 20 032 0231 19 20 032 0232 19 20 032 0272	1 x 25 1 x 32 2 x 32		
				1) Blind way for one cable entry	

Han Hoods
Housings

* usable for two inserts of size 16 A
Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system

Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Hoods		19 20 032 1531		1 x 25		
side entry						
			19 20 032 0537	1 x 32		
side entry						
Hoods			19 20 032 0437	1 x 32		
top entry						

Metal hoods/housings for industrial applications / 2 lever locking system



Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Housings, bulkhead mounting		with thermo-plastic cover 09 20 032 0302				

Han Hoods Housings

* usable for two inserts of size 16 A
Stock items in bold type


















Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, surface mounting top entry 		with thermo-plastic cover 19 20 032 0226	1 x 25	 <p>1) Blind way for one cable entry</p>	

Han Hoods
Housings

* usable for two inserts of size 16 A
Stock items in bold type





Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm	
	Low construction	High construction				
Hoods side entry		19 30 006 1540	1 x 20 1 x 25			
		19 30 006 1541				
side entry		19 30 006 0546	1 x 25 1 x 32			
		19 30 006 0547				
Hoods top entry		19 30 006 1440	1 x 20			
top entry		19 30 006 0446	1 x 25 1 x 32			
		19 30 006 0447				
Hoods without cable entry			09 30 006 0801	—		






Han Hoods
Housings



Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Protection covers 	metal 09 30 006 5423	metal 09 30 006 5423			
Dust protection covers 	09 30 006 5401	09 30 006 5401			









Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting   	09 30 006 0301			 	

Han Hoods Housings

Stock items in bold type





Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																														
	Low construction	High construction																																	
Housings, surface mounting side entry		19 30 006 1250		1 x 20	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>70</td> <td>82</td> <td>74</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>70</td> <td>82</td> <td>74</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>70</td> <td>82</td> <td>54</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>52</td> <td>54</td> </tr> </tbody> </table>	Construction	Size	a	b	h	high	M 25	70	82	74	high	M 32	70	82	74	low	M 20	70	82	54	low	M 20	82	52	54					
		Construction	Size	a		b	h																												
high	M 25	70	82	74																															
high	M 32	70	82	74																															
low	M 20	70	82	54																															
low	M 20	82	52	54																															
side entry		with thermo-plastic cover 19 30 006 1255 with thermo-plastic cover 19 30 006 1295 with metal cover 19 30 006 2255 with metal cover 19 30 006 2295	with thermo-plastic cover 19 30 006 0291 19 30 006 0292 with thermo-plastic cover 19 30 006 0296 with thermo-plastic cover 19 30 006 0297 with metal cover 19 30 006 7296	1 x 20 2 x 20 2 x 25 2 x 32 1 x 20 2 x 20 2 x 25 2 x 32 1 x 20 2 x 20 2 x 25	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>70</td> <td>82</td> <td>74</td> </tr> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>57</td> <td>74</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>70</td> <td>82</td> <td>74</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>70</td> <td>82</td> <td>54</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>52</td> <td>54</td> </tr> </tbody> </table>	Construction	Size	a	b	h	high	M 25	70	82	74	high	M 25	82	57	74	high	M 32	70	82	74	low	M 20	70	82	54	low	M 20	82	52	54
Construction	Size	a	b	h																															
high	M 25	70	82	74																															
high	M 25	82	57	74																															
high	M 32	70	82	74																															
low	M 20	70	82	54																															
low	M 20	82	52	54																															
Protection covers		plastic 09 30 006 5404 metal 09 30 006 5425	plastic 09 30 006 5404 metal 09 30 006 5425																																
Hoods, cable to cable top entry		19 30 006 1750	19 30 006 0756	1 x 20 1 x 25	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>56</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>56</td> </tr> </tbody> </table>	Construction	Size	h	high	M 25	56	low	M 20	56																					
Construction	Size	h																																	
high	M 25	56																																	
low	M 20	56																																	

Han Hoods Housings




Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system



Identification	Part number		Cable entry metric	Drawing	Dimensions in mm						
	Low construction	High construction									
<p>Protection covers</p> 	<p>metal 09 30 006 5427</p>	<p>metal 09 30 006 5427</p>									
<p>Flange housings top entry</p> 		<p>19 30 006 0716</p>	<p>1 x 25</p>	 <table border="1" data-bbox="1078 747 1292 814"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>74,4</td> </tr> </tbody> </table>	Con-struction	Size	h	high	M 25	74,4	
Con-struction	Size	h									
high	M 25	74,4									

Han Hoods
Housings

Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Hoods side entry 	19 30 006 0586	1 x 25	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>60</td> <td>70</td> </tr> </tbody> </table>	Size	a	b	M 25	60	70	
Size	a	b								
M 25	60	70								

Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm								
Housings, bulkhead mounting 	09 30 006 0381		 <table border="1"> <thead> <tr> <th>Con-struction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>70</td> <td>80</td> <td>48 x 35</td> </tr> </tbody> </table>	Con-struction	a	b	Panel cut out	high	70	80	48 x 35	
Con-struction	a	b	Panel cut out									
high	70	80	48 x 35									

Han Hoods
Housings



Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods side entry		19 37 006 1540	1 x 20		
Hoods top entry		19 37 006 1440	1 x 20		
Han Hoods Housings					







Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting		09 37 006 0301			
		with metal cover 09 37 006 0318			
Housings, surface mounting	side entry 	19 37 006 1290			
	side entry 	with thermo-plastic cover 19 37 006 0296			
Protection covers		metal 09 37 006 5405	metal 09 37 006 5405		




Han Hoods Housings

Stock items in bold type

Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm									
<p>Hoods side entry</p> 	19 62 006 0541	1 x 25	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>72</td> <td>75</td> </tr> </tbody> </table>	Size	a	h	M 25	72	75				
Size	a	h											
M 25	72	75											
<p>Hoods top entry</p> 	<p>19 62 006 0441 19 62 006 0442</p>	<p>1 x 25 1 x 32</p>	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>72</td> <td>75</td> </tr> <tr> <td>M 32</td> <td>72</td> <td>75</td> </tr> </tbody> </table>	Size	a	h	M 25	72	75	M 32	72	75	
Size	a	h											
M 25	72	75											
M 32	72	75											





Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Housings, bulkhead mounting</p> 	09 62 006 0301		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>80</td> <td>70</td> <td>48 x 35</td> </tr> </tbody> </table>	a	b	Panel cut out	80	70	48 x 35	
a	b	Panel cut out								
80	70	48 x 35								





Han Hoods
Housings



Hoods/Housings for higher EMC requirements / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm															
	Low construction	High construction																		
Hoods side entry 	19 62 806 1540	19 62 806 0546	1 x 20 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>60</td> <td>72</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>60</td> <td>72</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>60</td> <td>43</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 25	60	72	high	M 32	60	72	low	M 20	60	43
		Construction			Size	a	h													
high	M 25	60	72																	
high	M 32	60	72																	
low	M 20	60	43																	
Hoods top entry 	19 62 806 1440	19 62 806 0446 19 62 806 0447	1 x 20 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>60</td> <td>72</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>60</td> <td>72</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>60</td> <td>40</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 25	60	72	high	M 32	60	72	low	M 20	60	40
Construction	Size	a	h																	
high	M 25	60	72																	
high	M 32	60	72																	
low	M 20	60	40																	

Hoods/Housings for higher EMC requirements / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm			
	Low construction	High construction						
Housings, bulkhead mounting 	09 62 806 0301			 <table border="1"> <thead> <tr> <th>Construction</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>48 x 35</td> </tr> </tbody> </table>	Construction	Panel cut out	low	48 x 35
Construction	Panel cut out							
low	48 x 35							
Housings, surface mounting side entry 	19 62 806 1290		2 x 20					



Han Hoods
Housings

Stock items in bold type

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking																								
	Toggle locking	Screw locking																											
Hoods side entry 	19 40 006 0501	19 40 006 0510	1 x 20 1 x 20 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 20</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 20</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>133</td> <td>101</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 20	133	101	Screw locking	M 20	133	101	Screw locking	M 25	133	101	Screw locking	M 32	133	101					
		Locking			Size	a	h																						
Toggle locking	M 20	133			101																								
Screw locking	M 20	133			101																								
Screw locking	M 25	133	101																										
Screw locking	M 32	133	101																										
19 40 006 0511																													
19 40 006 0512																													
Hoods top entry 	19 40 006 0401	19 40 006 0410	1 x 20 1 x 25 1 x 25 1 x 32 1 x 40	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 25</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 20</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>133</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 40</td> <td>133</td> <td>101</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 25	133	101	Screw locking	M 20	133	101	Screw locking	M 25	133	101	Screw locking	M 32	133	101	Screw locking	M 40	133	101	
		Locking			Size	a	h																						
Toggle locking	M 25	133			101																								
Screw locking	M 20	133			101																								
Screw locking	M 25	133	101																										
Screw locking	M 32	133	101																										
Screw locking	M 40	133	101																										
19 40 006 0411																													
19 40 006 0412																													
19 40 006 0413																													

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking												
	Toggle locking	Screw locking															
Housings, bulkhead mounting 	09 40 006 0301	09 40 006 0311		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>70</td> <td>133</td> <td>48</td> </tr> <tr> <td>Screw locking</td> <td>70</td> <td>133</td> <td>48</td> </tr> </tbody> </table>	Locking	a	b	c	Toggle locking	70	133	48	Screw locking	70	133	48	
		Locking			a	b	c										
Toggle locking	70	133	48														
Screw locking	70	133	48														







Han Hoods Housings

31
34

1) not applicable for using Han® HC 650

Stock items in bold type

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system













Identification	Part number		Cable entry metric	Dimensions in mm	Locking																
	Toggle locking	Screw locking																			
Housings, surface mounting side entry 		19 40 006 1260 19 40 006 1261 19 40 006 1262	1 x 20 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>Screw locking</td> <td>M 20</td> <td>127</td> <td>156</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>127</td> <td>156</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>127</td> <td>156</td> </tr> </tbody> </table>	Locking	Size	a	b	Screw locking	M 20	127	156	Screw locking	M 25	127	156	Screw locking	M 32	127	156	
Locking	Size	a	b																		
Screw locking	M 20	127	156																		
Screw locking	M 25	127	156																		
Screw locking	M 32	127	156																		
Protection covers 	metal 09 40 006 5401	metal 09 40 006 5411		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>133</td> </tr> <tr> <td>Screw locking</td> <td>133</td> </tr> </tbody> </table>	Locking	a	Toggle locking	133	Screw locking	133											
Locking	a																				
Toggle locking	133																				
Screw locking	133																				
Mounting frames 		09 40 000 9901 ¹⁾		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>Screw locking</td> <td>70</td> <td>96</td> </tr> </tbody> </table>	Locking	a	b	Screw locking	70	96											
Locking	a	b																			
Screw locking	70	96																			

¹⁾ not applicable for using Han® HC 650

Stock items in bold type







Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 30 010 1520 19 30 010 1521	1 x 20 1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>low</td><td>M 20</td><td>73</td><td>57</td></tr> <tr><td>low</td><td>M 25</td><td>73</td><td>57</td></tr> </table>	Construction	Size	a	h	low	M 20	73	57	low	M 25	73	57
						Construction	Size	a	h								
low	M 20	73	57														
low	M 25	73	57														
side entry		19 30 010 0527	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr> </table>	Construction	Size	a	h	high	M 32	73	72				
Construction	Size	a	h														
high	M 32	73	72														
Hoods top entry		19 30 010 1420 19 30 010 1421	1 x 20 1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>low</td><td>M 20</td><td>73</td><td>45</td></tr> <tr><td>low</td><td>M 25</td><td>73</td><td>45</td></tr> </table>	Construction	Size	a	h	low	M 20	73	45	low	M 25	73	45
						Construction	Size	a	h								
low	M 20	73	45														
low	M 25	73	45														
top entry		19 30 010 0427	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr> </table>	Construction	Size	a	h	high	M 32	73	72				
Construction	Size	a	h														
high	M 32	73	72														
top entry		19 30 010 0465	2 x 20		<table border="1"> <tr><th>Construction</th><th>Size</th><th>x</th></tr> <tr><td>high</td><td>M 20</td><td>20</td></tr> </table>	Construction	Size	x	high	M 20	20						
Construction	Size	x															
high	M 20	20															
Hoods without cable entry		09 30 010 0801	—		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>—</td><td>73</td><td>72</td></tr> </table>	Construction	Size	a	h	high	—	73	72				
Construction	Size	a	h														
high	—	73	72														








Han Hoods Housings

Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm				
	Low construction	High construction							
Protection covers 	metal 09 30 010 5423	metal 09 30 010 5423		 <table border="1"> <tr> <td>b</td> <td>c</td> </tr> <tr> <td>78.5</td> <td>28.5</td> </tr> </table>	b	c	78.5	28.5	
b	c								
78.5	28.5								
Dust protection covers 	plastic 09 30 010 5401	plastic 09 30 010 5401		 <table border="1"> <tr> <td>a</td> </tr> <tr> <td>74</td> </tr> </table>	a	74			
a									
74									

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																										
	Low construction	High construction																																													
Housings, bulkhead mounting 	09 30 010 0301			 <table border="1"> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> <tr> <td>low</td> <td>83</td> <td>93</td> <td>60 x 35</td> </tr> </table>	Construction	a	b	Panel cut out	low	83	93	60 x 35																																			
Construction	a	b	Panel cut out																																												
low	83	93	60 x 35																																												
Housings, surface mounting side entry 	19 30 010 1230 19 30 010 1231 19 30 010 1270	19 30 010 0231 19 30 010 0271 19 30 010 0272	1 x 20 1 x 25 1 x 25 2 x 20 2 x 25 2 x 32	 1) Blind way for one cable entry <table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> <th>h</th> </tr> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>94</td> <td>45</td> <td>74</td> <td>74</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> <td>54</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> <td>54</td> </tr> </table>	Construction	Size	a	b	c	d	h	high	M 25	82	94	45	57	81	high	M 25	82	94	45	74	74	high	M 32	82	94	45	57	81	low	M 20	82	94	40	52	54	low	M 25	82	94	40	52	54	
Construction	Size	a	b	c	d	h																																									
high	M 25	82	94	45	57	81																																									
high	M 25	82	94	45	74	74																																									
high	M 32	82	94	45	57	81																																									
low	M 20	82	94	40	52	54																																									
low	M 25	82	94	40	52	54																																									
Protection covers 	plastic 09 30 010 5407	plastic 09 30 010 5407		 <table border="1"> <tr> <td>a</td> </tr> <tr> <td>74</td> </tr> </table>	a	74																																									
a																																															
74																																															
	metal 09 30 010 5425	metal 09 30 010 5425		 <table border="1"> <tr> <td>b</td> </tr> <tr> <td>78.5</td> </tr> </table>	b	78.5																																									
b																																															
78.5																																															









Han Hoods Housings

Metal hoods/housings for industrial applications / 2 lever locking system




Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																
	Low construction	High construction																			
Hoods, cable to cable top entry 	19 30 010 1730	19 30 010 0736 19 30 010 0737	1 x 20 1 x 25 1 x 32	 <table border="1" data-bbox="1079 493 1356 598"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>73</td> <td>74.5</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>73</td> <td>74.5</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>73</td> <td>47.5</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 25	73	74.5	high	M 32	73	74.5	low	M 20	73	47.5	
Construction	Size	a	h																		
high	M 25	73	74.5																		
high	M 32	73	74.5																		
low	M 20	73	47.5																		
Protection covers 	metal 09 30 010 5427	metal 09 30 010 5427		 <table border="1" data-bbox="1079 787 1209 829"> <thead> <tr> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>78.5</td> <td>28.5</td> </tr> </tbody> </table>	b	c	78.5	28.5													
b	c																				
78.5	28.5																				

Han Hoods
Housings

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																
	Low construction	High construction																			
Hoods side entry		19 30 010 1540		1 x 20 1 x 25	 <table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>low</td><td>M 20</td><td>73</td><td>57</td></tr> <tr><td>low</td><td>M 25</td><td>73</td><td>57</td></tr> </table>	Construction	Size	a	h	low	M 20	73	57	low	M 25	73	57				
		Construction				Size	a	h													
low	M 20	73	57																		
low	M 25	73	57																		
19 30 010 1541																					
side entry			19 30 010 0547	1 x 32	 <table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr> </table>	Construction	Size	a	h	high	M 32	73	72								
Construction	Size	a	h																		
high	M 32	73	72																		
Hoods top entry		19 30 010 1440		1 x 20 1 x 25 1 x 32	 <table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr> <tr><td>low</td><td>M 20</td><td>73</td><td>45</td></tr> <tr><td>low</td><td>M 25</td><td>73</td><td>45</td></tr> </table>	Construction	Size	a	h	high	M 32	73	72	low	M 20	73	45	low	M 25	73	45
Construction		Size				a	h														
high	M 32	73	72																		
low	M 20	73	45																		
low	M 25	73	45																		
19 30 010 1441	19 30 010 0447																				
Hoods without cable entry			09 30 010 0803	—	 <table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>—</td><td>73</td><td>72</td></tr> </table>	Construction	Size	a	h	high	—	73	72								
Construction	Size	a	h																		
high	—	73	72																		

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Housings, bulkhead mounting		09 30 010 0305			 <table border="1"> <tr><th>Construction</th><th>a</th><th>b</th><th>Panel cut out</th></tr> <tr><td>low</td><td>83</td><td>93</td><td>60 x 35</td></tr> </table>	Construction	a	b	Panel cut out	low	83	93	60 x 35
		Construction				a	b	Panel cut out					
low	83	93	60 x 35										
with thermo-plastic cover	09 30 010 0303		 <table border="1"> <tr><th>Construction</th><th>a</th><th>b</th><th>Panel cut out</th></tr> <tr><td>low</td><td>83</td><td>93</td><td>60 x 35</td></tr> </table>	Construction	a	b	Panel cut out	low	83	93	60 x 35		
Construction	a	b	Panel cut out										
low	83	93	60 x 35										
with metal cover	09 30 010 0318												







Han Hoods Housings

31
39

Stock items in bold type



Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																																		
	Low construction	High construction																																																					
Housings, surface mounting side entry		19 30 010 1250	19 30 010 0291 19 30 010 0292	1 x 20 2 x 25 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>18</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>18</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>18</td> <td>54</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>18</td> <td>54</td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 25	82	94	45	57	high	M 32	82	94	45	57	low	M 20	82	94	40	52	low	M 25	82	94	40	52	Construction	Size	e	h	high	M 25	18	81	high	M 32	18	81	low	M 20	18	54	low	M 25	18	54
		Construction				Size	a	b	c	d																																													
high	M 25	82	94	45	57																																																		
high	M 32	82	94	45	57																																																		
low	M 20	82	94	40	52																																																		
low	M 25	82	94	40	52																																																		
Construction	Size	e	h																																																				
high	M 25	18	81																																																				
high	M 32	18	81																																																				
low	M 20	18	54																																																				
low	M 25	18	54																																																				
side entry	 with thermo-plastic cover 19 30 010 1255 with thermo-plastic cover 19 30 010 1295 with metal cover 19 30 010 2295	with thermo-plastic cover 19 30 010 0296 with thermo-plastic cover 19 30 010 0297 with metal cover 19 30 010 7296	1 x 20 2 x 20 2 x 25 2 x 32 2 x 20 2 x 25	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>f</th> <th>g</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>18</td> <td>20</td> <td>65</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>18</td> <td>20</td> <td>65</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>18</td> <td>22</td> <td>67</td> <td>54</td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 25	82	94	45	57	high	M 32	82	94	45	57	low	M 20	82	94	40	52	Construction	Size	e	f	g	h	high	M 25	18	20	65	81	high	M 32	18	20	65	81	low	M 20	18	22	67	54			
Construction	Size	a	b	c	d																																																		
high	M 25	82	94	45	57																																																		
high	M 32	82	94	45	57																																																		
low	M 20	82	94	40	52																																																		
Construction	Size	e	f	g	h																																																		
high	M 25	18	20	65	81																																																		
high	M 32	18	20	65	81																																																		
low	M 20	18	22	67	54																																																		
Hoods, cable to cable top entry		19 30 010 1750	19 30 010 0756	1 x 20 1 x 25	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>73</td> <td>89</td> <td>74.5</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>73</td> <td>89</td> <td>47.5</td> </tr> </tbody> </table>	Construction	Size	a	b	h	high	M 25	73	89	74.5	low	M 20	73	89	47.5																																			
Construction	Size	a	b	h																																																			
high	M 25	73	89	74.5																																																			
low	M 20	73	89	47.5																																																			

Han Hoods Housings

Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system



Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Hoods side entry		19 30 010 1530	1 x 20		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 20</td> <td>73</td> <td>57</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 20	73	57
					Construction	Size	a	h					
low	M 20	73	57										
side entry		19 30 010 0537	1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>73</td> <td>72</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	73	72
					Construction	Size	a	h					
high	M 32	73	72										
Hoods top entry		19 30 010 1430	1 x 20		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 20</td> <td>73</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 20	73	45
					Construction	Size	a	h					
low	M 20	73	45										
top entry		19 30 010 0436	1 x 25		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>73</td> <td>72</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 25	73	72
					Construction	Size	a	h					
high	M 25	73	72										

Metal hoods/housings for industrial applications / 2 lever locking system

Han Hoods
Housings

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Housings, bulkhead mounting		with thermo- plastic cover 09 30 010 0302 with metal cover 09 30 010 0317			<table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>83</td> <td>93</td> <td>60 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	83	93	60 x 35
					Construction	a	b	Panel cut out					
low	83	93	60 x 35										




Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																				
	Low construction	High construction																																							
Housings, surface mounting side entry 	with thermo-plastic cover 19 30 010 1225 with thermo-plastic cover 19 30 010 1265	with thermo-plastic cover 19 30 010 0266	1 x 20	 <p>1) Blind way for one cable entry</p> <table border="1" data-bbox="1071 546 1396 724"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> </tr> <tr> <th>Construction</th> <th>Size</th> <th>f</th> <th>g</th> <th>h</th> <td></td> </tr> <tr> <td>high</td> <td>M 25</td> <td>20</td> <td>65</td> <td>81</td> <td></td> </tr> <tr> <td>low</td> <td>M 20</td> <td>22</td> <td>67</td> <td>54</td> <td></td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 25	82	94	45	57	low	M 20	82	94	40	52	Construction	Size	f	g	h		high	M 25	20	65	81		low	M 20	22	67	54		
			Construction		Size	a	b	c	d																																
			high		M 25	82	94	45	57																																
low	M 20	82	94	40	52																																				
Construction	Size	f	g	h																																					
high	M 25	20	65	81																																					
low	M 20	22	67	54																																					
			2 x 20																																						
			2 x 25																																						




Han Hoods Housings

Stock items in bold type

Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Hoods</p> <p>side entry</p> 	19 30 010 0586	1 x 25	 <p>housing width 43 mm</p> <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>73</td> <td>70</td> </tr> </tbody> </table>	Size	a	b	M 25	73	70	
Size	a	b								
M 25	73	70								













Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Housings, bulkhead mounting</p> 	09 30 010 0381		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>83</td> <td>93</td> <td>60 x 35</td> </tr> </tbody> </table>	a	b	Panel cut out	83	93	60 x 35	
a	b	Panel cut out								
83	93	60 x 35								

Han Hoods
Housings










Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Hoods side entry		19 37 010 1520	1 x 20		<table border="1"> <tr><td>Construction</td><td>Size</td><td>h</td><td>a</td></tr> <tr><td>low</td><td>M 20</td><td>52</td><td>73</td></tr> </table>	Construction	Size	h	a	low	M 20	52	73
						Construction	Size	h	a				
low	M 20	52	73										
side entry		19 37 010 0526	1 x 25		<table border="1"> <tr><td>Construction</td><td>Size</td><td>h</td><td>a</td></tr> <tr><td>high</td><td>M 25</td><td>72</td><td>73</td></tr> </table>	Construction	Size	h	a	high	M 25	72	73
						Construction	Size	h	a				
high	M 25	72	73										
Hoods top entry		19 37 010 1420	1 x 20		<table border="1"> <tr><td>Construction</td><td>Size</td><td>h</td><td>a</td></tr> <tr><td>low</td><td>M 20</td><td>52</td><td>73</td></tr> </table>	Construction	Size	h	a	low	M 20	52	73
						Construction	Size	h	a				
low	M 20	52	73										
top entry		19 37 010 0427	1 x 32		<table border="1"> <tr><td>Construction</td><td>Size</td><td>h</td><td>a</td></tr> <tr><td>high</td><td>M 32</td><td>72</td><td>73</td></tr> </table>	Construction	Size	h	a	high	M 32	72	73
						Construction	Size	h	a				
high	M 32	72	73										
top entry		19 37 010 0465	2 x 20		<table border="1"> <tr><td>Construction</td><td>Size</td><td>x</td></tr> <tr><td>high</td><td>M 20</td><td>22</td></tr> </table>	Construction	Size	x	high	M 20	22		
Construction	Size	x											
high	M 20	22											
Protection covers		metal 09 37 010 5403	metal 09 37 010 5403		<table border="1"> <tr><td>a</td></tr> <tr><td>79</td></tr> </table>	a	79						
a													
79													




Han Hoods
Housings

Stock items in bold type




Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																				
	Low construction	High construction																							
Housings, bulkhead mounting 	09 37 010 0301			  <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>83</td> <td>93</td> <td>60</td> </tr> </tbody> </table>	Construction	a	b	c	low	83	93	60													
Construction	a	b	c																						
low	83	93	60																						
Housings, surface mounting side entry 	19 37 010 1270	19 37 010 0272	2 x 20 2 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>h</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>81</td> <td>82</td> <td>94</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>54</td> <td>82</td> <td>94</td> <td>40</td> <td>52</td> </tr> </tbody> </table>	Construction	Size	h	a	b	c	d	high	M 32	81	82	94	45	57	low	M 20	54	82	94	40	52
Construction	Size	h	a	b	c	d																			
high	M 32	81	82	94	45	57																			
low	M 20	54	82	94	40	52																			
Protection covers 	metal 09 37 010 5405	metal 09 37 010 5405		 <table border="1"> <thead> <tr> <th>a</th> </tr> </thead> <tbody> <tr> <td>79</td> </tr> </tbody> </table>	a	79																			
a																									
79																									







Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm				
Hoods top entry 	19 37 010 0447	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> </tr> <tr> <td>M 32</td> <td>73</td> </tr> </table>	Size	a	M 32	73	
Size	a							
M 32	73							




Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm				
Housings, surface mounting side entry 	19 37 010 0291	1 x 25	 <table border="1"> <tr> <td>Size</td> <td>a</td> </tr> <tr> <td>M 25</td> <td>94</td> </tr> </table>	Size	a	M 25	94	
Size	a							
M 25	94							

Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Hoods side entry 	19 62 010 0542	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 32</td> <td>85</td> <td>75</td> </tr> </table>	Size	a	h	M 32	85	75	
Size	a	h								
M 32	85	75								
Hoods top entry 	19 62 010 0442	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 32</td> <td>85</td> <td>75</td> </tr> </table>	Size	a	h	M 32	85	75	
Size	a	h								
M 32	85	75								





Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Housings, bulkhead mounting 	09 62 010 0301		 <table border="1"> <tr> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>93</td> <td>83</td> <td>60 x 35</td> </tr> </table>	a	b	Panel cut out	93	83	60 x 35	
a	b	Panel cut out								
93	83	60 x 35								





Han Hoods
Housings







Hoods/Housings for higher EMC requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																			
	Low construction	High construction																						
Hoods side entry 	19 62 810 1520	19 62 810 0526 19 62 810 0527	1 x 20 1 x 25 1 x 32	 <table border="1"><thead><tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr></thead><tbody><tr><td>high</td><td>M 25</td><td>73</td><td>72</td></tr><tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr><tr><td>low</td><td>M 20</td><td>73</td><td>57</td></tr></tbody></table>	Construction	Size	a	h	high	M 25	73	72	high	M 32	73	72	low	M 20	73	57				
	Construction	Size	a		h																			
high	M 25	73	72																					
high	M 32	73	72																					
low	M 20	73	57																					
Hoods top entry 	19 62 810 1420 19 62 810 1421	19 62 810 0426 19 62 810 0427	1 x 20 1 x 25 1 x 25 1 x 32	 <table border="1"><thead><tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr></thead><tbody><tr><td>high</td><td>M 25</td><td>73</td><td>72</td></tr><tr><td>high</td><td>M 32</td><td>73</td><td>72</td></tr><tr><td>low</td><td>M 20</td><td>60</td><td>40</td></tr><tr><td>low</td><td>M 25</td><td>60</td><td>40</td></tr></tbody></table>	Construction	Size	a	h	high	M 25	73	72	high	M 32	73	72	low	M 20	60	40	low	M 25	60	40
	Construction	Size	a		h																			
high	M 25	73	72																					
high	M 32	73	72																					
low	M 20	60	40																					
low	M 25	60	40																					



Hoods/Housings for higher EMC requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm											
	Low construction	High construction														
Housings, bulkhead mounting 	09 62 810 0301			 <table border="1"><thead><tr><th>Construction</th><th>a</th><th>b</th><th>Panel cut out</th></tr></thead><tbody><tr><td>low</td><td>83</td><td>93</td><td>60 x 35</td></tr></tbody></table>	Construction	a	b	Panel cut out	low	83	93	60 x 35				
Construction	a	b	Panel cut out													
low	83	93	60 x 35													
Housings, surface mounting side entry 	19 62 810 1271	19 62 810 0272	2 x 25 2 x 32	 <table border="1"><thead><tr><th>Construction</th><th>Size</th><th>a</th><th>b</th></tr></thead><tbody><tr><td>high</td><td>M 32</td><td>82</td><td>94</td></tr><tr><td>low</td><td>M 25</td><td>82</td><td>94</td></tr></tbody></table>	Construction	Size	a	b	high	M 32	82	94	low	M 25	82	94
Construction	Size	a	b													
high	M 32	82	94													
low	M 25	82	94													
Han Hoods Housings																

Hoods/Housings for higher EMC requirements / 1 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry 		19 62 810 0547	1 x 32	 <table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>73</td> <td>72</td> </tr> </tbody> </table>	Con-struction	Size	a	h	high	M 32	73	72					
Con-struction	Size	a	h														
high	M 32	73	72														
Hoods top entry 		19 62 810 0446 19 62 810 0447	1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>73</td> <td>72</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>73</td> <td>72</td> </tr> </tbody> </table>	Con-struction	Size	a	h	high	M 25	73	72	high	M 32	73	72	
Con-struction	Size	a	h														
high	M 25	73	72														
high	M 32	73	72														

Hoods/Housings for higher EMC requirements / 1 lever locking system



Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods, cable to cable top entry 		19 62 810 0757	1 x 32		

Han Hoods
Housings

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking																				
	Toggle locking	Screw locking																							
Hoods side entry 	19 40 010 0501	19 40 010 0511 19 40 010 0512	1 x 25 1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 25</td> <td>146</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>146</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>146</td> <td>101</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 25	146	101	Screw locking	M 25	146	101	Screw locking	M 32	146	101					
		Locking			Size	a	h																		
Toggle locking	M 25	146	101																						
Screw locking	M 25	146	101																						
Screw locking	M 32	146	101																						
Hoods top entry 	19 40 010 0401	19 40 010 0411 19 40 010 0412 19 40 010 0430	1 x 25 1 x 25 1 x 32 2 x 20	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 25</td> <td>146</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 20</td> <td>146</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>146</td> <td>101</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>146</td> <td>101</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 25	146	101	Screw locking	M 20	146	101	Screw locking	M 25	146	101	Screw locking	M 32	146	101	
		Locking			Size	a	h																		
Toggle locking	M 25	146	101																						
Screw locking	M 20	146	101																						
Screw locking	M 25	146	101																						
Screw locking	M 32	146	101																						

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking												
	Toggle locking	Screw locking															
Housings, bulkhead mounting 	09 40 010 0301	09 40 010 0311		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>83</td> <td>146</td> <td>60</td> </tr> <tr> <td>Screw locking</td> <td>83</td> <td>146</td> <td>60</td> </tr> </tbody> </table>	Locking	a	b	c	Toggle locking	83	146	60	Screw locking	83	146	60	
		Locking			a	b	c										
Toggle locking	83	146	60														
Screw locking	83	146	60														







Han Hoods Housings

31
50

1) not applicable for using Han® HC 650

Stock items in bold type

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system





Identification	Part number		Cable entry metric	Dimensions in mm	Locking									
	Toggle locking	Screw locking												
Housings, surface mounting side entry 		19 40 010 1260 19 40 010 1262	1 x 20 1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 20</td> <td>140</td> <td>169</td> </tr> <tr> <td>M 32</td> <td>140</td> <td>169</td> </tr> </tbody> </table>	Size	a	b	M 20	140	169	M 32	140	169	
Size	a	b												
M 20	140	169												
M 32	140	169												
Protection covers 	metal 09 40 010 5401	metal 09 40 010 5411		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>146</td> </tr> <tr> <td>Screw locking</td> <td>146</td> </tr> </tbody> </table>	Locking	a	Toggle locking	146	Screw locking	146				
Locking	a													
Toggle locking	146													
Screw locking	146													
Mounting frames 		09 40 000 9902 ¹⁾		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>83</td> <td>109</td> </tr> </tbody> </table>	a	b	83	109						
a	b													
83	109													

Han Hoods Housings




¹⁾ not applicable for using Han® HC 650

Stock items in bold type

Hoods/Housings made of stainless steel / 1 lever locking system













Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 44 310 0547	1 x 32		
Hoods top entry 	19 44 310 0447	1 x 32		

Hoods/Housings made of stainless steel / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	19 44 310 0305			
Gasket 	19 44 000 9902			







Han Hoods
Housings

Metal hoods/housings for industrial applications / 2 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 30 016 1521 19 30 016 1522	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>62.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>62.5</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 25	93.5	62.5	low	M 32	93.5	62.5
						Construction	Size	a	h								
low	M 25	93.5	62.5														
low	M 32	93.5	62.5														
side entry		19 30 016 0527 19 30 016 0528	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	high	M 40	93.5	76
Construction	Size	a	h														
high	M 32	93.5	76														
high	M 40	93.5	76														
Hoods angled entry		19 30 016 0666	2 x 25		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>x</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>93.5</td> <td>36</td> </tr> </tbody> </table>	Construction	Size	a	x	high	M 25	93.5	36				
Construction	Size	a	x														
high	M 25	93.5	36														
Hoods top entry		19 30 016 1421 19 30 016 1422	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>45</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 25	93.5	45	low	M 32	93.5	45
						Construction	Size	a	h								
low	M 25	93.5	45														
low	M 32	93.5	45														
top entry		19 30 016 0427 19 30 016 0428	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	high	M 40	93.5	76
Construction	Size	a	h														
high	M 32	93.5	76														
high	M 40	93.5	76														
top entry		19 30 016 0466	2 x 25		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>x</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>36</td> </tr> </tbody> </table>	Construction	Size	x	high	M 25	36						
Construction	Size	x															
high	M 25	36															

Han Hoods Housings

Metal hoods/housings for industrial applications / 2 lever locking system








Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Hoods without cable entry 		09 30 016 0801	—		<table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> <tr> <td>high</td> <td>—</td> <td>93.5</td> <td>76</td> </tr> </table>	Construction	Size	a	h	high	—	93.5	76
Construction	Size	a	h										
high	—	93.5	76										
Dust protection covers 	plastic 09 30 016 5401	plastic 09 30 016 5401			<table border="1"> <tr> <th>a</th> </tr> <tr> <td>94.5</td> </tr> </table>	a	94.5						
a													
94.5													
Protection covers 	metal 09 30 016 5422	metal 09 30 016 5422			<table border="1"> <tr> <th>b</th> <th>c</th> </tr> <tr> <td>99</td> <td>44</td> </tr> </table>	b	c	99	44				
b	c												
99	44												

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																			
	Low construction	High construction																																						
Housings, bulkhead mounting 	09 30 016 0301				<table border="1"> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> <tr> <td>low</td> <td>103</td> <td>113</td> <td>82 x 35</td> </tr> </table>	Construction	a	b	Panel cut out	low	103	113	82 x 35																											
Construction	a	b	Panel cut out																																					
low	103	113	82 x 35																																					
Housings, surface mounting side entry 	19 30 016 1231 19 30 016 1271	19 30 016 0232 19 30 016 0271 19 30 016 0272 19 30 016 0273	1 x 25 1 x 32 2 x 25 2 x 25 2 x 32 2 x 40		<table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> <th>h</th> </tr> <tr> <td>high</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> <td>56</td> </tr> </table>	Construction	Size	a	b	c	d	h	high	M 25	105	117	45	57	81	high	M 32	105	117	45	57	81	high	M 40	105	117	45	57	81	low	M 25	105	117	45	57	56
Construction	Size	a	b	c	d	h																																		
high	M 25	105	117	45	57	81																																		
high	M 32	105	117	45	57	81																																		
high	M 40	105	117	45	57	81																																		
low	M 25	105	117	45	57	56																																		

Han Hoods Housings





Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																			
	Low construction	High construction																						
Protection covers 	plastic 09 30 016 5405	plastic 09 30 016 5405		 																				
	metal 09 30 016 5425	metal 09 30 016 5425																						
Hoods, cable to cable top entry 	19 30 016 1731 19 30 016 1732	19 30 016 0736 19 30 016 0737	1 x 25 1 x 25 1 x 32 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 25</td> <td>93.5</td> <td>78.5</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>78.5</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>47.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>47.5</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 25	93.5	78.5	high	M 32	93.5	78.5	low	M 25	93.5	47.5	low	M 32	93.5	47.5
Construction	Size	a	h																					
high	M 25	93.5	78.5																					
high	M 32	93.5	78.5																					
low	M 25	93.5	47.5																					
low	M 32	93.5	47.5																					
Protection covers 	metal 09 30 016 5426	metal 09 30 016 5426																						

Han Hoods Housings











Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Han® Easy Hood side entry 	11 30 016 0520		 <table border="1" data-bbox="982 514 1177 556"> <tr> <td>a</td> <td>b</td> <td>c</td> </tr> <tr> <td>100</td> <td>94</td> <td>112</td> </tr> </table>	a	b	c	100	94	112	
a	b	c								
100	94	112								
Cable seal	17 - 19 mm 11 30 000 9954 20 - 22 mm 11 30 000 9955 23 - 25 mm 11 30 000 9956 26 - 28 mm 11 30 000 9957 29 - 31 mm 11 30 000 9958 32 - 34 mm 11 30 000 9959									
Thread adaptor	11 30 000 9961 11 30 000 9962	25 32								









Han Hoods
Housings

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 30 016 1541 19 30 016 1542	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>62.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>62.5</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 25	93.5	62.5	low	M 32	93.5	62.5
						Construction	Size	a	h								
low	M 25	93.5	62.5														
low	M 32	93.5	62.5														
side entry		19 30 016 0547 19 30 016 0548	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	high	M 40	93.5	76
Construction	Size	a	h														
high	M 32	93.5	76														
high	M 40	93.5	76														
Hoods top entry		19 30 016 1441 19 30 016 1442	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>45</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	low	M 25	93.5	45	low	M 32	93.5	45
						Construction	Size	a	h								
low	M 25	93.5	45														
low	M 32	93.5	45														
top entry		19 30 016 0447 19 30 016 0448	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	high	M 40	93.5	76
Construction	Size	a	h														
high	M 32	93.5	76														
high	M 40	93.5	76														
Hoods without cable entry		09 30 016 0803	—		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>—</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Construction	Size	a	h	high	—	93.5	76				
Construction	Size	a	h														
high	—	93.5	76														



Han Hoods Housings

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																									
	Low construction	High construction																																												
Housings, bulkhead mounting  	09 30 016 0307			 <table border="1"> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> <tr> <td>low</td> <td>103</td> <td>113</td> <td>82 x 35</td> </tr> </table>  <table border="1"> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> <tr> <td>low</td> <td>103</td> <td>113</td> <td>82 x 35</td> </tr> </table>	Construction	a	b	Panel cut out	low	103	113	82 x 35	Construction	a	b	Panel cut out	low	103	113	82 x 35																										
	Construction	a	b		Panel cut out																																									
low	103	113	82 x 35																																											
Construction	a	b	Panel cut out																																											
low	103	113	82 x 35																																											
Housings, surface mounting side entry 	19 30 016 1251			 1) Blind way for one cable entry <table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> <tr> <td>high</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> </table> <table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>h</th> </tr> <tr> <td>high</td> <td>M 25</td> <td>18</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>18</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>18</td> <td>56</td> </tr> </table>	Construction	Size	a	b	c	d	high	M 25	105	117	45	57	high	M 32	105	117	45	57	low	M 25	105	117	45	57	Construction	Size	e	h	high	M 25	18	81	high	M 32	18	81	low	M 25	18	56		1 x 25 1 x 32 2 x 25 2 x 25 2 x 32
	Construction	Size	a		b	c	d																																							
high	M 25	105	117	45	57																																									
high	M 32	105	117	45	57																																									
low	M 25	105	117	45	57																																									
Construction	Size	e	h																																											
high	M 25	18	81																																											
high	M 32	18	81																																											
low	M 25	18	56																																											
Housings, surface mounting side entry 	with thermo-plastic cover 19 30 016 1256 with thermo-plastic cover 19 30 016 1296			 <table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> <tr> <td>high</td> <td>M 32</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> </table> <table border="1"> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>f</th> <th>g</th> <th>h</th> </tr> <tr> <td>high</td> <td>M 32</td> <td>18</td> <td>20</td> <td>65</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>18</td> <td>20</td> <td>65</td> <td>56</td> </tr> </table>	Construction	Size	a	b	c	d	high	M 32	105	117	45	57	low	M 25	105	117	45	57	Construction	Size	e	f	g	h	high	M 32	18	20	65	81	low	M 25	18	20	65	56	with thermo-plastic cover 19 30 016 0297 with metal cover 19 30 016 2296	1 x 25 2 x 25 2 x 32 2 x 25 2 x 32				
	Construction	Size	a		b	c	d																																							
high	M 32	105	117	45	57																																									
low	M 25	105	117	45	57																																									
Construction	Size	e	f	g	h																																									
high	M 32	18	20	65	81																																									
low	M 25	18	20	65	56																																									

Han Hoods Housings











Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																				
	Low construction	High construction																							
Hoods, cable to cable top entry 	19 30 016 1751 19 30 016 1752	19 30 016 0757	1 x 25 1 x 32 1 x 32		* high construction without molded adapter and housing width 45 mm <table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>110</td> <td>78.5</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>110</td> <td>47.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>110</td> <td>47.5</td> </tr> </tbody> </table>	Con-struction	Size	a	b	h	high	M 32	93.5	110	78.5	low	M 25	93.5	110	47.5	low	M 32	93.5	110	47.5
						Con-struction	Size	a	b	h															
high	M 32	93.5	110	78.5																					
low	M 25	93.5	110	47.5																					
low	M 32	93.5	110	47.5																					





Han Hoods
Housings









Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm															
	Low construction	High construction																		
Hoods side entry		19 30 016 1531	1 x 25		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>62.5</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	c	low	M 25	93.5	62.5	45					
						Construction	Size	a	h	c										
low	M 25	93.5	62.5	45																
side entry		19 30 016 0537 19 30 016 0538	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> <td>45</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	c	high	M 32	93.5	76	45	high	M 40	93.5	76	45
						Construction	Size	a	h	c										
high	M 32	93.5	76	45																
high	M 40	93.5	76	45																
Hoods top entry		19 30 016 1431 19 30 016 1432	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>45</td> <td>45</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>93.5</td> <td>45</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	c	low	M 25	93.5	45	45	low	M 32	93.5	45	45
						Construction	Size	a	h	c										
low	M 25	93.5	45	45																
low	M 32	93.5	45	45																
top entry		19 30 016 0437 19 30 016 0438	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> <td>45</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>93.5</td> <td>76</td> <td>45</td> </tr> </tbody> </table>	Construction	Size	a	h	c	high	M 32	93.5	76	45	high	M 40	93.5	76	45
						Construction	Size	a	h	c										
high	M 32	93.5	76	45																
high	M 40	93.5	76	45																
Han Hoods Housings	Hoods flat cable entry		09 30 016 4431		<table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>93.5</td> </tr> </tbody> </table>	Construction	a	high	93.5											
						Construction	a													
high	93.5																			





Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																
	Low construction	High construction																																			
Housings, bulkhead mounting 	with thermo-plastic cover 09 30 016 0302 with metal cover 09 30 016 0317			 <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>106</td> <td>113</td> <td>82 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	106	113	82 x 35																									
	Construction	a	b		Panel cut out																																
low	106	113	82 x 35																																		
Housings, surface mounting side entry 	with thermo-plastic cover 19 30 016 1226 with thermo-plastic cover 19 30 016 1266		1 x 25 2 x 25 2 x 32	 1) Blind way for one cable entry <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>f</th> <th>g</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>20</td> <td>65</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>20</td> <td>65</td> <td>56</td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 32	105	117	45	57	low	M 25	105	117	45	57	Construction	Size	f	g	h	high	M 32	20	65	81	low	M 25	20	65	56
	Construction	Size	a		b	c	d																														
	high	M 32	105		117	45	57																														
low	M 25	105	117	45	57																																
Construction	Size	f	g	h																																	
high	M 32	20	65	81																																	
low	M 25	20	65	56																																	
		with thermo-plastic cover 19 30 016 0267																																			

Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm									
Hoods side entry 	19 30 016 0586 19 30 016 0587	1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Size	a	b	M 25	93.5	76	M 32	93.5	76	
Size	a	b											
M 25	93.5	76											
M 32	93.5	76											
Hoods top entry 	19 30 016 0487	1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Size	a	b	M 32	93.5	76				
Size	a	b											
M 32	93.5	76											











Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm								
Housings, bulkhead mounting 	09 30 016 0381		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>103</td> <td>113</td> <td>82 x 35</td> </tr> </tbody> </table>	a	b	Panel cut out	103	113	82 x 35			
a	b	Panel cut out										
103	113	82 x 35										
Housings, surface mounting side entry 	19 30 016 0282	2 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>105</td> <td>117</td> <td>81</td> </tr> </tbody> </table>	Size	a	b	h	M 32	105	117	81	
Size	a	b	h									
M 32	105	117	81									

Han Hoods Housings










Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 37 016 1521	1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>low</td><td>M 25</td><td>60</td><td>93.5</td></tr> </table>	Construction	Size	h	a	low	M 25	60	93.5				
						Construction	Size	h	a								
low	M 25	60	93.5														
side entry		19 37 016 0527 19 37 016 0528	1 x 32 1 x 40		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>high</td><td>M 32</td><td>76</td><td>93.5</td></tr> <tr><td>high</td><td>M 40</td><td>76</td><td>97.5</td></tr> </table>	Construction	Size	h	a	high	M 32	76	93.5	high	M 40	76	97.5
						Construction	Size	h	a								
high	M 32	76	93.5														
high	M 40	76	97.5														
Hoods top entry		19 37 016 1421	1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>low</td><td>M 25</td><td>45</td><td>93.5</td></tr> </table>	Construction	Size	h	a	low	M 25	45	93.5				
						Construction	Size	h	a								
low	M 25	45	93.5														
top entry		19 37 016 0427	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>high</td><td>M 32</td><td>76</td><td>93.5</td></tr> </table>	Construction	Size	h	a	high	M 32	76	93.5				
						Construction	Size	h	a								
high	M 32	76	93.5														
Protection covers		metal 09 37 016 5402	metal 09 37 016 5402		<table border="1"> <tr><th>a</th></tr> <tr><td>99.5</td></tr> </table>	a	99.5										
a																	
99.5																	

Han Hoods Housings









Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																												
	Low construction	High construction																															
Housings, bulkhead mounting 	09 37 016 0301				  <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>103</td> <td>113</td> <td>82</td> </tr> </tbody> </table>	Construction	a	b	c	low	103	113	82																				
Construction	a	b	c																														
low	103	113	82																														
Housings, surface mounting side entry 	19 37 016 1231	19 37 016 0272 19 37 016 0273	1 x 25 2 x 32 2 x 40		 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>h</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>81</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>81</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>56</td> <td>105</td> <td>117</td> <td>45</td> <td>57</td> </tr> </tbody> </table>	Construction	Size	h	a	b	c	d	high	M 32	81	105	117	45	57	high	M 40	81	105	117	45	57	low	M 25	56	105	117	45	57
Construction	Size	h	a	b	c	d																											
high	M 32	81	105	117	45	57																											
high	M 40	81	105	117	45	57																											
low	M 25	56	105	117	45	57																											
Protection covers 	metal 09 37 016 5405	metal 09 37 016 5405			 <table border="1"> <thead> <tr> <th>a</th> </tr> </thead> <tbody> <tr> <td>99.5</td> </tr> </tbody> </table>	a	99.5																										
a																																	
99.5																																	




Han Hoods Housings

Stock items in bold type

Hoods/Housings for higher environmental requirements / 1 central locking lever locking system







Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Hoods</p> <p>side entry</p> 	19 37 016 0587	1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Size	a	b	M 32	93.5	76	
Size	a	b								
M 32	93.5	76								
<p>Hoods</p> <p>top entry</p> 	19 37 016 0487	1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> </tbody> </table>	Size	a	b	M 32	93.5	76	
Size	a	b								
M 32	93.5	76								

Hoods/Housings for higher environmental requirements / 1 central locking lever locking system




Identification	Part number	Cable entry metric	Drawing	Dimensions in mm								
<p>Housings, surface mounting</p> <p>side entry</p> 	19 37 016 0282	2 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>105</td> <td>117</td> <td>81</td> </tr> </tbody> </table>	Size	a	b	h	M 32	105	117	81	
Size	a	b	h									
M 32	105	117	81									

Han Hoods
Housings

Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Hoods side entry 	19 62 040 0542	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 32</td> <td>107</td> <td>75</td> </tr> </table>	Size	a	h	M 32	107	75	
Size	a	h								
M 32	107	75								
Hoods top entry 	19 62 040 0442	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 32</td> <td>107</td> <td>75</td> </tr> </table>	Size	a	h	M 32	107	75	
Size	a	h								
M 32	107	75								





Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Housings, bulkhead mounting 	09 62 040 0301		 <table border="1"> <tr> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>113</td> <td>103</td> <td>82 x 35</td> </tr> </table>	a	b	Panel cut out	113	103	82 x 35	
a	b	Panel cut out								
113	103	82 x 35								





Han Hoods
Housings



Hoods/Housings for higher EMC requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm											
	Low construction	High construction														
Hoods side entry 	19 62 816 1521	19 62 816 0527	1 x 20 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>low</td> <td>M 20</td> <td>93.5</td> <td>62.5</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	low	M 20	93.5	62.5
Construction	Size	a	h													
high	M 32	93.5	76													
low	M 20	93.5	62.5													
Hoods top entry 	19 62 816 1421	19 62 816 0427	1 x 25 1 x 32	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>93.5</td> <td>76</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>93.5</td> <td>55</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	93.5	76	low	M 25	93.5	55
Construction	Size	a	h													
high	M 32	93.5	76													
low	M 25	93.5	55													





Hoods/Housings for higher EMC requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm											
	Low construction	High construction														
Housings, bulkhead mounting 	09 62 816 0301			 <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>103</td> <td>113</td> <td>82 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	103	113	82 x 35				
Construction	a	b	Panel cut out													
low	103	113	82 x 35													
Housings, surface mounting side entry 	19 62 816 1271	19 62 816 0273	2 x 25 2 x 40	 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 40</td> <td>105</td> <td>117</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>105</td> <td>117</td> </tr> </tbody> </table>	Construction	Size	a	b	high	M 40	105	117	low	M 25	105	117
Construction	Size	a	b													
high	M 40	105	117													
low	M 25	105	117													



Han Hoods
Housings

Stock items in bold type

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking																								
	Toggle locking	Screw locking																											
Hoods side entry 	19 40 016 0502	19 40 016 0512 19 40 016 0513 19 40 016 0514	1 x 32 1 x 32 1 x 40 1 x 50	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 32</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 40</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 50</td> <td>166</td> <td>111</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 32	166	111	Screw locking	M 32	166	111	Screw locking	M 40	166	111	Screw locking	M 50	166	111					
		Locking			Size	a	h																						
Toggle locking	M 32	166	111																										
Screw locking	M 32	166	111																										
Screw locking	M 40	166	111																										
Screw locking	M 50	166	111																										
Hoods top entry 	19 40 016 0402	19 40 016 0411 19 40 016 0412 19 40 016 0413 19 40 016 0414 19 40 016 0431	1 x 25 1 x 32 1 x 32 1 x 40 1 x 50 2 x 25	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 32</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 40</td> <td>166</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 50</td> <td>166</td> <td>111</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 32	166	111	Screw locking	M 25	166	111	Screw locking	M 32	166	111	Screw locking	M 40	166	111	Screw locking	M 50	166	111	
		Locking			Size	a	h																						
Toggle locking	M 32	166	111																										
Screw locking	M 25	166	111																										
Screw locking	M 32	166	111																										
Screw locking	M 40	166	111																										
Screw locking	M 50	166	111																										

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking												
	Toggle locking	Screw locking															
Housings, bulkhead mounting 	09 40 016 0301	09 40 016 0311		 <table border="1"> <thead> <tr> <th>Locking</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>103</td> <td>166</td> <td>82</td> </tr> <tr> <td>Screw locking</td> <td>103</td> <td>166</td> <td>82</td> </tr> </tbody> </table>	Locking	a	b	c	Toggle locking	103	166	82	Screw locking	103	166	82	
		Locking			a	b	c										
Toggle locking	103	166	82														
Screw locking	103	166	82														













Han Hoods Housings

31
68

1) not applicable for using Han® HC 650





Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system









Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																
	Low construction	High construction																			
Hoods side entry		19 30 024 1521	1 x 25 1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>low</td><td>M 25</td><td>120</td><td>62.5</td></tr> <tr><td>low</td><td>M 32</td><td>120</td><td>62.5</td></tr> </table>	Construction	Size	a	h	low	M 25	120	62.5	low	M 32	120	62.5				
		Construction				Size	a	h													
		low				M 25	120	62.5													
low	M 32	120	62.5																		
19 30 024 1522																					
side entry		19 30 024 0527	1 x 32 1 x 40 2 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>M 25</td><td>120</td><td>76</td></tr> <tr><td>high</td><td>M 32</td><td>120</td><td>76</td></tr> <tr><td>high</td><td>M 40</td><td>120</td><td>76</td></tr> </table>	Construction	Size	a	h	high	M 25	120	76	high	M 32	120	76	high	M 40	120	76
		Construction				Size	a	h													
		high				M 25	120	76													
high	M 32	120	76																		
high	M 40	120	76																		
19 30 024 0528																					
19 30 024 0666																					
angled entry			19 30 024 0666	2 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>x</th></tr> <tr><td>high</td><td>M 25</td><td>56</td></tr> </table>	Construction	Size	x	high	M 25	56									
Construction	Size	x																			
high	M 25	56																			
Hoods top entry		19 30 024 1422	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>low</td><td>M 32</td><td>120</td><td>55</td></tr> </table>	Construction	Size	a	h	low	M 32	120	55								
		Construction				Size	a	h													
low	M 32	120	55																		
19 30 024 0467																					
top entry		19 30 024 0468	2 x 32 2 x 40		<table border="1"> <tr><th>Construction</th><th>Size</th><th>x</th></tr> <tr><td>high</td><td>M 32</td><td>52</td></tr> <tr><td>high</td><td>M 40</td><td>48</td></tr> </table>	Construction	Size	x	high	M 32	52	high	M 40	48							
		Construction				Size	x														
high	M 32	52																			
high	M 40	48																			
19 30 024 0468																					
Hoods without cable entry			09 30 024 0801	—		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th></tr> <tr><td>high</td><td>—</td><td>120</td><td>76</td></tr> </table>	Construction	Size	a	h	high	—	120	76							
Construction	Size	a	h																		
high	—	120	76																		

Han Hoods Housings

Metal hoods/housings for industrial applications / 2 lever locking system





Identification	Part number		Cable entry metric	Drawing	Dimensions in mm				
	Low construction	High construction							
Protection covers 	metal 09 30 024 5422	metal 09 30 024 5422		 <table border="1"> <tr> <td>a</td> <td>b</td> </tr> <tr> <td>121</td> <td>125.5</td> </tr> </table>	a	b	121	125.5	
a	b								
121	125.5								
Dust protection covers 	plastic 09 30 024 5401	plastic 09 30 024 5401		 <table border="1"> <tr> <td>a</td> </tr> <tr> <td>121</td> </tr> </table>	a	121			
a									
121									

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																												
	Low construction	High construction																															
Housings, bulkhead mounting 	09 30 024 0301			 <table border="1"> <tr> <td>Con-struction</td> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>low</td> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </table>	Con-struction	a	b	Panel cut out	low	130	140	108 x 35																					
Con-struction	a	b	Panel cut out																														
low	130	140	108 x 35																														
Housings, surface mounting side entry 	19 30 024 1231 19 30 024 1271	19 30 024 0232 19 30 024 0272 19 30 024 0273	1 x 25 1 x 32 2 x 25 2 x 32 2 x 40	 <table border="1"> <tr> <td>Con-struction</td> <td>Size</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> <td>h</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> <td>81</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> <td>56</td> </tr> </table>	Con-struction	Size	a	b	c	d	h	high	M 32	132	144	45	57	81	high	M 40	132	144	45	57	81	low	M 25	132	144	45	57	56	
Con-struction	Size	a	b	c	d	h																											
high	M 32	132	144	45	57	81																											
high	M 40	132	144	45	57	81																											
low	M 25	132	144	45	57	56																											
Protection covers 	metal 09 30 024 5425	metal 09 30 024 5425		 <table border="1"> <tr> <td>b</td> </tr> <tr> <td>125.5</td> </tr> </table>	b	125.5																											
b																																	
125.5																																	
Protection covers 	plastic 09 30 024 5405	plastic 09 30 024 5405		 <table border="1"> <tr> <td>a</td> </tr> <tr> <td>121</td> </tr> </table>	a	121																											
a																																	
121																																	

Han Hoods Housings





Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																
	Low construction	High construction																			
Hoods, cable to cable top entry 	19 30 024 1732	19 30 024 0737 19 30 024 0738	1 x 32 1 x 32 1 x 40	 <table border="1" data-bbox="1079 493 1356 598"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>120</td> <td>78.5</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>120</td> <td>78.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>120</td> <td>57.5</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	120	78.5	high	M 40	120	78.5	low	M 32	120	57.5	
Construction	Size	a	h																		
high	M 32	120	78.5																		
high	M 40	120	78.5																		
low	M 32	120	57.5																		
Protection covers 	metal 09 30 024 5426	metal 09 30 024 5426		 <table border="1" data-bbox="1079 787 1209 829"> <thead> <tr> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>125.5</td> <td>44</td> </tr> </tbody> </table>	b	c	125.5	44													
b	c																				
125.5	44																				

Han Hoods
Housings











Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Hoods</p> <p>side entry</p> 	<p>11 30 024 0520</p>		 <table border="1" data-bbox="1006 514 1201 556"> <tr> <td>a</td> <td>b</td> <td>c</td> </tr> <tr> <td>108</td> <td>120.5</td> <td>139</td> </tr> </table>	a	b	c	108	120.5	139	
a	b	c								
108	120.5	139								
<p>Cable seal</p>	<p>17 - 19 mm 11 30 000 9954 20 - 22 mm 11 30 000 9955 23 - 25 mm 11 30 000 9956 26 - 28 mm 11 30 000 9957 29 - 31 mm 11 30 000 9958 32 - 34 mm 11 30 000 9959</p>									
<p>Thread adaptor</p>	<p>11 30 000 9961 11 30 000 9962</p>	<p>25 32</p>								

Han Hoods
Housings









Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 30 024 1541 19 30 024 1542	1 x 25 1 x 32		<table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>120</td> <td>62.5</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>120</td> <td>62.5</td> </tr> </tbody> </table>	Con-struction	Size	a	h	low	M 25	120	62.5	low	M 32	120	62.5
						Con-struction	Size	a	h								
low	M 25	120	62.5														
low	M 32	120	62.5														
side entry		19 30 024 0547 19 30 024 0548	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>120</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>120</td> <td>76</td> </tr> </tbody> </table>	Con-struction	Size	a	h	high	M 32	120	76	high	M 40	120	76
						Con-struction	Size	a	h								
high	M 32	120	76														
high	M 40	120	76														
Hoods top entry		19 30 024 1442	1 x 32		<table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 32</td> <td>120</td> <td>55</td> </tr> </tbody> </table>	Con-struction	Size	a	h	low	M 32	120	55				
						Con-struction	Size	a	h								
low	M 32	120	55														
top entry		19 30 024 0447 19 30 024 0448	1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>120</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>120</td> <td>76</td> </tr> </tbody> </table>	Con-struction	Size	a	h	high	M 32	120	76	high	M 40	120	76
						Con-struction	Size	a	h								
high	M 32	120	76														
high	M 40	120	76														
Hoods without cable entry		09 30 024 0803	-		<table border="1"> <thead> <tr> <th>Con-struction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>-</td> <td>120</td> <td>76</td> </tr> </tbody> </table>	Con-struction	Size	a	h	high	-	120	76				
Con-struction	Size	a	h														
high	-	120	76														

Han Hoods Housings

Stock items in bold type

Metal hoods/housings for industrial applications / 1 lever locking system






Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																				
	Low construction	High construction																							
Housings, bulkhead mounting 	09 30 024 0307			 <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	130	140	108 x 35													
	Construction	a	b		Panel cut out																				
low	130	140	108 x 35																						
	with thermo-plastic cover 09 30 024 0304 with metal cover 09 30 024 0318			 <table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	130	140	108 x 35													
Construction	a	b	Panel cut out																						
low	130	140	108 x 35																						
Housings, surface mounting side entry 	19 30 024 1251			 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>M 25</td> <td>18</td> <td>56</td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	low	M 25	132	144	45	57	Construction	Size	e	h	low	M 25	18	56	
	Construction	Size	a		b	c	d																		
low	M 25	132	144	45	57																				
Construction	Size	e	h																						
low	M 25	18	56																						
side entry 		19 30 024 0292		 <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>e</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>18</td> <td>81</td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 32	132	144	45	57	Construction	Size	e	h	high	M 32	18	81	
Construction	Size	a	b	c	d																				
high	M 32	132	144	45	57																				
Construction	Size	e	h																						
high	M 32	18	81																						

Han Hoods Housings

Stock items in bold type



Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																							
	Low construction	High construction																										
Housings, surface mounting side entry	with thermo-plastic cover 19 30 024 1256 with thermo-plastic cover 19 30 024 1296		1 x 25 2 x 25	 <table border="1"> <tr> <td>Construction low</td> <td>Size</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> </tr> <tr> <td></td> <td>M 25</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <td>Construction low</td> <td>Size</td> <td>e</td> <td>f</td> <td>g</td> <td>h</td> </tr> <tr> <td></td> <td>M 25</td> <td>18</td> <td>20</td> <td>65</td> <td>56</td> </tr> </table>	Construction low	Size	a	b	c	d		M 25	132	144	45	57	Construction low	Size	e	f	g	h		M 25	18	20	65	56
	Construction low	Size	a		b	c	d																					
	M 25	132	144	45	57																							
Construction low	Size	e	f	g	h																							
	M 25	18	20	65	56																							
side entry	with thermo-plastic cover 19 30 024 0297		2 x 32	 <table border="1"> <tr> <td>Construction high</td> <td>Size</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> </tr> <tr> <td></td> <td>M 32</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <td>Construction high</td> <td>Size</td> <td>e</td> <td>f</td> <td>g</td> <td>h</td> </tr> <tr> <td></td> <td>M 32</td> <td>18</td> <td>20</td> <td>65</td> <td>81</td> </tr> </table>	Construction high	Size	a	b	c	d		M 32	132	144	45	57	Construction high	Size	e	f	g	h		M 32	18	20	65	81
Construction high	Size	a	b	c	d																							
	M 32	132	144	45	57																							
Construction high	Size	e	f	g	h																							
	M 32	18	20	65	81																							
Housings, surface mounting side entry	with metal cover 19 30 024 2296		2 x 25	 <table border="1"> <tr> <td>Construction low</td> <td>Size</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> </tr> <tr> <td></td> <td>M 25</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <td>Construction low</td> <td>Size</td> <td>e</td> <td>f</td> <td>g</td> <td>h</td> </tr> <tr> <td></td> <td>M 25</td> <td>18</td> <td>20</td> <td>65</td> <td>56</td> </tr> </table>	Construction low	Size	a	b	c	d		M 25	132	144	45	57	Construction low	Size	e	f	g	h		M 25	18	20	65	56
	Construction low	Size	a	b	c	d																						
	M 25	132	144	45	57																							
Construction low	Size	e	f	g	h																							
	M 25	18	20	65	56																							
side entry	with metal cover 19 30 024 7297		2 x 32	 <table border="1"> <tr> <td>Construction high</td> <td>Size</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> </tr> <tr> <td></td> <td>M 32</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <td>Construction high</td> <td>Size</td> <td>e</td> <td>f</td> <td>g</td> <td>h</td> </tr> <tr> <td></td> <td>M 32</td> <td>18</td> <td>20</td> <td>65</td> <td>81</td> </tr> </table>	Construction high	Size	a	b	c	d		M 32	132	144	45	57	Construction high	Size	e	f	g	h		M 32	18	20	65	81
Construction high	Size	a	b	c	d																							
	M 32	132	144	45	57																							
Construction high	Size	e	f	g	h																							
	M 32	18	20	65	81																							
Hoods, cable to cable top entry	19 30 024 1752		1 x 32 1 x 32	 <p>* without molded adapter and housing width 45 mm</p> <table border="1"> <tr> <td>Construction high</td> <td>Size</td> <td>a</td> <td>b</td> <td>h</td> </tr> <tr> <td></td> <td>M 32</td> <td>120</td> <td>137</td> <td>78.5</td> </tr> <tr> <td>Construction low</td> <td>Size</td> <td>a</td> <td>b</td> <td>h</td> </tr> <tr> <td></td> <td>M 32</td> <td>120</td> <td>137</td> <td>57.5</td> </tr> </table>	Construction high	Size	a	b	h		M 32	120	137	78.5	Construction low	Size	a	b	h		M 32	120	137	57.5				
	Construction high	Size	a	b	h																							
	M 32	120	137	78.5																								
Construction low	Size	a	b	h																								
	M 32	120	137	57.5																								

Han Hoods Housings

Metal hoods/housings for industrial applications / 2 lever locking system



Identification	Part number		Cable entry metric	Drawing	Dimensions in mm															
	Low construction	High construction																		
Hoods side entry		19 30 024 1531	1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th><th>c</th></tr> <tr><td>low</td><td>M 25</td><td>120</td><td>62.5</td><td>45</td></tr> </table>	Construction	Size	a	h	c	low	M 25	120	62.5	45					
					Construction	Size	a	h	c											
low	M 25	120	62.5	45																
side entry		19 30 024 0537 19 30 024 0538	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th><th>c</th></tr> <tr><td>high</td><td>M 32</td><td>120</td><td>76</td><td>45</td></tr> <tr><td>high</td><td>M 40</td><td>120</td><td>76</td><td>45</td></tr> </table>	Construction	Size	a	h	c	high	M 32	120	76	45	high	M 40	120	76	45
			Construction		Size	a	h	c												
high	M 32	120	76	45																
high	M 40	120	76	45																
Hoods top entry		19 30 024 1432	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th><th>c</th></tr> <tr><td>low</td><td>M 32</td><td>120</td><td>55</td><td>45</td></tr> </table>	Construction	Size	a	h	c	low	M 32	120	55	45					
					Construction	Size	a	h	c											
low	M 32	120	55	45																
top entry		19 30 024 0437 19 30 024 0438	1 x 32		<table border="1"> <tr><th>Construction</th><th>Size</th><th>a</th><th>h</th><th>c</th></tr> <tr><td>high</td><td>M 32</td><td>120</td><td>76</td><td>45</td></tr> <tr><td>high</td><td>M 40</td><td>120</td><td>76</td><td>45</td></tr> </table>	Construction	Size	a	h	c	high	M 32	120	76	45	high	M 40	120	76	45
			Construction		Size	a	h	c												
high	M 32	120	76	45																
high	M 40	120	76	45																

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm								
	Low construction	High construction											
Housings, bulkhead mounting		with thermo- plastic cover 09 30 024 0302 with metal cover 09 30 024 0317			<table border="1"> <tr><th>Construction</th><th>a</th><th>b</th><th>Panel cut out</th></tr> <tr><td>low</td><td>130</td><td>140</td><td>108 x 35</td></tr> </table>	Construction	a	b	Panel cut out	low	130	140	108 x 35
					Construction	a	b	Panel cut out					
low	130	140	108 x 35										







Han Hoods
Housings

Metal hoods/housings for industrial applications / 2 lever locking system







Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																																				
	Low construction	High construction																																							
Housings, surface mounting side entry 		with thermo-plastic cover 19 30 024 1226 with thermo-plastic cover 19 30 024 1266	1 x 25	 <p>1) Blind way for one cable entry</p> <table border="1" data-bbox="1079 556 1396 714"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> <tr> <th>Construction</th> <th>Size</th> <th>f</th> <th>g</th> <th>h</th> <td></td> </tr> <tr> <td>high</td> <td>M 32</td> <td>20</td> <td>65</td> <td>81</td> <td></td> </tr> <tr> <td>low</td> <td>M 25</td> <td>20</td> <td>65</td> <td>56</td> <td></td> </tr> </tbody> </table>	Construction	Size	a	b	c	d	high	M 32	132	144	45	57	low	M 25	132	144	45	57	Construction	Size	f	g	h		high	M 32	20	65	81		low	M 25	20	65	56		2 x 25
			Construction		Size	a	b	c	d																																
			high		M 32	132	144	45	57																																
low	M 25	132	144	45	57																																				
Construction	Size	f	g	h																																					
high	M 32	20	65	81																																					
low	M 25	20	65	56																																					
		with thermo-plastic cover 19 30 024 0267	2 x 32																																						

Han Hoods Housings

Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm												
Hoods side entry 	19 30 024 0586 19 30 024 0587 19 30 024 0588	1 x 25 1 x 32 1 x 40	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 25</td> <td>120</td> <td>87</td> </tr> <tr> <td>M 32</td> <td>120</td> <td>87</td> </tr> <tr> <td>M 40</td> <td>120</td> <td>87</td> </tr> </tbody> </table>	Size	a	b	M 25	120	87	M 32	120	87	M 40	120	87	
Size	a	b														
M 25	120	87														
M 32	120	87														
M 40	120	87														
Hoods top entry 	19 30 024 0487	1 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>120</td> <td>87</td> </tr> </tbody> </table>	Size	a	b	M 32	120	87							
Size	a	b														
M 32	120	87														











Metal hoods/housings for industrial applications / 1 central locking lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm								
Housings, bulkhead mounting 	09 30 024 0381		 <table border="1"> <thead> <tr> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </tbody> </table>	a	b	Panel cut out	130	140	108 x 35			
a	b	Panel cut out										
130	140	108 x 35										
Housings, surface mounting side entry 	19 30 024 0282	2 x 32	 <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>M 32</td> <td>132</td> <td>144</td> <td>81</td> </tr> </tbody> </table>	Size	a	b	h	M 32	132	144	81	
Size	a	b	h									
M 32	132	144	81									

Han Hoods Housings











Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Hoods side entry		19 37 024 1521	1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>low</td><td>M 25</td><td>625</td><td>120</td></tr> </table>	Construction	Size	h	a	low	M 25	625	120				
						Construction	Size	h	a								
low	M 25	625	120														
side entry		19 37 024 0527 19 37 024 0528	1 x 32 1 x 40		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>high</td><td>M 32</td><td>76</td><td>120</td></tr> <tr><td>high</td><td>M 40</td><td>76</td><td>120</td></tr> </table>	Construction	Size	h	a	high	M 32	76	120	high	M 40	76	120
						Construction	Size	h	a								
high	M 32	76	120														
high	M 40	76	120														
Hoods top entry		19 37 024 1421	1 x 25		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>low</td><td>M 25</td><td>55</td><td>120</td></tr> </table>	Construction	Size	h	a	low	M 25	55	120				
						Construction	Size	h	a								
low	M 25	55	120														
top entry		19 37 024 0427 19 37 024 0428	1 x 32 1 x 40		<table border="1"> <tr><th>Construction</th><th>Size</th><th>h</th><th>a</th></tr> <tr><td>high</td><td>M 32</td><td>76</td><td>120</td></tr> <tr><td>high</td><td>M 40</td><td>76</td><td>120</td></tr> </table>	Construction	Size	h	a	high	M 32	76	120	high	M 40	76	120
						Construction	Size	h	a								
high	M 32	76	120														
high	M 40	76	120														
Protection covers		metal 09 37 024 5402	metal 09 37 024 5402		<table border="1"> <tr><th>a</th></tr> <tr><td>126</td></tr> </table>	a	126										
a																	
126																	

Han Hoods Housings







Stock items in bold type

Hoods/Housings for higher environmental requirements / 2 lever locking system







Identification	Part number		Cable entry metric	Drawing	Dimensions in mm													
	Low construction	High construction																
Housings, bulkhead mounting 	09 37 024 0301			 <table border="1"> <tr> <td>Construction</td> <td>a</td> <td>b</td> <td>c</td> </tr> <tr> <td>low</td> <td>130</td> <td>140</td> <td>108</td> </tr> </table>	Construction	a	b	c	low	130	140	108						
Construction	a	b	c															
low	130	140	108															
Housings, surface mounting side entry 		19 37 024 0272	2 x 32	 <table border="1"> <tr> <td>Construction</td> <td>Size</td> <td>h</td> <td>a</td> <td>b</td> <td>c</td> <td>d</td> </tr> <tr> <td>high</td> <td>M 32</td> <td>81</td> <td>132</td> <td>144</td> <td>45</td> <td>57</td> </tr> </table>	Construction	Size	h	a	b	c	d	high	M 32	81	132	144	45	57
Construction	Size	h	a	b	c	d												
high	M 32	81	132	144	45	57												
Protection covers 	metal 09 37 024 5405	metal 09 37 024 5405		 <table border="1"> <tr> <td>a</td> </tr> <tr> <td>126</td> </tr> </table>	a	126												
a																		
126																		
Hoods, cable to cable side entry 		19 37 024 0733	1 x 40	 <table border="1"> <tr> <td>Construction</td> <td>Size</td> <td>a</td> <td>b</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>120</td> <td>45</td> </tr> </table>	Construction	Size	a	b	high	M 40	120	45						
Construction	Size	a	b															
high	M 40	120	45															

Han Hoods Housings

Hoods/Housings for higher environmental requirements / 1 central locking lever locking system







Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
Hoods side entry 	19 37 024 0587	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>b</td> </tr> <tr> <td>M 32</td> <td>120</td> <td>87</td> </tr> </table>	Size	a	b	M 32	120	87	
Size	a	b								
M 32	120	87								
Hoods top entry 	19 37 024 0487	1 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>b</td> </tr> <tr> <td>M 32</td> <td>120</td> <td>87</td> </tr> </table>	Size	a	b	M 32	120	87	
Size	a	b								
M 32	120	87								

Hoods/Housings for higher environmental requirements / 1 central locking lever locking system




Identification	Part number	Cable entry metric	Drawing	Dimensions in mm								
Housings, bulkhead mounting 	09 37 024 0381		 <table border="1"> <tr> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </table>	a	b	Panel cut out	130	140	108 x 35			
a	b	Panel cut out										
130	140	108 x 35										
Housings, surface mounting side entry 	19 37 024 0282	2 x 32	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>b</td> <td>h</td> </tr> <tr> <td>M 32</td> <td>132</td> <td>144</td> <td>81</td> </tr> </table>	Size	a	b	h	M 32	132	144	81	
Size	a	b	h									
M 32	132	144	81									

Han Hoods
Housings

Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Hoods</p> <p>side entry</p> 	19 62 064 0543	1 x 40	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 40</td> <td>133</td> <td>85</td> </tr> </table>	Size	a	h	M 40	133	85	
Size	a	h								
M 40	133	85								
<p>Hoods</p> <p>top entry</p> 	19 62 064 0443	1 x 40	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>h</td> </tr> <tr> <td>M 40</td> <td>133</td> <td>85</td> </tr> </table>	Size	a	h	M 40	133	85	
Size	a	h								
M 40	133	85								





Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm						
<p>Housings, bulkhead mounting</p> 	09 62 064 0301		 <table border="1"> <tr> <td>a</td> <td>b</td> <td>Panel cut out</td> </tr> <tr> <td>140</td> <td>130</td> <td>108 x 35</td> </tr> </table>	a	b	Panel cut out	140	130	108 x 35	
a	b	Panel cut out								
140	130	108 x 35								





Han Hoods Housings











Hoods/Housings for higher EMC requirements / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm																
	Low construction	High construction																			
Hoods side entry 	19 62 824 1521	19 62 824 0527 19 62 824 0528	1 x 25 1 x 32 1 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>120</td> <td>76</td> </tr> <tr> <td>high</td> <td>M 40</td> <td>120</td> <td>76</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>120</td> <td>62.5</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	120	76	high	M 40	120	76	low	M 25	120	62.5
						Construction	Size	a	h												
high	M 32	120	76																		
high	M 40	120	76																		
low	M 25	120	62.5																		
Hoods top entry 	19 62 824 1422	19 62 824 0427	1 x 32 1 x 32		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 32</td> <td>120</td> <td>76</td> </tr> <tr> <td>low</td> <td>M 32</td> <td>120</td> <td>55</td> </tr> </tbody> </table>	Construction	Size	a	h	high	M 32	120	76	low	M 32	120	55				
						Construction	Size	a	h												
high	M 32	120	76																		
low	M 32	120	55																		

Hoods/Housings for higher EMC requirements / 2 lever locking system









Identification	Part number		Cable entry metric	Drawing	Dimensions in mm												
	Low construction	High construction															
Housings, bulkhead mounting 	09 62 824 0301				<table border="1"> <thead> <tr> <th>Construction</th> <th>a</th> <th>b</th> <th>Panel cut out</th> </tr> </thead> <tbody> <tr> <td>low</td> <td>130</td> <td>140</td> <td>108 x 35</td> </tr> </tbody> </table>	Construction	a	b	Panel cut out	low	130	140	108 x 35				
						Construction	a	b	Panel cut out								
low	130	140	108 x 35														
Housings, surface mounting side entry 	19 62 824 1271	19 62 824 0273	2 x 25 2 x 40		<table border="1"> <thead> <tr> <th>Construction</th> <th>Size</th> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>high</td> <td>M 40</td> <td>132</td> <td>144</td> </tr> <tr> <td>low</td> <td>M 25</td> <td>132</td> <td>144</td> </tr> </tbody> </table>	Construction	Size	a	b	high	M 40	132	144	low	M 25	132	144
						Construction	Size	a	b								
high	M 40	132	144														
low	M 25	132	144														
Han Hoods Housings																	

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification	Part number		Cable entry metric	Dimensions in mm	Locking																								
	Toggle locking	Screw locking																											
Hoods side entry 	19 40 024 0503	19 40 024 0512 19 40 024 0513 19 40 024 0514 19 40 024 0537	1 x 32 1 x 40 1 x 40 1 x 50 2 x 32	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 40</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 40</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 50</td> <td>193</td> <td>111</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 40	193	111	Screw locking	M 32	193	111	Screw locking	M 40	193	111	Screw locking	M 50	193	111					
		Locking			Size	a	h																						
Toggle locking	M 40	193	111																										
Screw locking	M 32	193	111																										
Screw locking	M 40	193	111																										
Screw locking	M 50	193	111																										
Hoods top entry 	19 40 024 0402	19 40 024 0412 19 40 024 0413 19 40 024 0414 19 40 024 0432 19 40 024 0433 19 40 024 0461	1 x 32 1 x 32 1 x 40 1 x 50 2 x 32 2 x 40 3 x 25	 <table border="1"> <thead> <tr> <th>Locking</th> <th>Size</th> <th>a</th> <th>h</th> </tr> </thead> <tbody> <tr> <td>Toggle locking</td> <td>M 32</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 25</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 32</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 40</td> <td>193</td> <td>111</td> </tr> <tr> <td>Screw locking</td> <td>M 50</td> <td>193</td> <td>111</td> </tr> </tbody> </table>	Locking	Size	a	h	Toggle locking	M 32	193	111	Screw locking	M 25	193	111	Screw locking	M 32	193	111	Screw locking	M 40	193	111	Screw locking	M 50	193	111	
		Locking			Size	a	h																						
Toggle locking	M 32	193	111																										
Screw locking	M 25	193	111																										
Screw locking	M 32	193	111																										
Screw locking	M 40	193	111																										
Screw locking	M 50	193	111																										
Hoods top entry 		19 40 024 0419 19 40 024 0467	1 x 50 3 x 32																										
Hoods top entry 		19 40 024 0420	1 x 63		Han Hoods Housings																								






Han Hoods Housings

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system






Identification	Part number		Cable entry metric	Dimensions in mm	Locking												
	Toggle locking	Screw locking															
Housings, bulkhead mounting 	09 40 024 0301	09 40 024 0311		 <table border="1"> <tr> <td>Locking</td> <td>a</td> <td>b</td> <td>c</td> </tr> <tr> <td>Toggle locking</td> <td>130</td> <td>193</td> <td>108</td> </tr> <tr> <td>Screw locking</td> <td>130</td> <td>193</td> <td>108</td> </tr> </table>	Locking	a	b	c	Toggle locking	130	193	108	Screw locking	130	193	108	
Locking	a	b	c														
Toggle locking	130	193	108														
Screw locking	130	193	108														
Housings, surface mounting side entry 		19 40 024 1263 19 40 024 1273	1 x 40 2 x 40	 <table border="1"> <tr> <td>Size</td> <td>a</td> <td>b</td> </tr> <tr> <td>M 40</td> <td>187</td> <td>216</td> </tr> </table>	Size	a	b	M 40	187	216							
Size	a	b															
M 40	187	216															
Protection covers 	metal 09 40 024 5401	metal 09 40 024 5411		 <table border="1"> <tr> <td>Locking</td> <td>a</td> </tr> <tr> <td>Toggle locking</td> <td>193</td> </tr> <tr> <td>Screw locking</td> <td>193</td> </tr> </table>	Locking	a	Toggle locking	193	Screw locking	193							
Locking	a																
Toggle locking	193																
Screw locking	193																
Han Hoods Housings Mounting frames 		09 40 000 9904		 <table border="1"> <tr> <td>a</td> <td>b</td> </tr> <tr> <td>130</td> <td>156</td> </tr> </table>	a	b	130	156									
a	b																
130	156																



Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 30 032 0527 19 30 032 0528 19 30 032 0529	1 x 32 1 x 40 1 x 50		
Hoods top entry 	19 30 032 0427 19 30 032 0428 19 30 032 0429	1 x 32 1 x 40 1 x 50		
Protection covers	metal 09 30 032 5420			

Metal hoods/housings for industrial applications / 2 lever locking system




Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	09 30 032 0301			
Housings, surface mounting side entry 	19 30 032 0232 19 30 032 0272 19 30 032 0273	1 x 32 2 x 32 2 x 40		Han Hoods Housings
Protection covers	metal 09 30 032 5425			

Han Hoods
Housings

* usable for two inserts of size 16 B
Stock items in bold type



Metal hoods/housings for industrial applications / 2 lever locking system





Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
<p>Hoods, cable to cable side entry</p> 	<p>19 30 032 0738</p>	<p>1 x 40</p>		

Han Hoods Housings







* usable for two inserts of size 16 B
Stock items in bold type



Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 30 048 0548 19 30 048 0549	1 x 40 1 x 50		
Hoods top entry 	19 30 048 0448 19 30 048 0449	1 x 40 1 x 50		







Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	with thermo- plastic cover 09 30 048 0301 with metal cover 09 30 048 0317			
Housings, surface mounting side entry 	19 30 048 0292 19 30 048 0293	2 x 32 2 x 40	 1) Blind way	
side entry 	with thermo- plastic cover 19 30 048 0298	2 x 40	 1) Blind way	



Han Hoods
Housings

* usable for two inserts of size 24 B
Stock items in bold type

Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 37 048 0548	1 x 40		
Hoods top entry 	19 37 048 0448 19 37 048 0449	1 x 40 1 x 50		
Hoods top entry 	19 37 048 0401	4 x 25		

Hoods/Housings for higher environmental requirements / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	09 37 048 0301			
Han Hoods Housings				

* usable for two inserts of size 24 B
Stock items in bold type