

5148295 -5 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



5148295 -5

[Active](#)

Eurocard Type R

[Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- ? Receptacle
- ? Number of Positions = 150
- ? PCB Mount Angle = Right Angle
- ? Yes PCB Retention Feature
- ? ACTION (Compliant) Press -fit Posts

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [View Mating Products \(9\)](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> ? ASSEMBLY, RECEPTACLE, EUROCARD, TYPE R, 150 POSITION,.... (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> ? None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> ? None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> ? Eurocard Connectors Types B,C,M,Q,R, & Enhanced Typ..... (PDF, English) <p>Instruction Sheets:</p> <ul style="list-style-type: none"> ? None Available <p>CAD Files:</p> <ul style="list-style-type: none"> ? None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> ? Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> ? Tooling ? Mating Products (9)
<p>List all Documents</p>	

Product Features <small>(Please use the Product Drawing for all design activity)</small>	
<p>Product Type Features:</p> <ul style="list-style-type: none"> ? Product Type = Receptacle ? Number of Positions = 150 ? PCB Mount Angle = Right Angle ? PCB Retention Feature = Yes ? Post Type = Compliant Post ? Mating Polarization = Without ? Guides = Without ? Make First / Break Last = No ? DIN Level = II ? PCB Thickness (Minimum) (mm [in]) = 1.57 [0.062] ? Color = Gray <p>Termination Related Features:</p> <ul style="list-style-type: none"> ? Termination (Solder) Post Length (mm [in]) = 2.92 [0.115] ? Solder Tail Contact Plating = Tin <p>Body Related Features:</p> <ul style="list-style-type: none"> ? PCB Retention Method = ACTION (Compliant) Press -fit Posts ? Rows Loaded = A, B, C 	<p>Contact Related Features:</p> <ul style="list-style-type: none"> ? Contact Material = Copper Alloy ? Contact Mating Area Plating Material = DIN 41612 Class 2 <p>Housing Related Features:</p> <ul style="list-style-type: none"> ? Housing Material = Polymer ? Housing Flammability Rating = UL 94V -0 <p>Industry Standards:</p> <ul style="list-style-type: none"> ? RoHS/ELV Compliance = RoHS compliant, ELV compliant ? Lead Free Solder Processes = Not relevant for lead free process ? Flux - Tight Coating = Without ? RoHS/ELV Compliance History = Always was RoHS compliant <p>Other:</p> <ul style="list-style-type: none"> ? Brand = AMP