
-9

Product Details for 5536279



5536279

Active

.050 Centerline Micro

-Strip Connectors

RoHS Compliant (Statement of Compliance)

Product Highlights:

- 2 Connector
- Number of Positions = 200
- Mating Type = Receptacle
- Termination Post Length = 2.41 mm
- Standard Body Shape

View all Features

Quick Links

Check Pricing & <u>Availability</u> Search for Tooling Product Feature Selector Contact Us About This Product

Documentation & Additional Information

Product Drawings:

? RECEPTACLE ASSEMBLY, VERTICAL, .095 TAIL, BOARD TO B. (PDF, English)

Catalog Pages/Data Sheets:

? None Available

Product Specifications:

2 Connector, Micro - Strip, Board To Board (PDF, English)

Application Specifications:

Micro-Strip Board -To-Board Plug and Receptacle Conne... English)

Instruction Sheets:

None Available

CAD Files: (CAD Format & Compression Information

- ? 3D Model (STEP, Version O1)
- ? 3D Model (IGES, Version O1)
- ? 2D Drawing (DXF, Version O1)

List all Documents

Additional Information:

Product Line Information

Related Products:

? Tooling

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Connector
- ? Number of Positions = 200
- ? Mating Type = Receptacle
- ? Body Shape = Standard
- ? Mount Angle = Vertical
- ? Special PCB Retention = Without
- ? Guides = Without
- ? Flame Retardant = Yes
- ? Comment = Stacking heights of 10.92 mm [.430 inches] and 18.75 mm [.738 inches] can be obtained by using this receptacle with a 10.92 [.430] or 18.75 [.738] vertical plug.

Mechanical Attachment:

- ? Receptacle Bus Material = Phosphor Bronze
- ? Receptacle Contact Material = Phosphor Bronze

Termination Related Features:

- ? Termination Post Length (mm [in]) [0.095]
- ? Receptacle Bus Mating Area Plating = Gold (30)
- ? Receptacle Bus Termination Area Plating = Matte Tin with Nickel underplated

Contact Related Features:

- ? Receptacle Contact Mating Area Plating = Gold
- Receptacle Contact Termination Area Plating = Matte Tin with Nickel underplated

Housing Related Features:

- ? Housing Material = Thermoplastic
- ? Housing Temperature Rating = High

Industry Standards:

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- ? <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Other:

? Brand = AMP