![molex logo] **molex**
one company › a world of innovation

Part Number:	**0430250200**
Status:	**Active**
Overview:	microfit_30
Description:	3.00mm (.118") Pitch Micro-Fit 3.0™ Receptacle Housing, Dual Row, 2 Circuits, Halogen Free, Glow Wire Compatible

Documents:
3D Model
Drawing (PDF)
Product Specification PS-43045 (PDF)
RoHS Certificate of Compliance (PDF)

Series
image - Reference only

Agency Certification
CSA	LR19980
TUV	R72081037
UL	E29179

General
Product Family	Crimp Housings
Series	43025
Application	Power
Comments	Polarized to Mating Part; Converted to Halogen-Free and Glow Wire Compatible Material on 8/30/2010
Overview	microfit_30
Product Literature Order No	USA-106
Product Name	Micro-Fit 3.0™

Physical
|	
Circuits (maximum)	2
Circuits Detail	2
Color - Resin	Black
Flammability	94V-0
Gender	Female
Glow-Wire Compliant	Yes
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.00mm (.118")
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40°C to +105°C

Electrical
Current - Maximum per Contact	5A

Material Info
Country of Origin	HK, US

Reference - Drawing Numbers
Packaging Specification	PK-43025-001
Product Specification	PS-43045, RPS-43045-003, RPS-43045-004
Sales Drawing	SDA-43025-****
Test Summary	TS-43045-001

EU RoHS **China RoHS**
ELV and RoHS Compliant
REACH SVHC
Contains SVHC: No
Low-Halogen Status
Low-Halogen

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
43025Series

Mates With
Micro-Fit 3.0™ Plug Housing, 43020 Micro-Fit 3.0™ Header, 43045 Micro-Fit 3.0™ Test Plug, 44242

Use With
Micro-Fit 3.0™ Crimp Terminal 43030

This document was generated on 11/17/2010
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION