

## This document was generated on 01/26/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

	<u>0678008245</u> Active		A an
Overview: Description:	<u>serial_ata_products</u> 1.27mm (.050") Pitch Locking Latch, 7 Circo	Serial ATA High Speed Header, Vertical, Through Hole, with uits, 0.38µm (15µ") Gold (Au) Plating, for 1.60mm (.063") PCB, atural, Footprint A, with PCBLocator Tabs, Lead-free	
Documents: <u>3D Model</u> Drawing (PDF)		RoHS Certificate of Compliance (PDF)	Serie
			image - Reference only
Agency Certification	on		
CSA		LR19980	EU RoHS China RoHS
UL		E29179	ELV and RoHS
General			Compliant REACH SVHC
Product Family		PCB Headers	Not Reviewed
Series		67800	Low-Halogen Status
Application		Board-to-Board, Signal, Wire-to-Board	Not Reviewed
Comments		In-line Solder Pin/Footprint A	
Overview		serial ata products	Need more information on product
Product Name		Serial ATA	environmental compliance?
5			Email productcompliance@molex.com
Physical			For a multiple part number RoHS Certificate of
Breakaway		No	Compliance, <u>click here</u>
Circuits (Loaded)		7	Discoursi si tata Constant Lis continu fon anu
Circuits (maximum)		7	Please visit the <u>Contact Us</u> section for any
Durability (mating cycles max)		500	non-product compliance questions.
Flammability		94V-0	
Glow-Wire Compliant		No	
Lock to Mating Part		Yes Gold	
Material - Plating Mating		Tin	Search Parts in this Series
Material - Plating Termination Number of Rows		1	<u>67800</u> Series
Orientation		Vertical	
PC Tail Length		2.10mm (.083")	
PCB Locator		Yes	
PCB Retention		Yes	
PCB Thickness - Recommended		1.60mm (.063")	
Packaging Type		Tray	
Pitch - Mating Interface		1.27mm (.050")	
Pitch - Termination Interface		1.27mm (.050")	
Shrouded		Fully	
Stackable		No	
Surface Mount Compatible (SMC)		Yes	
Temperature Range - Operating		-55°C to +85°C	
Termination Interface: S	Style	Through Hole	
Electrical			
Current - Maximum per Contact		1.5A	
Voltage - Maximum		15V	
Material Info			
Reference - Drawin	ng Numbers		
Sales Drawing		SD-67800-008	

This document was generated on 01/26/2011
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION