


## 5787882-1 Product Details

### Have a Question?

Chat with a Product Information Specialist



**5787882-1**

TE Internal Number: 5787882-1

**Active**

### 1.27 [.050] Series I, HD, FH and J Connectors

[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

#### Product Highlights:

- Connector
- Applies To Printed Circuit Board
- Housing Gender = Receptacle
- 200 Positions
- 1.27 mm Centerline

[View all Features](#)

#### Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

#### Documentation & Additional Information

Documents are temporarily unavailable. We are working hard to correct the problem. Please try again later.

#### Additional Information:

- [Product Line Information](#)

#### Related Products:

- [Tooling](#)

#### Product Features (Please use the Product Drawing for all design activity)

##### Product Type Features:

- [Product Type](#) = Connector
- [Profile](#) = Low
- PCB Mount Style = Through Hole (SMT Compatible)
- PCB Mount Retention = With
- [PCB Mount Angle](#) = Right Angle
- [Type of Connector](#) = Blindmate
- [PCB Mount Polarization](#) = Without
- Footprint (mm [in]) = 8-Row [8-Row]
- Panel Thickness (mm [in]) = 0.81 - 1.20 [0.032 - 0.047]
- Shell Material = Steel
- Ground Plate Material = Stainless Steel
- Guide Socket [Pin] Material = Brass

##### Mechanical Attachment:

- Panel Attachment = With
- Bail Lock = With
- Boardlock Material = Brass
- Boardlock Plating = Tin over Nickel
- Locking Screw = Without

##### Termination Related Features:

- [Termination Post Length \(mm \[in\]\)](#) = 2.49 [0.098]
- Solder Tail Contact Plating = Tin over Nickel

##### Body Related Features:

- [Number of Positions](#) = 200
- [Centerline \(mm \[in\]\)](#) = 1.27 [0.050]
- [PCB Mount Retention Type](#) = Boardlock(s)
- Center Ground Plate = With
- Shell Plating = Nickel over Copper
- Guide Socket [Pin] Plating = Nickel over Copper

##### Contact Related Features:

- [Contact Plating, Mating Area, Material](#) = Gold (30)

##### Housing Related Features:

- Housing Gender = Receptacle
- [Housing Temperature Rating](#) = Standard
- Housing Color = Natural
- Housing Material = Liquid Crystal Polymer (LCP)
- UL Flammability Rating = UL 94V-0

##### Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

##### Conditions for Usage:

- Applies To = Printed Circuit Board

##### Operation/Application:

- [Application](#) = Box-to-Box

##### Other:

- Brand = AMP

BOOKMARK

#### Corporate Information

[Who We Are](#)  
[Investors](#)  
[News Room](#)  
[Supplier Portal](#)  
[Careers](#)

#### Quick Links

[Check Distributor Inventory](#)  
[Cross Reference](#)  
[Find Documents & Drawings](#)  
[Product Compliance Support Center](#)  
[Site Map](#)

#### Customer Support

[Email or Chat with Us](#)  
[Find a Phone Number](#)  
[Search Knowledge Base](#)  
[Manage Your Account](#)

#### Sign up for our eNewsletter

Enter your email address

Follow us on: