December

My Account

Customer Support

Home > Products > By Type > CHAMP Connectors > Product Feature Selector > Product Details

1-5917738 -7 Product Details



1-5917738 -7

1.27 [.050] Series II and Series III Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- ? Mating Type = Receptacle
- Number of Positions = 50
- ? Terminate To Printed Circuit Board
- ? Right Angle Mount Angle
- ? Yes PCB Retention Feature

<u>View all Features</u> | <u>Find Similar</u> Products



Quick Links —

Check Pricing &
Availability
Search for Tooling
Product Feature
Selector
Contact Us About
This Product

Documentation & Additional Information

Product Drawings:

? CHAMP.050 SERIES (II) FMS -TYPE (PDF, English)

Catalog Pages/Data Sheets:

? None Available

Product Specifications:

? None Available

Application Specifications:

? None Available

Instruction Sheets:

? None Available

CAD Files: (CAD Format & Compression Information

- ? 2D Drawing (DXF, Version O)
- ? 3D Model (IGES, Version O)
- ? 3D Model (STEP, Version O)

Additional Information:

Product Line Information

Related Products:

? Tooling

List all Documents

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

- ? Mating Type = Receptacle
- ? Number of Positions = 50
- ? Mount Angle = Right Angle? PCB Retention Feature = Yes
- ? Mating Connector Lock = Without
- ? Product Series = Series II
- ? Color = Natural
- ? Front Shell Material = Steel

Mechanical Attachment:

- ? Panel Attachment = With
- ? Tine Plate Material = PBT

Termination Related Features:

- ? Termination (Solder) Post Length (mm [in]) = 3.10 [0.122]
- ? Solder Tail Contact Plating = Tin over Nickel

Body Related Features:

- ? Centerline (mm [in]) = 1.27 [0.050]
- ? PCB Retention Method = Boardlock(s)
- ? Front Shell Plating = Nickel over Copper

Contact Related Features:

- ? Contact Mating Area Plating Material = Select Gold
- ? Contact Material = Copper Alloy

Housing Related Features:

- Pousing Material Temperature = Standard
- ? Housing Material = PA6T

Industry Standards:

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

? Terminate To = Printed Circuit Board

Other:

? Brand = AMP

Provide Website Feedback | Contact Customer Support