

This document was generated on 01/17/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

	<u>0875571001</u> Obsolete		
Description:	1.27mm (.050") Pitch SCA-2 Receptacle, Through Hole, Right Angle, Reverse D Mate, Lead-free, 80 Circuits		
Documents: Drawing (PDF)			
General			a start
Product Family		PCB Receptacles	Seri
Series		87557	image - Reference only
Application		Board-to-Board, Signal	
Product Name		SCA-2	EU RoHS China RoHS
Floduct Name		30A-2	ELV and RoHS
Physical			Compliant
Circuits (Loaded)		80	REACH SVHC
Color - Resin		Black	Not Reviewed
Durability (mating cycles max)		500	Low-Halogen Status
Glow-Wire Compliant		No	Low-Halogen
Lock to Mating Part		None	
Material - Metal			Need more information on product
Material - Metal Material - Plating Mating		Phosphor Bronze Gold	environmental compliance?
		Tin	
Material - Plating Termination Material - Resin			Email productcompliance@molex.com
Number of Rows		High Temperature Thermoplastic 2	For a multiple part number RoHS Certificate
		_	Compliance, <u>click here</u>
Orientation		Right Angle	Please visit the Contact Us section for any
PC Tail Length		2.54mm (.100")	non-product compliance questions.
PCB Retention PCB Thickness - Recommended			
	imended	1.60mm (.063")]
Packaging Type		Tray	
Pitch - Mating Interface		1.27mm (.050")	
Plating min - Mating		0.762µm (30µ")	Search Parts in this Series
Plating min - Termination		2.540µm (100µ")	<u>87557</u> Series
Polarized to PCB		Yes	
Surface Mount Compatible (SMC)		Yes	Mates With
Temperature Range - Operating		-55°C to +105°C	87641
Termination Interface: S	tyle	Through Hole	,
Electrical			
Current - Maximum per Contact		1A	
Voltage - Maximum		30V	
Solder Process Da	ta		
Duration at Max. Process Temperature (seconds)		3	
Lead-free Process Capability		S Wave Capable (TH only)	
Max. Cycles at Max. Process Temperature			
Process Temperature max. C		250	
i isocos i cinperature in		200	
Material Info			

This document was generated on 01/17/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION