

This document was generated on 11/22/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>0716607320</u>

Status: Active
Overview: ebbi 50d

Description: 1.27mm (.050") Pitch EBBI™ 50D Receptacle, Vertical, Blind-Mate, 120 Circuits

Documents:

3D Model RoHS Certificate of Compliance (PDF)

Drawing (PDF)

Agency Certification

CSA LR19980 UL E29179

General

Product Family PCB Receptacles

Series <u>71660</u>

Application Board-to-Board, Signal

Physical

 Circuits (Loaded)
 120

 Color - Resin
 Black

 Durability (mating cycles max)
 2,000

 Flammability
 94V-0

 Glow-Wire Compliant
 No

Material - Metal Phosphor Bronze

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

 Number of Rows
 2

 Orientation
 Vertical

 PC Tail Length
 3.40mm (.134")

 PCB Locator
 Yes

PCB Retention Yes
PCB Thickness - Recommended 3.40mm (.134")

 Packaging Type
 Tray

 Pitch - Mating Interface
 1.27mm (.050")

 Plating min - Mating
 0.762µm (30µ")

 Plating min - Termination
 0.254µm (10µ")

Polarized to PCB
Temperature Range - Operating
Termination Interface: Style

Yes
-40°C to +105°C
Through Hole

Electrical

Current - Maximum per Contact 1A Voltage - Maximum 30V

Solder Process Data

Lead-free Process Capability SMC & Wave Capable (TH only)


Process Temperature max. C 260

Material Info

Country of Origin US

Reference - Drawing Numbers

Packaging Specification PK-71660



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed



China RoHS

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

71660 Series

Mates With

71661-7xxx , 71661-25xx

This document was generated on 11/22/2010
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION