

Lamps

Fluorescent Tube Type LED Lamps



Efficient, broad illumination

Soft surface light emission, fluorescent lamp type LED that is gentle to man due to the original structure that used middle power LED.

Optical color that includes signboard usage with high color temperature can be selected from the 4 types and a comfortable lighting environment is produced by energy conservation.

20W Model of Fluorescent Tube Type LED Lamps [\(Built-in power supply\)](#)

R-FAC20BN1 Daylight White


Milky White

Power Consumption	11W
Luminous Flux	890lm
Ra	70
Material	Polycarbonate
Input Voltage	AC100V-242V
Illuminance (Directly Under)	200lx
Cap/Base	G13
Weight	230g
Lifespan	40,000h

*Dimming not supported.



Property of light distribution



External Dimensions

(Unit: mm)

Seamless LED Lighting

- ▶ Lineup
- ▶ Installation Example

Wall Washers

- ▶ Lineup

Downlights

- ▶ Lineup
- ▶ Installation Example

Slim Lights

- ▶ Lineup

Fluorescent Tube Type LED Lamps

- ▶ Lineup

Lightbulb Type LED Lamps

- ▶ Lineup

Modules

- ▶ Lineup

Fluorescent Tube Type LED Lamps List



Product	Specifications				Emission Color	
	Power Supply	type	Waterproof	Cover Type	For Signboard Daylight White	Normal Daylight Incandescent
110W Model	Separate	Single Lamp	Waterproof	Milky White	R-FDC11BK1WP1	R-FDC11BD1WP1
					R-FDC11BN1WP1	R-FDC11BL1WP1
				Translucent	R-FDC11BK1TWP1	R-FDC11BD1TWP1
					R-FDC11BN1TWP1	R-FDC11BL1TWP1
40W Model	Built-in	Single Lamp		Milky White	R-FAC40BK1	R-FAC40BD1
					R-FAC40BN1	R-FAC40BL1
				Translucent	R-FAC40BK1T	R-FAC40BD1T
					R-FAC40BN1T	R-FAC40BL1T
				Waterproof	R-FAC40BK1W	R-FAC40BD1W
					R-FAC40BN1W	R-FAC40BL1W
				Translucent	R-FAC40BK1TW	R-FAC40BD1TW
					R-FAC40BN1TW	R-FAC40BL1TW
	Separate	Single Lamp		Milky White	R-FDC40BK1P1	R-FDC40BD1P1
					R-FDC40BN1P1	R-FDC40BL1P1
				Translucent	R-FDC40BK1TP1	R-FDC40BD1TP1
					R-FDC40BN1TP1	R-FDC40BL1TP1
				Waterproof	R-FDC40BK1WP1	R-FDC40BD1WP1
					R-FDC40BN1WP1	R-FDC40BL1WP1
				Translucent	R-FDC40BK1TWP1	R-FDC40BD1TWP1
					R-FDC40BN1TWP1	R-FDC40BL1TWP1
Dual Lamp		Dual Lamp	Milky White	R-FDC40BK1P2	R-FDC40BD1P2	
				R-FDC40BN1P2	R-FDC40BL1P2	
			Translucent	R-FDC40BK1TP2	R-FDC40BD1TP2	
				R-FDC40BN1TP2	R-FDC40BL1TP2	
			Waterproof	R-FDC40BK1WP2	R-FDC40BD1WP2	
				R-FDC40BN1WP2	R-FDC40BL1WP2	
			Translucent	R-FDC40BK1TWP2	R-FDC40BD1TWP2	
				R-FDC40BN1TWP2	R-FDC40BL1TWP2	
32W Model	Built-in		Milky White	R-FAC32BK1	R-FAC32BD1	
				R-FAC32BN1	R-FAC32BL1	
			Translucent	R-FAC32BK1T	R-FAC32BD1T	
				R-FAC32BN1T	R-FAC32BL1T	
		Waterproof	Milky White	R-FAC32BK1W	R-FAC32BD1W	

30W Model	Built-in		Translucent	R-FAC32BN1W	R-FAC32BL1W		
				R-FAC32BK1TW	R-FAC32BD1TW		
			Milky White	R-FAC30BK1	R-FAC30BD1		
				R-FAC30BN1	R-FAC30BL1		
			Translucent	R-FAC30BK1T	R-FAC30BD1T		
				R-FAC30BN1T	R-FAC30BL1T		
		Waterproof	Milky White	R-FAC30BK1W	R-FAC30BD1W		
				R-FAC30BN1W	R-FAC30BL1W		
		Translucent		R-FAC30BK1TW	R-FAC30BD1TW		
				R-FAC30BN1TW	R-FAC30BL1TW		
		20W Model	Built-in		Milky White	R-FAC20BK1	R-FAC20BD1
						R-FAC20BN1	R-FAC20BL1
Translucent	R-FAC20BK1T				R-FAC20BD1T		
	R-FAC20BN1T				R-FAC20BL1T		
Waterproof	Milky White				R-FAC20BK1W	R-FAC20BD1W	
					R-FAC20BN1W	R-FAC20BL1W	
Translucent				R-FAC20BK1TW	R-FAC20BD1TW		
				R-FAC20BN1TW	R-FAC20BL1TW		
Separate	Single Lamp				Milky White	R-FDC20BK1P1	R-FDC20BD1P1
						R-FDC20BN1P1	R-FDC20BL1P1
				Translucent	R-FDC20BK1TP1	R-FDC20BD1TP1	
					R-FDC20BN1TP1	R-FDC20BL1TP1	
			Waterproof	Milky White	R-FDC20BK1WP1	R-FDC20BD1WP1	
					R-FDC20BN1WP1	R-FDC20BL1WP1	
Translucent			R-FDC20BK1TWP1	R-FDC20BD1TWP1			
			R-FDC20BN1TWP1	R-FDC20BL1TWP1			
Dual Lamp				Milky White	R-FDC20BK1P2	R-FDC20BD1P2	
					R-FDC20BN1P2	R-FDC20BL1P2	
		Translucent	R-FDC20BK1TP2	R-FDC20BD1TP2			
			R-FDC20BN1TP2	R-FDC20BL1TP2			
		Waterproof	Milky White	R-FDC20BK1WP2	R-FDC20BD1WP2		
				R-FDC20BN1WP2	R-FDC20BL1WP2		
Translucent		R-FDC20BK1TWP2	R-FDC20BD1TWP2				
		R-FDC20BN1TWP2	R-FDC20BL1TWP2				

To top of page ▲