My Account

Customer Support

Home > Products > By Type > Relays > Product Feature Selector > Product Details

KRPA - 14AN - 24 Product Details



KRPA-14AN -24

(7 - 1393104 - 4)TE Internal Number: 7

1393104 - 4 Active

Industrial Relays (General Purpose)

Not EU RoHS or ELV Compliant

Product Highlights:

- [?] KRPA Series
- Contact Arrangement = 3 Form C, 3PDT, 3 C/O
- Contact Current Rating = 10 Amps.
- Monostable Coil Magnetic System
- ? Input Voltage = 24 VAC

View all Features | Find Similar <u>Products</u>

Quick Links

Check Pricing & Availability Search for Tooling Product Feature Selector Contact Us About This Product Request Samples NEW!

Documentation & Additional Information

Product Drawings:

? None Available

Catalog Pages/Data Sheets:

² KRPA, KRP, KA, KR 5 to 10 Amp General Purpose Relay

Product Specifications:

None Available

Application Specifications:

? None Available

Instruction Sheets:

? None Available

CAD Files:

? None Available

Additional Information:

Product Line Information

Additional Product Images:

- ? Schematic
- Wiring Diagram

Related Products:

? Tooling

List all Documents

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

? Termination Type = 11 Pin Octal - Style Plug

Electrical Characteristics:

- ? Contact Current Rating (Amps.)
- ? Input Voltage (VAC) = 24
- ? Coil Resistance (?) = 85
- ? Actuating System = AC
- ? Coil Power, Nominal (VA) = 2.00

Body Related Features:

- ? Series = KRPA
- ? Polarized = No

Contact Related Features:

- ? Mounting Options = Socket
- ? <u>Enclosure</u> = Enclosed
- ? FCC Part 68 Isolation = No
- ? Relay Type = General
- ? Contact Material = Silver Cadmium Oxide
- Approx. Dimensions (L x W x H) (mm [in]) = 48.80 x 37.30 x 34.90 [1.922 x 1.469 x 1.375]
- ? Indicator Lamp = With
- ? Pin Configuration = Industry Standard
- ? Wiring Diagram = K -14
- Approved Standards = UL Recognized, CSA Certified

Configuration Related Features:

- Contact Arrangement = 3 Form C, 3PDT, 3 C/O
 Coil Magnetic System = Monostable
- ? Coil Suppression Diode = Without
- ? Coil Selection Criteria = Nominal Voltage
- ? Coil Latching = Without
- ? LED Indicator = Without

Industry Standards:

- ? RoHS/ELV Compliance = Not ELV/RoHS
- ? <u>Lead Free Solder Processes</u> = Not relevant for lead free process

? Brand = Potter & Brumfield