







































# Modular units

Push-button actuators, IP 65		Illuminated Push-button actuators, IP 65		Mushroom actuators, IP 65		
						
Button plate	Actuator flush, spring return	Button plate	Double actuator with indicator lens	Button plate	Mushroom	Mushroom actuator, spring return
	A22-RD-11		A22-QDDL-11/10			A22-RP-GN11
	A22-RD-10					A22-RP-RT10
Without	A22-RD-X					
Emergency stop actuators, IP 65		Illuminated Push-button actuators, IP 65				
						
Funktion	Mushroom actuator, spring return	Button plate	Actuator flush, spring return	Actuator flush, stay put	Actuator extended, spring return	
Pull to Release	A22-RPV		A22-RLT-WS11		A22-RLTH-WS11	
			A22-RLT-WS	A22-RLTR-WS	A22-RLTH-WS	
			A22-RLT-GN	A22-RLTR-RN	A22-RLTH-GN	
			A22-RLT-RT	A22-RLTR-RT	A22-RLTH-RT	
			A22-RLT-GE	A22-RLTR-GE	A22-RLTH-GE	
Indicator light lens assemblies, IP 65		Selector switch actuators, IP 65		Key-operated actuators, IP 65		
						
Lens	Flush	Conical	Function	Thumb-grip, 2 positions	KMS1 lock mechanism, 2 positions	
	A22-RLF-WS	A22-RL-WS		A22-RWK1V		
	A22-RLF-GN	A22-RL-GN		A22-RWK1R	A22-RS	
	A22-RLF-RT	A22-RL-RT		A22-RWK1		
	A22-RLF-GE	A22-RL-GE		<b>3 positions</b>	<b>3 positions</b>	
	A22-RLF-BL			A22-RWK3R	A22-RS3	
				A22-RWK3	A22-RS3-KMS1-A4	
				Stay-put		
				Spring-Return		
Mushroom actuator IP 65		Adapters		BA9s Filament bulbs		
						
Funktion	KMS1 key release Mushroom actuator	Flushing mounting	Surface/rear mounting	BA9s Filament bulbs	Type	
	A22-RPSR	A22-BE6	A22-BE3C	2W / 24 V	A22-GL24	
				2.4 W / 130 V	A22-GL130	

# Modular units

Contact elements,  
IP 20



Function	Flushing mounting	Surface/rear mounting
	A22-EK10	A22-EK10C
	A22-EK01	A22-EK01C
	A22-EC11	
	A22-EC20	
	A22-EC02	

Lamp Sockets,  
IP 20



Lamp voltage	Flushing mounting	Surface/rear mounting
Max. 2 W	A22-EF	A22-EFC
Max. 2.4 W	A22-EFR	A22-EFRC

# Complete units

Push-button actuators,  
IP 65



Button plate	Function	Flush
		A22-RD-11/K 10
		A22-RD-11/K 11
		A22-RD-10/K 01
		A22-RD-10/K 11

Double actuators with indicatorlight 220-240 V,  
IP 65



Button plate	Function	Flush
		A22-QDDL-11/10/K 11 F

Mushroom actuators,  
IP 65



Button plate	Function	Flush
		A22-RP-GN11/K 10

Key-release mushroom actuator with two keys,  
KMS1 lock mechanism, IP 65



Button plate	Function	Flush
		A22-RPSR/K 01

Illuminated push-button actuators, Flush with  
BA 9s filament bulb 230 V, IP 65



Color	Function	Flush
		A22-RLT-WS/K 10/FR
		A22-RLT-GN/K 10/FR
		A22-RLT-RT/K 01/FR


Indicator lights conical with  
BA 9s filament bulb 230 V, IP 65



Color	Function	Flush
		A22-RL-WS/FR
		A22-RL-GN/FR
		A22-RL-RT/FR
		A22-RL-GE/FR

# Complete units

Indicator light, compact without lights, Flush, with BA 9s lamp socket, IP 67, IP 69 K



Color		
○	⊙	A22-LC-W
●		A22-LC-G
●		A22-LC-R
●		A22-LC-Y


Complete Units for surface mounting, IP 65



Button plate	Function	Push button actuators, Flush
⊙		A22-RD-11/KC/I
⊙		A22-RD-10/KC/I

# Accessories

Accessories



Actuator diaphragms for IP 67, Round style A22-MT-D

Telescopic clip A22-TC-RMO

Set of coding adapters for Selector switch actuators consist of two coding adapters A22-SP-RMQ

Function			
Stay-put		-	●
Spring-Return		-	●

# Accessories

BA 9s single chip LED For 18-30 V DC / AC voltage

(protected against polarix reversal)


Color/Symbol	Type
○	A22-LED-W
●	A22-LED-G
●	A22-LED-R
●	A22-LED-Y

Push-button plates

●	A22-01T
○	A22-02T
●	A22-03T
●	A22-04T
●	A22-05T
●	A22-06T
⊙	A22-10T
⊙	A22-11T
⊙	A22-12T
⊙	A22-13T
⊙	A22-14T
⊙	A22-19T
⊙	A22-20T
+	A22-37T
-	A22-38T
↑	A22-32T

Complete Legend Plates,

Label mount, black, with aluminium colored insert plate




Text black	
→	A22-RAS-32
←	A22-RAS-33
0 I	A22-RAS-90
I 0 II	A22-RAS-93
0 I	A22-RAS-98
STOP	A22-RAS-110
START	A22-RAS-111
MAN./AUTO	A22-RAS-395
MAN. 0 AUTO	A22-RAS-397

Insert plates, aluminium colored, can be engraved



Color	
●	XA

Label mounts



Color	
●	RAS-X

Emergency Stop Labels




Text	
Blank	1 AK
Emergency-Stop	1 AK-999

Enclosure, IP 65



Color	Enclosure, IP 65
Yellow/Black	A22-IGE 1M

Enclosures IP 65, Gray / Black



	Enclosures
(1 location)	A22-I1M
(2 locations)	A22-I2M
(3 locations)	A22-I3M
(4 locations)	A22-I4M
(5 locations)	A22-I5M

E-Mail: info@moeller.net www.moeller.net

© 2003 by Moeller GmbH  
Subject to alteration  
AH1160-0032GB MDS/?? 10/03  
Printed in the Federal Republic of Germany (10/03)  
Article No.: 274160