

**Quick Reference**

Search by part #

---

**Products**

Browse Products

By Device

By Product Line

Attachment Methods

Interface Materials


















Accessories

**Useful Links**

- MAX Clip Safety Sheets
- MAX Clip Datasheet
- MAX Clip Sales Bro
- MAX Clip Installation
- MAX Clip Assembly
- MAX Clip Features
- MAX Clip Selection
- MAX Clip Part #
- MAX Clip Cross Ref

Products | The Max Clip System™ | Search Results

**Max Clip System™**  
Max Clips

<p><b>Part Number: MAX01G</b> Low force clip</p> <p>Force: 22 N (4.9 lbs) Width: 10 mm (0.39 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0200Max200 14.7 [0.58]</p>
<p><b>Part Number: MAX01-HG</b> High force clip</p> <p>Force: 80 N (18.0 lbs) Width: 10 mm (0.39 in) Thickness: 0.7 mm (0.03 in)</p>	 <p>T0200Max200 14.7 [0.58]</p>
<p><b>Part Number: MAX03G</b> Standard force clip</p> <p>Force: 35 N (7.9 lbs) Width: 12 mm (0.47 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0200Max200 14.7 [0.58]</p>
<p><b>Part Number: MAX02-HG</b> High force clip</p> <p>Force: 60 N (13.5 lbs) Width: 13 mm (0.51 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0200Max200 14.7 [0.58]</p>
<p><b>Part Number: MAX03G</b> Standard force clip</p> <p>Force: 45 N (10.1 lbs) Width: 15 mm (0.59 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0247Max247 T0247J 14.7 [0.58]</p>
<p><b>Part Number: MAX03-HG</b> High force clip</p> <p>Force: 80 N (18.0 lbs) Width: 18 mm (0.71 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0247Max247 T0247J 14.7 [0.58]</p>
<p><b>Part Number: MAX04G</b> Standard force clip</p> <p>Force: 60 N (13.5 lbs) Width: 20 mm (0.79 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0247Max247 T0247J 14.7 [0.58]</p>
<p><b>Part Number: MAX09G</b> Short standard force clip</p> <p>Force: 45 N (10.1 lbs) Width: 10 mm (0.39 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0220 10.1 [0.40]</p>
<p><b>Part Number: MAX10G</b> Long standard force clip</p> <p>Force: 40 N (9.0 lbs) Width: 12 mm (0.47 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0200Max200 19.7 [0.78]</p>
<p><b>Part Number: MAX12G</b> Low force clip</p> <p>Force: 25 N (5.6 lbs) Width: 6 mm (0.24 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T092 Series 19.7 [0.78]</p>
<p><b>Part Number: MAX13G</b> Extra long standard force clip</p> <p>Force: 40 N (9.0 lbs) Width: 12 mm (0.47 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0200Max200 24.7 [0.97]</p>
<p><b>Part Number: MAX23G</b> High force clip for use with thick insulator</p> <p>Force: 100 N (22.5 lbs) Width: 18 mm (0.71 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0247Max247 T0247J 4.0 [0.16] INSULATOR 15.4 [0.61]</p>
<p><b>Part Number: MAX20G</b> Standard force clip for use with thick insulator</p> <p>Force: 47 N (10.6 lbs) Width: 12 mm (0.47 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>T0200Max200 4.0 [0.16] INSULATOR 20.0 [0.79]</p>
<p><b>Part Number: MAX13G</b> Standard force clip with locating features</p> <p>Force: 45 N (10.1 lbs) Width: 17 mm (0.67 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0247 10.5 [0.41]</p>
<p><b>Part Number: MAX14G</b> Low force clip with locating features</p> <p>Force: 20 N (4.5 lbs) Width: 13 mm (0.51 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0220 14.5 [0.57]</p>
<p><b>Part Number: MAX15G</b> Standard force clip with locating features</p> <p>Force: 60 N (13.5 lbs) Width: 18 mm (0.71 in) Thickness: 0.6 mm (0.02 in)</p>	 <p>D61 13.3 [0.52]</p>
<p><b>Part Number: MAX16G</b> Standard force clip with locating features</p> <p>Force: 45 N (10.1 lbs) Width: 17 mm (0.67 in) Thickness: 0.5 mm (0.02 in)</p>	 <p>T0247 10.5 [0.41]</p>