




Bridget reflectors for Bridgelux BXRA-C/N/W 0400 series of LEDs



- Specially designed for Bridgelux BXRA-C/N/W0400 series of LEDs.
- Special care taken to make a uniform white or warm white illumination. Lenses work well with other colors, too.
- Very compact dimensions
- Lens material optical grade metallized PC. Allows use of high current and temperature conditions

LENS TYPES

NAME	ORDERING CODE	FWHM Angle
Bridget Spot	C10918 Bridget-S	±16.5°
Bridget Medium	C10919 Bridget-M	±23.5°
Bridget Wide	C10920 Bridget-W	±32.5°




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland


www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2009-07-29

Relative Intensity of C10918_Bridget-S-34



Relative Intensity of C10919_Bridget-M




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
 Tehdaskatu 13
 FIN-24100 SALO, Finland

www.ledil.com
 email: ledil@ledil.com
 FAX: +358-2-733 8001

2009-07-29

Relative Intensity of C10920_Bridget-W-58



EULUMDAT & IES FILES AVAILABLE BY REQUEST


© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
 Tehdaskatu 13
 FIN-24100 SALO, Finland

www.ledil.com
 email: ledil@ledil.com
 FAX: +358-2-733 8001

2009-07-29

DRAWINGS



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
 Tehdaskatu 13
 FIN-24100 SALO, Finland

www.ledil.com
 email: ledil@ledil.com
 FAX: +358-2-733 8001

2009-07-29