


KRPA - 14AN - 120 Product Details



KRPA - 14AN - 120
 (7 - 1393104 -3)
 TE Internal Number: 7 - 1393104 -3
[Active](#)
[Add to Part List](#)

Industrial Relays (General Purpose)

[Converted to EU RoHS but not ELV Compliant](#) (Statement of Compliance)

Product Highlights:

- ? KRPA Series
- ? Contact Arrangement = 3 Form C, 3PDT, 3 C/O
- ? Contact Current Rating = 10 Amps.
- ? Monostable Coil Magnetic System
- ? Input Voltage = 120 VAC

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)
- [Request Samples](#)

NEW!

Documentation & Additional Information

Product Drawings:

- ? None Available

Catalog Pages/Data Sheets:

- ? [KRPA, KRP, KA, KR 5 to 10 Amp General Purpose Relay](#) (PDF, English)

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Additional Product Images:

- ? [Schematic](#)
- ? [Wiring Diagram](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? [Termination Type](#) = 11 Pin Octal -Style Plug

Electrical Characteristics:

- ? [Contact Current Rating \(Amps.\)](#) = 10
- ? [Input Voltage \(VAC\)](#) = 120
- ? [Coil Resistance \(?\)](#) = 2250
- ? [Actuating System](#) = AC
- ? [Coil Power, Nominal \(VA\)](#) = 2.00

Body Related Features:

- ? [Series](#) = KRPA
- ? Polarized = No

Contact Related Features:

- ? [Mounting Options](#) = Socket
- ? [Enclosure](#) = Enclosed
- ? FCC Part 68 Isolation = No
- ? Relay Type = General
- ? [Contact Material](#) = Silver Cadmium Oxide
- ? Approx. Dimensions (L x W x H) (mm [in]) = 48.80 x 37.30 x 34.90 [1.922 x 1.469 x 1.375]
- ? Indicator Lamp = With
- ? Pin Configuration = Industry Standard
- ? Wiring Diagram = K -14
- ? Approved Standards = UL Recognized, CSA Certified

Configuration Related Features:

- ? [Contact Arrangement](#) = 3 Form C, 3PDT, 3 C/O
- ? [Coil Magnetic System](#) = Monostable
- ? [Coil Suppression Diode](#) = Without
- ? [Coil Selection Criteria](#) = Nominal Voltage
- ? Coil Latching = Without
- ? [LED Indicator](#) = Without

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS/Not ELV Compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Converted to comply with RoHS not ELV directives

Other:

- ? Brand = Potter & Brumfield