

Micro Commercial Components 20736 Marilla Street Chatsworth CA 91311

Phone: (818) 701-4933 Fax: (818) 701-4939

CMPSH-3/3A/3C/3S

Features

- Low Current Leakage
- For Surface Mount Applications
- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL Rating 1

350mW 30Volt Switching Diode


Maximum Ratings

Operating Temperature: -55°C to +150°C
Storage Temperature: -55°C to +150°C

Electrical Characteristics @ 25°C Unless Otherwise Specified


Reverse Voltage	V_R	30V	
Average Rectified	I _O	100mA	
Current	_		
Power Dissipation	P _{TOT}	350mW	
Maximum			
Instantaneous	V_{F}	0.33V	$I_{FM} = 2mA;$
Forward Voltage		0.45V	$I_{FM} = 15mA;$
		1.0V	$I_{FM} = 100 \text{mA};$
Maximum DC			V _R =25Volts
Reverse Current At	I_R	500nA	T _J = 25°C
Rated DC Blocking		100μΑ	T₁ = 100°C
Voltage			
Typical Junction	CJ	4pF	Measured at
Capacitance			1.0MHz, V _R =0V
Reverse Recovery	T_{rr}	4nS	$I_F = I_R = 10 \text{mA}$
Time			I_{RR} =1.0mA
			$R_L=100\Omega$


^{*}Pulse test: Pulse width 300 μ sec, Duty cycle 2%





CMPSH-3/3A/3C/3S











CMPSH-3 Marking: D95

CMPSH-3A Marking: DB1

CMPSH-3C Marking: DB2

CMPSH-3S Marking: DA5



Ordering Information

Device	Packing	
(Part Number)-TP	Tape&Reel3Kpcs/Reel	

IMPORTANT NOTICE

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes.
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp. and all the companies whose products are represented on our website, harmless against all damages.

APPLICATIONS DISCLAIMER

Products offer by *Micro Commercial Components Corp* . are not intended for use in Medical,

Aerospace or Military Applications.