


MEMORY SPECTRUM



www.infineon.com/memory
www.infineon.com/memory/flash



Never stop thinking.

Introduction

APRIL 2004. This edition of Memory Spectrum has been developed to enable you to easily view the entire range of Infineon's memory products. For more related product information and the latest datasheets, please visit our websites: www.infineon.com/memory and www.infineon.com/memory/flash.

Technology and Trends

As a leading memory products supplier, Infineon continues to expand its portfolio with the recent introduction of:

- DDR400 Components and DIMMs (PC3200)
- 2 GB DDR2 Unbuffered DIMM
- 4 GB DDR2 Registered DIMM
- 16 Mb and 32 Mb CellularRAM
- 512 Mb Mobile-RAM
- "Green**", DRAM Components and Modules
- 512 Mb and 1 Gb TwinNAND Components
- SD Cards/MultiMediaCards

** Lead & Halogen-Free

DRAM Components

Double Data Rate (DDR/DDR2) and Single Data Rate (SDR). Synchronous Dynamic Random Access Memory.

	16 Mb	32 Mb	128 Mb	256 Mb	512 Mb	1 Gb
DDR DRAMs			+	+	+	
DDR2 DRAMs				+	+	+
SDR DRAMs			+	+	+	
Reduced Latency (RLDRAM™)				+		
Graphics RAM			+	+		
Mobile-RAM			+	+	+	
CellularRAM™	+	+				

DRAM Modules

Double Data Rate (DDR/DDR2), Dual Inline Memory Modules (DIMMs).

	64 MB	128 MB	256 MB	512 MB	1 GB	2 GB	4 GB
Unbuffered DDR		+	+	+	+		
Registered DDR		+	+	+	+		
Registered DDR Reduced Height		+	+	+	+	+	
SO-DIMM DDR		+	+	+	+		
Unbuffered DDR2			+	+	+	+	
Registered DDR2			+	+	+	+	+
SO-DIMM DDR2			+	+	+	+	

Single Data Rate (SDR), Dual Inline Memory Modules (DIMMs).

	64 MB	128 MB	256 MB	512 MB	1 GB	2 GB	4 GB
Unbuffered SDR		+	+	+			
Registered SDR		+	+	+	+		
SO-DIMM SDR		+	+	+			

Flash Components

Thin Small Outline Package (TSOP).

	64 Mb	128 Mb	256 Mb	512 Mb	1 Gb	2 Gb	4 Gb
TwinFlash™				+	+		

Flash Cards

MultiMediaCards and SD Cards.

	64 MB	128 MB	256 MB	512 MB	1 GB	2 GB	4 GB
MultiMediaCards	+	+	+				
SD Cards	+	+	+				

RLDRAM™ and CellularRAM™ are registered trademarks of Infineon Technologies AG. TwinFlash™ is a trademark of Infineon Technologies AG, based on Saifun NROM technology.

Content

DRAM Components	4 – 8
DDR Components	5 – 6
DDR2 Components	7
SDR Components	8
DRAM Modules	9 – 20
DDR Modules	10 – 14
DDR2 Modules	15 – 17
SDR Modules	18 – 20
Specialty DRAMs	21 – 24
Flash	25 – 26



DRAM Components


Nomenclature DRAM Components

HYB 25 D 128 80 o C T -6 (Example)

DRAM Modules

Specialty DRAMs

Flash



- Speed/Performance
 - 3 = DDR2-667 4-4-4 (DDR2)
 - 3.7 = DDR2-533 4-4-4 (DDR2)
 - 5 = DDR2-400 3-3-3/DDR400B 3-3-3 (DDR2/DDR)
 - 6 = DDR333 2.5-3-3/PC166 3-3-3 (DDR/SDR)
 - 7 = DDR266A 2-3-3/PC133 2-2-2 (DDR/SDR)
 - 7F = DDR266 2-2-2 (DDR)
 - 7.5 = DDR266B 2.5-3-3/PC133 3-3-3 (DDR/SDR)
 - 8 = DDR200 2-2-2/PC100 2-2-2 (DDR/SDR)
- Power
 - none = Standard Power
 - L = Low-Power Product
- Package
 - C = FBGA Contains Lead
 - T = TSOP 400 mil Contains Lead
 - E = TSOP 400 mil Lead and Halogen-Free (ROHS*-compliant)
 - F = FBGA Lead and Halogen-Free (ROHS*-compliant)
 - G = TSOP stack Lead and Halogen-Free (ROHS*-compliant)
- Product Revision
- Product Variation
 - o = Standard Product
- Organization
 - 40 = x 4
 - 80 = x 8
 - 16 = x 16
- Memory Density
 - 128 = 128 Mb
 - 256 = 256 Mb
 - 512 = 512 Mb
 - 1G = 1024 Mb
- Memory Type
 - S = SDR Single Data Rate SDRAM
 - D = DDR Double Data Rate SDRAM
 - T = DDR2 Double Data Rate 2 SDRAM
- Supply Voltage
 - 39 = 3.3 V
 - 25 = 2.5 V
 - 18 = 1.8 V
- Prefix
 - HYB = Memory Components

*ROHS = Restriction Of Hazardous Substances



DDR Components

Generation	Organization	Package	Speed	Latency	Sales Description	Speed No.	Ordering Code	Prod.	Green
128 Mb	32 M x 4	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D128400AT-	7	Q67100 Q4309	Now	
			DDR333	2.5-3-3	HYB25D128400CE-	6	Q67100 Q1455	2Q04	XX
	16 M x 8	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D128800AT-	7	Q67100 Q4311	Now	
			DDR333	2.5-3-3	HYB25D128800CE-	6	Q67100 Q1459	2Q04	XX
	8 M x 16	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D128160AT-	7	Q67100 Q4313	Now	
			DDR333	2.5-3-3		6	Q67100 Q5044		
DDR333			2.5-3-3	HYB25D128160CE-	6	Q67100 Q1458	2Q04	XX	

256 Mb	64 M x 4	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D256400BT-	7	Q67100 Q4587	Now	
			DDR266	2-2-2		7F	Q67100 Q4880		
			DDR266A	2-3-3	HYB25D256400CE-	7	Q67100 Q5049	Now	XX
	32 M x 8	TSOP-66 (400 mil)	DDR333	2.5-3-3	HYB25D256800BT-	6	Q67100 Q4589	Now	
			DDR400	3-3-3		5	Q67100 Q4275		
			DDR333	2.5-3-3	HYB25D256800CE-	6	Q67100 Q5051	Now	XX
			DDR333	2.5-3-3	HYB25D256800CEL-	6	Q67100 Q1753	Now	XX
			DDR400	3-3-3	HYB25D256800CE-	5	Q67100 Q5180	Now	XX
	16 M x 16	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D256160BT-	7	Q67100 Q4593	Now	
			DDR333	2.5-3-3		6	Q67100 Q4592		
			DDR400	3-3-3		5	Q67100 Q4277		
			DDR333	2.5-3-3	HYB25D256160CE-	6	Q67100 Q5045	Now	XX
DDR400	3-3-3	5	Q67100 Q5182	Now	XX				


256 Mb FBGA	64 M x 4	FBGA 60 (8 x 12 mm)	DDR266A	2-3-3	HYB25D256400BC-	7	Q67100 Q4615	Now	
			DDR333	2.5-3-3		6	Q67100 Q4614		
			DDR400	3-3-3		5	Q67100 Q1071		
			DDR333	2.5-3-3	HYB25D256400CC-	6	Q67100 Q4764	2Q04	
			DDR400	3-3-3		5	Q67100 Q1418		
	32 M x 8	FBGA 60 (8 x 12 mm)	DDR266A	2-3-3	HYB25D256800BC-	7	Q67100 Q4596	Now	
			DDR333	2.5-3-3		6	Q67100 Q4595		
			DDR333	2.5-3-3	HYB25D256800CF-	6	Q67100 Q4443	2Q04	XX
			DDR333	2.5-3-3	HYB25D256800CC-	6	Q67100 Q4767	2Q04	
			DDR400	3-3-3		5	Q67100 Q1419		
	16 M x 16	FBGA 60 (8 x 12 mm)	DDR266A	2-3-3	HYB25D256160BC-	7	Q67100 Q4599	Now	
			DDR333	2.5-3-3		6	Q67100 Q4598		
DDR333			2.5-3-3	HYB25D256160CC-	6	Q67100 Q4770	2Q04		

XX = Lead and Halogen-Free

DDR Components

Generation	Organization	Package	Speed	Latency	Sales Description	Speed No.	Ordering Code	Prod.	Green				
512 Mb	128 M x 4	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D512400AT-	7	Q67100 Q4413	Now					
					HYB25D512400BE-	7	Q67100 Q5202	Now	XX				
	256 M x 4	TSOP stack (400 mil)	DDR266A	2-3-3	HYB25D1G400BG-	7	On request	Now	XX				
	64 M x 8	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D512800AT-	7	Q67100 Q4412	Now					
										DDR333	2.5-3-3	6	Q67100 Q4415
										DDR333	2.5-3-3	6	Q67100 Q5205
										DDR400	3-3-3	5	Q67100 Q5204
	32 M x 16	TSOP-66 (400 mil)	DDR266A	2-3-3	HYB25D512160AT-	7	Q67100 Q4411	Now					
										DDR333	2.5-3-3	6	Q67100 Q4416
										DDR333	2.5-3-3	6	Q67100 Q5209
										DDR400	3-3-3	5	Q67100 Q5208
512 Mb FBGA	128 M x 4	FBGA 60 (10 x 12 mm)	DDR333	2.5-3-3	HYB25D512400BC-	6	Q67100 Q1661	Now					
			DDR400	3-3-3		5	Q67100 Q1693						
	64 M x 8	FBGA 60 (10 x 12 mm)	DDR333	2.5-3-3	HYB25D512800BC-	6	Q67100 Q1663	Now					
			DDR333	2.5-3-3	HYB25D512800BF-	6	Q67100 Q5215	Now	XX				
			DDR400	3-3-3	HYB25D512800BC-	5	Q67100 Q1451	Now					
			DDR400	3-3-3	HYB25D512800BF-	5	Q67100 Q1452	Now	XX				
	32 M x 16	FBGA 60 (10 x 12 mm)	DDR333	2.5-3-3	HYB25D512160BC-	6	Q67100 Q1453	Now					
			DDR400	3-3-3		5	Q67100 Q1454						

XX = Lead and Halogen-Free



DDR2 Components


Generation	Organization	Package	Speed	Latency	Sales Description	Speed No.	Ordering Code	Production	Green
256 Mb	64 M x 4	PTFBGA-60	DDR2 400	3-3-3	HYB18T256400AC-	5	Q67100 Q1314	3Q04	
			DDR2 533	4-4-4		3.7	Q67100 Q1311		
	32 M x 8	PTFBGA-60	DDR2 400	3-3-3	HYB18T256800AC-	5	Q67100 Q1322		
			DDR2 533	4-4-4		3.7	Q67100 Q1320		
	16 M x 16	PTFBGA-84	DDR2 400	3-3-3	HYB18T256160AC-	5	Q67100 Q1301		
			DDR2 533	4-4-4		3.7	Q67100 Q1293		
512 Mb	128 M x 4	PTFBGA-60	DDR2 400	3-3-3	HYB18T512400AC-	5	Q67100 Q1350	2Q04	
			DDR2 533	4-4-4		3.7	Q67100 Q1349		
	64 M x 8	PTFBGA-60	DDR2 400	3-3-3	HYB18T512800AC-	5	Q67100 Q1354		
			DDR2 533	4-4-4		3.7	Q67100 Q1352		
	32 M x 16	PTFBGA-84	DDR2 400	3-3-3	HYB18T512160AC-	5	Q67100 Q1347		
			DDR2 533	4-4-4		3.7	Q67100 Q1346		
1 Gb	256 M x 4	PTFBGA-68	DDR2 400	3-3-3	HYB18T1G400AC-	5	Q67100 Q1619	3Q04	
			DDR2 533	4-4-4		3.7	Q67100 Q1618		
	128 M x 8	PTFBGA-68	DDR2 400	3-3-3	HYB18T1G800AC-	5	Q67100 Q1622		
			DDR2 533	4-4-4		3.7	Q67100 Q1621		
	64 M x 16	PTFBGA-92	DDR2 400	3-3-3	HYB18T1G160AC-	5	Q67100 Q1625		
			DDR2 533	4-4-4		3.7	Q67100 Q1624		

DRAM Components

DRAM Modules

Specialty DRAMs

Flash





SDR Components


Generation	Organization	Package	Speed	Latency	Sales Description	Speed No.	Ordering Code	Production	Green
128 Mb	32 M x 4	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S128400CT-	7	Q67100 Q4101	Now	
	16 M x 8	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S128800CT-	7	Q67100 Q4107		
	8 M x 16	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S128160CT-	7	Q67100 Q4113		
256 Mb	64 M x 4	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S256400DT-	7	Q67100 Q4330	Now	
	32 M x 8	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S256800DT-	7	Q67100 Q4332		
	16 M x 16	TSOP-54 (400 mil)	PC133	2-2-2	HYB39S256160DT-	7	Q67100 Q4334		
256 Mb FBGA	64 M x 4	FBGA-54 (8 x 12 mm)	PC133	2-2-2	HYB39S256400DC-	7	Q67100 Q4772	Now	
	32 M x 8	FBGA-54 (8 x 12 mm)	PC133	2-2-2	HYB39S256800DC-	7	Q67100 Q4774		
	16 M x 16	FBGA-54 (8 x 12 mm)	PC133	2-2-2	HYB39S256160DC-	7	Q67100 Q4808		
512 Mb	128 M x 4	TSOP-54 (400 mil)	PC133	3-3-3	HYB39S512400AT-	7.5	Q67100 Q4404	Now	
	64 M x 8	TSOP-54 (400 mil)	PC133	3-3-3	HYB39S512800AT-	7.5	Q67100 Q4403		
	32 M x 16	TSOP-54 (400 mil)	PC133	3-3-3	HYB39S512160AT-	7.5	Q67100 Q4402		

DRAM Modules

Nomenclature DDR/DDR2 Modules

Unbuffered DIMM, Registered DIMM (184-pin) and SO-DIMM (200-pin)

HYS 64 D 32 2 2 0 G D L - 6 - A (Example)



Component Die Revision Indicator

8	=	PC1600 2-2-2	DDR200
7.5	=	PC2100 2.5-3-3	DDR266B
7	=	PC2100 2-3-3	DDR266A
7F	=	PC2100 2-2-2	DDR266
6	=	PC2700 2.5-3-3	DDR333
5	=	PC3200 3-3-3 / PC2-3200 3-3-3	DDR400 / DDR2-400
3-7	=	PC2-4300 4-4-4	DDR2-533
3	=	PC2-5300 4-4-4	DDR2-667

L = Low Power
 none = Standard Power

U = Unbuffered DIMM TSOP-based for DDR / FBGA-based for DDR2
 R = Registered DIMM TSOP-based for DDR / FBGA-based for DDR2
 D = SO-DIMM TSOP-based for DDR / FBGA-based for DDR2
 BD = SO-DIMM FBGA-based
 BR = Registered DIMM FBGA-based

G = Contains Lead
 H = Lead-Free (ROHS*-compliant)
 E = Lead and Halogen-Free available on request (ROHS*-compliant)

Product Variations

0 = One Memory Module Rank
 2 = Two Memory Module Ranks

Data Sheet Defined

16 = 16 Mb
 32 = 32 Mb
 64 = 64 Mb
 128 = 128 Mb
 256 = 256 Mb

D = 2.5 V (DDR Modules)
 T = 1.8 V (DDR2 Modules)

64 = x 64 (Non-ECC)
 72 = x 72 (ECC)

HYS = Standard Prefix for SDRAM-based Memory Modules

*ROHS = Restriction Of Hazardous Substances

DDR Modules

Unbuffered DDR DIMM – 184-pin


Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green	
128 MB	16 M x 64	256 M	16 M x 16	TSOP	1	1.25"	PC2700	HYS64D16301GU-	6-B	Q67100	Q4940	Now	
							PC3200		5-B	Q67100	Q5136		
							PC2700		6-C	Q67100	Q1448		
							PC3200		5-C	Q67100	Q1754		
							PC2700	HYS64D16301HU-	6-C	Q67100	Q4995	Now	X
							PC3200		5-C	Q67100	Q5188		
128 MB ECC	16 M x 72	128 M	16 M x 8	TSOP	1	1.25"	PC2100	HYS72D16000GU-	7-A	Q67100	Q4367	Now	
256 MB	32 M x 64	256 M	32 M x 8	TSOP	1	1.25"	PC2100	HYS64D32000GU-	7-B	Q67100	Q4517	Now	
							PC2700		6-B	Q67100	Q4944		
							PC3200	HYS64D32300GU-	5-B	Q67100	Q5081	Now	
							PC2700		6-C	Q67100	Q5184		
							PC3200		5-C	Q67100	Q1755		
							PC2700		HYS64D32300HU-	6-C	Q67100		
PC3200	5-C	Q67100	Q5189										
256 MB ECC	32 M x 72	256 M	32 M x 8	TSOP	1	1.25"	PC2100	HYS72D32000GU-	7-B	Q67100	Q4519	Now	
							PC2100-222		7F-B	Q67100	Q5029		
							PC2700	HYS72D32300GU-	6-B	Q67100	Q4946	Now	
							PC3200		5-B	Q67100	Q4957		
							PC2700		6-C	Q67100	Q1768		
							PC3200		5-C	Q67100	Q1756		
PC2700	HYS72D32300HU-	6-C	Q67100	Q4998	Now	X							
PC3200		5-C	Q67100	Q5191									
512 MB	64 M x 64	256 M	32 M x 8	TSOP	2	1.25"	PC2100	HYS64D64020GU-	7-B	Q67100	Q4521	Now	
							PC2700		6-B	Q67100	Q4948		
							PC3200	HYS64D64320GU-	5-B	Q67100	Q5084	Now	
							PC2700		6-C	Q67100	Q1449		
							PC3200		5-C	Q67100	Q1761		
							PC2700		HYS64D64320HU-	6-C	Q67100		
PC3200	5-C	Q67100	Q5190										
512 MB ECC	64 M x 72	256 M	32 M x 8	TSOP	2	1.25"	PC2100	HYS72D64020GU-	7-B	Q67100	Q4525	Now	
							PC2100-222		7F-B	Q67100	Q5030		
							PC2700	HYS72D64320GU-	6-B	Q67100	Q4950	Now	
							PC3200		5-B	Q67100	Q4958		
							PC2700		6-C	Q67100	Q1757		
							PC3200		5-C	Q67100	Q1762		
PC2700	HYS72D64320HU-	6-C	Q67100	Q4997	Now	X							
PC3200		5-C	Q67100	Q5192									

X = Lead-Free

Unbuffered DDR DIMM – 184-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
1 GB	128 M x 64	512 M	64 M x 8	TSOP	2	1.25"	PC2100	HYS64D128020GU-	7-A	Q67100 Q4656	Now	X
							PC2700	HYS64D128320GU-	6-A	Q67100 Q4823	Now	
							PC2700		6-B	Q67100 Q1779		
							PC3200	HYS64D128320HU-	5-B	Q67100 Q1780	Now	
							PC2700		6-B	Q67100 Q1426		
							PC3200	5-B	Q67100 Q1427			
1 GB ECC	128 M x 72	512 M	64 M x 8	TSOP	2	1.25"	PC2100	HYS72D128020GU-	7-A	Q67100 Q4658	Now	X
							PC2700	HYS72D128320GU-	6-A	Q67100 Q4935	Now	
							PC2700		6-B	Q67100 Q1781		
							PC3200	HYS72D128320HU-	5-B	Q67100 Q1782	Now	
							PC2700		6-B	Q67100 Q1065		
							PC3200	5-B	Q67100 Q1064			

X = Lead-Free



Registered DDR DIMM (Reduced Height) – 184-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green		
128 MB	16 M x 72	128 M	16 M x 8	TSOP	1	1.2"	PC2100	HYS72D16500GR-	7-A	Q67100 Q4446	Now			
256 MB	32 M x 72	128M	32 M x 4	TSOP	1	1.2"	PC2100	HYS72D32501GR-	7-A	Q67100 Q4377				
								HYS72D32501HR-	7-C	Q67100 Q1471			3Q04	X
				256 M	32 M x 8	TSOP	1	1.2"	PC2100	HYS72D32500GR-	7-B	Q67100 Q4457	Now	
											7-B	Q67100 Q4533		
		256 M	32 M x 8	FBGA	1	1.125"	PC2700	HYS72D32300GBR-	6-B	Q67100 Q4671				
							PC3200		5-B	Q67100 Q1461				
							PC2700		6-C	Q67100 Q1413	2Q04			
							PC3200		5-C	Q67100 Q1673	3Q04			
512 MB	64 M x 72	256 M	64 M x 4	TSOP	1	1.2"	PC2100	HYS72D64500GR-	7-B	Q67100 Q4463	Now			
							PC2100-222		7F-B	Q67100 Q5007				
				FBGA	1	1.125"	PC2100	HYS72D64300GBR-	7-B	Q67100 Q4673				
							PC2700		6-B	Q67100 Q4686				
			32 M x 8	FBGA	2	1.125"	PC3200	HYS72D64320GBR-	5-B	Q67100 Q1462	2Q04			
							PC2700		6-C	Q67100 Q1415				
								PC3200		5-C	Q67100 Q1685	3Q04		
			512 M	128 M x 72	128 M x 4	TSOP stack	2	1.2"	PC2100	HYS72D128521GR-	7-B	Q67100 Q4752	Now	
		PC2100-222							7F-B		Q67100 Q5008			
		64 M x 4			FBGA	2	1.2"	PC2100	HYS72D128320GBR-	7-B	Q67100 Q4674	2Q04		
								PC2700		6-B	Q67100 Q4668			
		128 M x 4			FBGA	1	1.125"	PC2700	HYS72D128300GBR-	6-C	Q67100 Q1412	Now		
								PC3200		5-B	Q67100 Q1687			
		64 M x 8	FBGA	2	1.125"	PC2100	HYS72D128321GBR-	7-B	Q67100 Q1422	Now				
PC2700	6-B					Q67100 Q1043								
PC3200	5-B	Q67100 Q1686												
2 GB	256 M x 72	512 M	256 M x 4	TSOP stack	2	1.2"	PC2100	HYS72D256520GR-	7-A	Q67100 Q4661	Now			
			128 M x 4	FBGA	2	1.2"	PC2100	HYS72D256320GBR-	7-B	Q67100 Q1031	Now			
					PC2700	6-B	Q67100 Q1030							
					PC3200	5-B	Q67100 Q1689							

X = Lead-Free

DRAM Components

DRAM Modules


Specialty DRAMs


Flash

Registered DDR DIMM – 184-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
128 MB	16 M x 72	128 M	16 M x 8	TSOP	1	1.7"	PC1600	HYS72D16000GR-	8-A	Q67100	Q4372	EOL
							PC2100		7-A	Q67100	Q4373	
256 MB	32 M x 72	128 M	32 M x 4	TSOP	1	1.7"	PC1600	HYS72D32001GR-	8-A	Q67100	Q4375	EOL
		256 M	32 M x 8	TSOP	1	1.7"	PC2100		7-A	Q67100	Q4378	
	PC1600						HYS72D32000GR-	8-B	Q67100	Q4508		
	PC2100	7-B	Q67100	Q4509								
512 MB	64 M x 72	256 M	64 M x 4	TSOP	1	1.7"	PC1600	HYS72D64000GR-	8-B	Q67100	Q4510	EOL
							PC2100		7-B	Q67100	Q4511	
1 GB	128 M x 72	256 M	128 M x 4	TSOP stack	2	1.7"	PC1600	HYS72D128021GR-	8-B	Q67100	Q4743	EOL
							PC2100		7-B	Q67100	Q4694	

EOL = End of Life





SO-DIMM DDR – 200-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green	
128 MB	16 M x 64	256 M	16 M x 16	TSOP	1	1,25"	PC2100	HYS64D16001GDL-	7-B	Q67100	Q5179	Now	X
							PC2700		6-B	Q67100	Q5187		
							PC2100	HYS64D16000GDL-	7-B	Q67100	Q4531		
							PC2700		6-B	Q67100	Q4670		
							PC2700		6-C	Q67100	Q1763	2Q04	
							PC2700		6-C	Q67100	Q5078	2Q04	

256 MB	32 M x 64	256 M	16 M x 16	TSOP	2	1,25"	PC2100	HYS64D32020GDL-	7-B	Q67100	Q4454	Now	X
							PC2700		6-B	Q67100	Q4667		
							PC3200		5-B	Q67100	Q5227		
							PC2700	6-C	Q67100	Q1767	2Q04		
							PC3200	5-C	Q67100	Q1769			
							PC2700	HYS64D32020HDL-	6-C	Q67100	Q4831	2Q04	
PC3200	5-C	Q67100	Q1699										

512 MB	64 M x 64	256M	32 M x 8	FBGA	2	1,25"	PC2100	HYS64D64020GBDL-	7-B	Q67100	Q4680	Now	X
							PC2700		6-B	Q67100	Q4681		
							PC3200		5-B	Q67100	Q1193		
							PC2700		6-C	Q67100	Q1450	2Q04	
							PC3200		5-C	Q67100	Q1702		
	PC2700	HYS64D64020HBDL-	6-C	Q67100	Q4835	3Q04							
	PC2100		HYS64D64020GDL-	7-A	Q67100	Q4663	Now						
	PC2700			6-A	Q67100	Q4744							
	PC2700			6-B	Q67100	Q1774							
	PC3200			5-B	Q67100	Q1783							
PC2700	HYS64D64020HDL-	6-B	Q67100	Q1423	Now								
PC3200		5-B	Q67100	Q1698									


1 GB	128 M x 64	512 M	64 M x 8	FBGA	2	1,25"	PC2700	HYS64D128021GBDL-	6-B	Q67100	Q1416	Now	X
							PC3200		5-B	Q67100	Q1694		
							PC2700	HYS64D128021HBDL-	6-B	Q67100	Q1028	Now	
							PC3200		5-B	Q67100	Q1695		

X = Lead-Free

DDR2 Modules

Nomenclature DDR/DDR2 Modules

Unbuffered DIMM, Registered DIMM (240-pin) and SO-DIMM (200-pin)



*ROHS = Restriction Of Hazardous Substances

Unbuffered DDR2 DIMM – 240-pin


Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
256 MB	32Mx64	512M	32Mx16	PTFBGA84	1	30 mm	PC2-3200 3-3-3	HYS64T32000GU	5-A	Q67100	Q1386	2Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1387	
256 MB ECC	32 M x 72	256 M	32 M x 8	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T32000GU	5-A	Q67100	Q1371	3Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1370	
512 MB	64 M x 64	512 M	64 M x 8	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS64T64000GU	5-A	Q67100	Q1389	2Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1390	
512 MB ECC	64 M x 72	512 M	64 M x 8	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T64000GU	5-A	Q67100	Q1392	2Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1393	
1 GB	128 M x 64	512 M	64 M x 8	PTFBGA60	2	30 mm	PC2-3200 3-3-3	HYS64T128020GU	5-A	Q67100	Q1395	2Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1396	
1 GB ECC	128 M x 72	512 M	64 M x 8	PTFBGA60	2	30 mm	PC2-3200 3-3-3	HYS72T128020GU	5-A	Q67100	Q1398	2Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1399	
2 GB	256 M x 64	1 G	128 M x 8	PTFBGA68	2	30 mm	PC2-3200 3-3-3	HYS64T256020GU	5-A	Q67100	Q1739	3Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1740	
2 GB ECC	256 M x 72	1 G	128 M x 8	PTFBGA68	2	30 mm	PC2-3200 3-3-3	HYS72T256020GU	5-A	Q67100	Q1741	3Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1742	

Registered DDR2 DIMM – 240-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
256 MB	32 M x 72	256 M	32 M x 8	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T32000GR	5-A	Q67100	Q1326	3Q04
							PC2-4300 4-4-4		3-7-A	Q67100	Q1330	
512 MB	64 M x 72	256 M	64 M x 4	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T64001GR	5-A	Q67100	Q1715	3Q04
			PC2-4300 4-4-4	3-7-A	Q67100	Q1716						
		32 M x 8	PTFBGA60	2	30 mm	PC2-3200 3-3-3	HYS72T64020GR	5-A	Q67100	Q1367		
		PC2-4300 4-4-4	3-7-A	Q67100	Q1366							
512 M	64 M x 8	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T64000GR	5-A	Q67100	Q1378	2Q04		
PC2-4300 4-4-4	3-7-A	Q67100	Q1379									
1 GB	128 M x 72	512 M	128 M x 4	PTFBGA60	1	30 mm	PC2-3200 3-3-3	HYS72T128000GR	5-A	Q67100	Q1380	2Q04
			PC2-4300 4-4-4	3-7-A	Q67100	Q1381						
		64 M x 8	PTFBGA60	2	30 mm	PC2-3200 3-3-3	HYS72T128020GR	5-A	Q67100	Q1382		
PC2-4300 4-4-4	3-7-A	Q67100	Q1383									
2 GB	256 M x 72	512 M	128 M x 4	PTFBGA60	2	30 mm	PC2-3200 3-3-3	HYS72T256220GR	5-A	Q67100	Q1891	3Q04
			PC2-4300 4-4-4	HYS72T256020GR	3-7-A	Q67100	Q1918					
		1 G	256 M x 4	PTFBGA68	1	30 mm	PC2-3200 3-3-3	HYS72T256000GR	5-A	Q67100	Q1735	
			PC2-4300 4-4-4	3-7-A	Q67100	Q1736						
4 GB	512 M x 72	1 G	512 M x 4	SDFBGA	2	30 mm	PC2-3200 3-3-3	HYS72T512022GR	5-A	Q67100	Q1737	1Q05
							PC2-4300 4-4-4		3-7-A	Q67100	Q1738	

SO-DIMM DDR2 – 200-pin


Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
256 MB	32 M x 64	512 M	32 M x 16	PTFBGA84	1	30 mm	PC2-3200 3-3-3	HYS64T3200GDL-	5-A	Q67100	Q1401	3Q04
							PC2-4300 4-4-4		3.7-A	Q67100	Q1402	
512 MB	64 M x 64	512 M	32 M x 16	PTFBGA84	2	30 mm	PC2-3200 3-3-3	HYS64T64020GDL-	5-A	Q67100	Q1404	3Q04
							PC2-4300 4-4-4		3.7-A	Q67100	Q1405	
1 GB	128 M x 64	512 M	128 M x 8	SDFBGA	2	30 mm	PC2-3200 3-3-3	HYS64T128022GDL-	5-A	Q67100	Q1692	3Q04
			1 G	64 M x 16			PTFBGA92		PC2-4300 4-4-4	3.7-A	Q67100	
	30 mm	PC2-3200 3-3-3			HYS64T128020GDL-	5-A		Q67100	Q1743			
		PC2-4300 4-4-4	3.7-A	Q67100		Q1744						
2 GB	256 M x 64	1 G	256 M x 8	SDFBGA	2	30 mm	PC2-3200 3-3-3	HYS64T256022GDL-	5-A	Q67100	Q1745	4Q04
							PC2-4300 4-4-4		3.7-A	Q67100	Q1746	



SDR Modules

Nomenclature SDR Modules

Unbuffered DIMM, Registered DIMM (168-pin) and SO-DIMM (144-pin)



Component Die Revision Indicator

- 6 = 166 MHz (PC166 3-3-3)
- 7 = 133 MHz (PC133 2-2-2)
- 7.5 = 133 MHz (PC133 3-3-3)
- 8 = 100 MHz (PC100 2-2-2)

- L = Low-Power Product
- none = Standard-Power Product

- GU = Unbuffered 168-pin DIMM
- GR = Registered 168-pin DIMM
- GBR = Registered 168-pin DIMM (FBGA-based)
- GD = 144-pin Small Outline DIMM (SO-DIMM)
- GBD = 144-pin SO-DIMM (FBGA-based)

Product Variations

- 0 = One Memory Module Rank
- 2 = Two Memory Module Ranks

Data Sheet Defined

- 8 = 8 Mb
- 16 = 16 Mb
- 32 = 32 Mb
- 64 = 64 Mb
- 128 = 128 Mb
- 256 = 256 Mb

- V = 3.3 V (SDR Modules)


- 64 = x 64 (Non-ECC)
- 72 = x 72 (ECC)

- HYS = Standard Prefix for SDRAM-based Memory Modules

Unbuffered SDR DIMM – 168-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green	
128 MB	16 M x 64	128 M	16 M x 8	TSOP	1	1.25"	PC133 3-3-3	HYS64V16300GU-	7.5-C2	Q67100	Q4079	EOL	
							PC133 2-2-2		7-C2	Q67100	Q4080		
	256 M	16 M x 16	TSOP	1	1.15"	PC133 3-3-3	HYS64V16302GU-	7.5-D	Q67100	Q4466			
						PC133 2-2-2		7-D	Q67100	Q4442			
128 MB ECC	16 M x 72	128 M	16 M x 8	TSOP	1	1.25"	PC133 3-3-3	HYS72V16300GU-	7.5-C2	Q67100	Q4085	EOL	
							PC133 2-2-2		7-C2	Q67100	Q4086		
256 MB	32 M x 64	128 M	16 M x 8	TSOP	2	1.25"	PC133 3-3-3	HYS64V32220GU-	7.5-C2	Q67100	Q4082	EOL	
							PC133 2-2-2		7-C2	Q67100	Q4083		
	256 M	32 M x 8	TSOP	1	1.25"	PC133 3-3-3	HYS64V32300GU-	7.5-D	Q67100	Q4359			
						PC133 2-2-2		7-D	Q67100	Q4361			
256 MB ECC	32 M x 72	128 M	16 M x 8	TSOP	2	1.25"	PC133 3-3-3	HYS72V32220GU-	7.5-C2	Q67100	Q4088	EOL	
							PC133 2-2-2		7-C2	Q67100	Q4089		
	256 M	32 M x 8	TSOP	1	1.25"	PC133 3-3-3	HYS72V32300GU-	7.5-D	Q67100	Q4362			
						PC133 2-2-2		7-D	Q67100	Q4360			
512 MB	64 M x 64	256 M	32 M x 8	TSOP	2	1.25"	PC133 3-3-3	HYS64V64220GU-	7.5-D	Q67100	Q4390	EOL	
							PC133 2-2-2		7-D	Q67100	Q4389		
512 MB ECC	64 M x 72	256 M	32 M x 8	TSOP	2	1.25"	PC133 3-3-3	HYS72V64220GU-	7.5-D	Q67100	Q4387	EOL	
							PC133 2-2-2		7-D	Q67100	Q4388		

EOL = End of Life



Registered SDR DIMM – 168-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
128 MB	16 M x 72	128 M	16 M x 8	TSOP	1	1.5"	PC133 3-3-3	HYS72V16301GR-	7.5-C2	Q67100	Q4091	EOL
							PC133 2-2-2		7-C2	Q67100	Q4092	
256 MB	32 M x 72	128 M	32 M x 4	TSOP	1	1.5"	PC133 3-3-3	HYS72V32301GR-	7.5-C2	Q67100	Q4094	EOL
		256 M	32 M x 8	TSOP	1	1.5"	PC133 3-3-3	HYS72V32300GR-	7.5-D	Q67100	Q4479	
							PC133 2-2-2		7-D	Q67100	Q4440	
512 MB	64 M x 72	256 M	64 M x 4	TSOP	1	1.5"	PC133 3-3-3	HYS72V64300GR-	7.5-D	Q67100	Q4474	EOL
							PC133 2-2-2		7-D	Q67100	Q4441	
1 GB	128 M x 72	256 M	128 M x 4	TSOP stack	2	1.5"	PC133 3-3-3	HYS72V128321GR-	7.5-D	Q67100	Q4725	EOL
							PC133 2-2-2		7-D	Q67100	Q4726	
							PC133 3-3-3	HYS72V128320GR-	7.5-D	Q67100	Q4475	
							PC133 2-2-2		7-D	Q67100	Q4439	

EOL = End of Life


SO-DIMM SDR – 144-pin

Module Density	Organization	Generation	Compo. Organization	Compo. Package	# of Ranks on Module	Module Height	Module Speed	Sales Description	Speed No.	Ordering Code	Prod.	Green
128 MB	16 M x 64	128 M	8 M x 16	TSOP	2	1.00"	PC133 3-3-3	HYS64V16220GDL-	7.5-C2	Q67100	Q4342	EOL
		256 M	16 M x 16	TSOP	1	1.00"	PC133 3-3-3	HYS64V16200GDL-	7.5-D	Q67100	Q4478	
	PC133 2-2-2						7-D		Q67100	Q4363		
256 MB	32 M x 64	256 M	16 M x 16	TSOP	2	1.00"	PC133 3-3-3	HYS64V32220GDL-	7.5-D	Q67100	Q4472	EOL
							PC133 2-2-2		7-D	Q67100	Q4444	
512 MB	64 M x 64	256 M	32 M x 8	FBGA	2	1.15"	PC133 3-3-3	HYS64V64220GBDL-	7.5-D	Q67100	Q4499	EOL
							PC133 2-2-2		7-D	Q67100	Q4501	

EOL = End of Life

Specialty DRAMs


Nomenclature Reduced Latency DRAM (RLDRAM™)



Reduced Latency DRAM (RLDRAM™)

Density	Organization	Power Supply	Speed	Sales Description	Speed No.	Ordering Code	Package	Prod.	Green
256 Mb	8 M x 32	2.5 V / 1.8 V VDDQ	250 MHz	HYB18RL25632AC-	4	Q67100 Q4355	T-FBGA-144	Now	
			200 MHz		5	Q67100 Q4357			
	16 M x 16		250 MHz	HYB18RL25616AC-	4	Q67100 Q4356			
			200 MHz		5	Q67100 Q4358			

Nomenclature Graphics RAM and Mobile-RAM





Graphics RAM

Density	Organization	Power Supply	Speed	Sales Description	Speed No.	Ordering Code	Package	Prod.	Green
128 Mb	4 M x 32	2.5 V	333 MHz	HYB25D128323C-	3.0	Q67100 Q4866	FBGA-144	EOL	
			300 MHz		3.3	Q67100 Q4121			
			275 MHz		3.6	Q67100 Q4348			
			275 MHz	3.6	Q67100 Q4930				
			222 MHz	4.5	Q67100 Q4123				
				4.5	Q67100 Q4786				
256 Mb	16 M x 16	2.5 V	166 MHz	HYB25D256160BT-	6.0	Q67100 Q4592	TSOP-66	Now	
			200 MHz		5.0	Q67100 Q4277			
			200 MHz	HYB25D256161CE-	5.0	Q67100 Q1408		Now	XX
			250 MHz		4.0	Q67100 Q1409			
	8 M x 32	1.8 V	500 MHz	HYB18T256321F-	20	Q67100 Q4868	FBGA-144	3Q04	X
			450 MHz		22	Q67100 Q4869			
			400 MHz		25	Q67100 Q4870			


XX = Lead and Halogen-Free X = Lead-Free EOL = End of Life

Mobile-RAM

Density	Organization	Power Supply Core	Power Supply I/O	Speed	Latency	Sales Description	Speed No.	Ordering Code	Package	Prod.	Green
128 Mb	8 M x 16	2.5 V	2.5 V / 1.8 V	133 MHz	3-3-3	HYB25L128160AC-	7.5	Q67100 Q4542	FBGA-54	Now	
						HYE25L128160AC-	7.5 ETR	Q67100 Q4544	FBGA-54		
		3.3 V	3.3 V			HYB39L128160AT-	7.5	Q67100 Q4624	TSOP-54		
		1.8 V	1.8 V			HYB39L128160AC-	7.5	Q67100 Q4546	FBGA-54	2Q04	XX
						HYB18L128160BF-	7.5	Q67100 Q1581	FBGA-54		
						HYB18L128160BC-	7.5	Q67100 Q1588	FBGA-54	2Q04	○
256 Mb	16 M x 16	2.5 V	2.5 V / 1.8 V	133 MHz	3-3-3	HYB25L256160AC-	7.5	Q67100 Q5145	FBGA-54	Now	
						HYE25L256160AC-	7.5 ETR	Q67100 Q5148	FBGA-54		
		3.3 V	3.3 V			HYB39L256160AC-	7.5	Q67100 Q5144	FBGA-54		
		1.8 V	1.8 V			HYB39L256160AT-	7.5	Q67100 Q4627	TSOP-54	2Q04	XX
						HYB18L256160BF-	7.5	Q67100 Q1295	FBGA-54		
						HYB18L256160BC-	7.5	Q67100 Q1577	FBGA-54	2Q04	○
512 Mb	Dual 16 M x 16	3.3 V or 2.5 V	3.3 V or 2.5 V / 1.8 V	133 MHz	3-3-3	HYB25L512160AC-	7.5	Q67100 Q4921	FBGA-54	Now	
						HYE25L512160AC-	7.5 ETR	Q67100 Q4923	FBGA-54		

○ = Halogen-Free XX = Lead and Halogen-Free ETR = Extended Temperature

Nomenclature CellularRAM™




CellularRAM™

Density	Organization	Interface	Speed	Sales Description	Speed No.	Ordering Code	Package	Prod.	Green
16 Mb Async	1 M x 16	SRAM	85 ns	HYE18P16161AC-	85	Q67100 Q5098	VFBGA-48	2Q04	X
			70 ns		70	Q67100 Q5099	VFBGA-48		
			70 ns	HYE18P16161AW-	70	Q67100 Q5101	Wafer/ KGD		
32 Mb Async	2 M x 16	SRAM	85 ns	HYE18P32161AC-	85	Q67100 Q5103	VFBGA-48	2Q04	X
			70 ns		70	Q67100 Q5104	VFBGA-48		
			70 ns	HYE18P32161AW-	70	Q67100 Q5106	Wafer/ KGD		
32 Mb Sync	2 M x 16	SRAM / Flash	80 MHz / 70 ns	HYE18P32160AC-	12.5	Q67100 Q1802	VFBGA-54	2Q04	X
			66 MHz / 85 ns		15	Q67100 Q5108	VFBGA-54		
			66 MHz / 85 ns	HYE18P32160AW-	15	Q67100 Q5110	Wafer/ KGD		

X = Lead-Free

Flash

Nomenclature TwinFlash™ Components




TwinFlash™ Components

Density	Organization	Page Size	Block Size	Core Voltage	I/O Voltage	Write Speed	Sales Description	Ordering Code	Package
512 Mb	64 M x 8	512 + 16 Bytes	16 K + 512 Bytes	3 V	3 V	Normal	HYF33DS51280oATC	On request	P-TSOPI-48
					3 V	Enhanced	HYF33DS51280oBTC		
					1.8 V	Enhanced	HYF31DS51280oBTC		
1 Gb	128 M x 8	512 + 16 Bytes	16 K + 512 Bytes	3 V	3 V	Normal	HYF33DS1G802ATC	On request	P-TSOPI-48
					3 V	Enhanced	HYF33DS1G802BTC		
					1.8 V	Enhanced	HYF31DS1G802BTC		



Nomenclature TwinFlash™ Cards



TwinFlash™ Cards


Card	Density	Operating Voltage	Sales Description	Ordering Code
Multi Media Cards	64 MB	2.7 V – 3.6 V	HYC3No64oNOooAA1AB	On request
	128 MB		HYC3N128oNOooAA1AB	
	256 MB		HYC3N256oNOooAA1AB	
SD Cards	64 MB	2.7 V – 3.6 V	HYC3No64oNOooAA1AA	On request
	128 MB		HYC3N128oNOooAA1AA	
	256 MB		HYC3N256oNOooAA1AA	

More detailed Information on Memory Products is available:

On our Internet websites:

www.infineon.com/memory and www.infineon.com/memory/flash

- Datasheets
- Simulation models
- Memory Spectrum (PDF version)
- Brochures (PDF version)



Edition 2004 April

Published by
Infineon Technologies AG,
St.-Martin-Straße 53,
D-81669 München

© Infineon Technologies AG 2004.
All Rights Reserved.

Please note

The information in this document is subject to change without notice. The information herein describes certain components and shall not be considered as a guarantee of characteristics.

Terms of delivery and rights to technical change reserved. We hereby disclaim any and all warranties, including but not limited to warranties of non-infringement regarding circuits, descriptions and charts stated herein.

Infineon Technologies is an approved CECC manufacturer.

Information

For further information on technology, delivery terms and conditions and prices, please contact your nearest Infineon Technologies office in Germany or our Infineon Technologies representatives worldwide.
(www.infineon.com).

Warnings

Due to technical requirements, components may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.

Infineon Technologies components may only be used in life-support devices or systems with the express written approval of Infineon Technologies if a failure of such components can reasonably be expected to cause the failure of that life-support device or system, or to affect the safety or effectiveness of that device or system. Life-support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.

INFINEON TECHNOLOGIES SALES OFFICES WORLDWIDE*

Australia (AUS)

Siemens Ltd.
885 Mountain Highway
Bayswater, Victoria 3153
☎ (+61) 3-97 21 21 11
Fax (+61) 3-97 21 72 75

Austria (A)

Infineon Technologies Villach AG
Sales Office
Austria AG
Operngasse 20b/31
1040 Wien
☎ (+43) 1-5 87-70 70 0
Fax (+43) 1-5 87-70 70 20

Belgium/ Netherlands (B NL L)

Infineon Technologies Holding B.V.
Sales Division
Westblaak 32
3012 KM Rotterdam
☎ (+31) 10-2 17 68 00
Fax (+31) 10-2 17 68 19

Brazil (BR)

Infineon Technologies
South America Ltda.
Av. Mutinga, 3800 - prédio 3
05110-901 São Paulo-SP
☎ (+55) 11-39 08-25 64
Fax (+55) 11-39 08-27 28

Canada (CDN)

Infineon Technologies Corporation
340 March Road, Suite 301
Kanada, Ontario K2K 2E2
☎ (+1) 613-5 91-38 35
Fax (+1) 613-5 91-89 54

China (CN)

Infineon Technologies
International Trade (Shanghai) Co., Ltd.
Beijing Representative Office
12th Floor, Quantum Plaza
No.27 Zhichun Road
Haidian District,
**Beijing 100083,
People's Republic of China**
☎ (+86) 10 82 35 61 18
Fax (+86) 10 82 35 54 74

Infineon Technologies
Hong Kong Ltd.
Hong Kong Office
302 Level 3 Festival Walk
80 Tat Chee Avenue
Kowloon Tong
Hong Kong
☎ (+852) 28 32 05 00
Fax (+852) 28 27 97 62

Infineon Technologies
International Trade (Shanghai) Co., Ltd.
No. 8, Lane 647, Songtao Road
Zhangjiang Hi-Tech Park
Pudong, Shanghai, China
☎ (+86) 21-38 95 37 08
Fax (+86) 21-50 80 62 04

Germany (D)

Infineon Technologies AG
Siemensstraße 31-33
71254 Ditzingen/Stuttgart
☎ (+49) 71 56-1 79 19-10
Fax (+49) 71 56-1 79 19-90

Germany (D)

Infineon Technologies AG
Völklinger Straße 4
40219 Düsseldorf
☎ (+49) 2 11-20 95 49 0
Fax (+49) 2 11-20 95 49 60

Infineon Technologies AG
Naegelsbachstraße 26
91052 Erlangen
☎ (+49) 91 31-97 00 1-0
Fax (+49) 91 31-97 00-99

Infineon Technologies AG
Paderborner Straße 1
30539 Hannover
☎ (+49) 5 11-87 65 62 0
Fax (+49) 5 11-87 65 62 90

Infineon Technologies AG
Rosenheimer Straße 116
81669 München
☎ (+49) 89-23 40
Fax (+49) 89-23 42 46 94

Infineon Technologies AG
Memory Products Sales
Gustav-Heinemann-Ring 212
81739 München
☎ (+49) 89-23 42 38 01
Fax (+49) 89-23 42 04 90
Infineon Technologies AG
Südwestpark 65
90449 Nürnberg
☎ (+49) 9 11-2 52 93 0
Fax (+49) 9 11-2 52 93 93

Denmark (DK)

Infineon Technologies Nordic A/S
Herlev Hovedgade 201A
DK 2730 Herlev
☎ (+45) 44 50 77 00
Fax (+45) 44 50 77 01

Finland (FIN)

Infineon Technologies Nordic OY
Visitor's Address Linnoutustie 4A
P.O. Box 276
FIN-02601 Espoo
☎ (+3 58) 10-680 84 00
Fax (+3 58) 10-680 84 01

France (F)

Infineon Technologies France SAS
39 - 47, Bd. Ornano
93527 Saint-Denis CEDEX 2
☎ (+33) 1-48 09 72 00
Fax (+33) 1-48 09 72 90

India (IND)

Infineon Technologies
India Pvt. Ltd.
10th Floor, Discoverer Building
International Technology Park
Whitefield Road
Bangalore 560 066, India
☎ (+91) 80 8 41 00-17/18
Fax (+91) 80 8 41 00 12

Ireland (IRL)

Infineon Technologies Ireland Ltd.
69 Fitzwilliam Lane
Dublin 2
☎ (+35) 31-79 99 500
Fax (+35) 31-79 99 501

Israel (IL)

Nisko Ltd.
2 A, Habarzel Street
Tel Aviv 69710
☎ (+9 72) 3-7 65 73 00
Fax (+9 72) 3-7 65 73 33

Italy (I)

Infineon Technologies Italia S.r.l.
Via Vipiteno, 4
20128 Milano
☎ (+39) 022 52 04-1
Fax (+39) 022 52 04-43 95

Japan (J)

Infineon Technologies Japan K.K.
Takanawa Park Tower 8F/9F/12F/17F
3-20-14, Higashi-Gotanda,
Shinagawa-ku,
Tokyo 141-0022
☎ (+81) 3 54 49 64 11
Fax (+81) 3 54 49 64 01

Korea (ROK)

Infineon Technologies Korea Co., Ltd.
Room No. 2 & 3, 9th floor
Daeilm Acrotel Building
467-6 Dokock-Dong, Kangnam-Gu
Seoul, Korea 135-971
☎ (+82) 23 46 00-900
Fax (+82) 23 46 00-901/902

Malaysia (MAL)

Infineon Technologies (M) SDN BHD
Krystal Point II
1-4-11/12, Lebuah Bukit Kecil 6
11900 Bayan Lepas
Penang, Malaysia
☎ (+60) 46 44 77 66
Fax (+60) 46 41 48 72

New Zealand (NZ)

Siemens Components
300 Great South Road
Greenland, Auckland
☎ (+64) 95 20 30 33
Fax (+64) 95 20 15 56

Poland (PL)

Siemens SP z.o.o.
ul. Zupnicza 11
03-821 Warszawa
☎ (+48) 22-8 70 91 50
Fax (+48) 22-8 70 91 59

Portugal (P)

Siemens S.A.
OG Componentes Electronicos
Rua Irmaos Siemens, 1
Alfragide
2720-093 Amadora
☎ (+3 51) 21-4 17 85 90
Fax (+3 51) 21-4 17 80 83

Russia (RUS)

INTECH electronics
ul. Smolnaja 24a/1203
125 445 Moscow
☎ (+70) 95-4 51 97 37
Fax (+70) 95-4 51 86 08

Singapore (SGP)

Infineon Technologies Asia
Pacific Pte. Ltd.
25 New Industrial Road
KHL Building
Singapore 536 211
☎ (+65) 68 40 07 32
Fax (+65) 68 40 00 77

South Africa (ZA)

Siemens Components
P.O. Box 3438
Halfway House 1685
Gauteng
☎ (+27) 11 6 52-20 00
Fax (+27) 11 6 52-25 73

Spain (E)

Siemens S.A.
División Componentes
Ronda de Europa, 5
28760 Tres Cantos-Madrid
☎ (+34) 91-5 14 71 54
Fax (+34) 91-5 14 70 13

Sweden (S)

Infineon Technologies Nordic AB
P.O. Box 46
164 93 Kista
☎ (+46) 8-7 03 59 00
Fax (+46) 8-7 03 59 01

Switzerland (CH)

Infineon Technologies
Switzerland AG
Badenerstraße 623
P.O. Box 1570
8048 Zürich
☎ (+41) 1-4 97 80 40
Fax (+41) 1-4 97 80 50

Taiwan (RC)

Infineon Technologies
Taiwan Ltd.
12F-1, No. 3-2 Yuan Qu Street
Nan Kang Software Park
Twain 115, R.O.C.
☎ (+8 86) 2-26 55 75 00
Fax (+8 86) 2-26 55 75 01-8

Turkey (TR)

Siemens Sanayi ve Ticaret A.S.
Yakacik Yolu No: 111
34861 Kartal, Istanbul
☎ (+90) 21 64 59 28 51
Fax (+90) 21 64 19 31 90

United Kingdom (GB)

Infineon Technologies UK Ltd.
Infineon House
Fleet Mill
Minley Road
Fleet, Hampshire GU51 2RD
☎ (+44) 12 52-77 22 00
Fax (+44) 12 52-77 22 01

U.S.A. (USA)

Infineon Technologies
North America Corp.
3700 West Parmer Lane, Suite 102
Austin, TX 78727
☎ (+1) 51 23 41-71 27
Fax (+1) 51 23 41-99 26

U.S.A. (USA)

Infineon Technologies
North America Corp.
8203 Willow Place South, Suite 660
Houston, TX 77070
☎ (+1) 28 17 74-05 55
Fax (+1) 28 17 74-05 61

Infineon Technologies
North America Corp.
2529 Commerce Drive
Kokomo, IN 46902
☎ (+1) 7 65-4 56 19 28
Fax (+1) 7 65-4 56 38 36

Infineon Technologies
North America Corp.
21800 Haggerty Road, Suite 112
Northville, MI 48167
☎ (+1) 2 48-3 74 08 90
Fax (+1) 2 48-3 74 25 01

Infineon Technologies
North America Corp.
3000 CentreGreen Way
Raleigh, NC 27513
☎ (+1) 91 96 77-27 00
Fax (+1) 91 96 78 19 34

Infineon Technologies
North America Corp.
6170 Cornerstone Ct East, Suite 240
San Diego, CA 92121
☎ (+1) 85 85 26-22 01
Fax (+1) 85 85 26-22 02

Infineon Technologies Corporation
1730 North First Street
San José, CA 95112
☎ (+1) 4 08-5 01 60 00
Fax (+1) 4 08-5 01 24 24

Infineon Technologies
North America Corp.
1901 N. Roselle Rd., Suite 1020
Schaumburg, IL 60195
☎ (+1) 84 78 84-70 09
Fax (+1) 84 78 84-75 99

* and representative offices

www.infineon.com

Ordering No. B166-H8399-X-X-7600
Printed in Germany
WS 04045.

Z&P 2003091