



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2011 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
J	-					
C	REVISED	ECR-11-016856	15AUG2011	K.M	E.T	

- 1 MATERIAL
CONTACT: COPPER ALLOY
HOUSING: THERMOPLASTIC
- 2 FINISH
CONTACT MATING AREA: 0.76µm MIN. GOLD PLATE
EON AREA: 0.5µm MIN. TIN PLATE
ALL OVER: 1.27µm MIN. NICKEL PLATE
- 3 TYPICAL HOLE DETAIL;
DRILLED HOLE=∅0.7±0.02
COPPER THICKNESS=0.035 TO 0.065
- 4 FINISH
CONTACT MATING AREA: 0.76µm MIN. GOLD PLATE
EON AREA: 0.5µm MIN. BRIGHT TIN-LEAD PLATE
ALL OVER: 1.27µm MIN. NICKEL PLATE
- 5 CONTACT AREA LUBRICATED WITH BELLCORE
APPROVED LUBRICANT. TECHNICAL REFERENCE:
GR-1217-CORE, ISSUE 2, DECEMBER 2008.

FINISH	A, D	B, C	2-1903977-1
	A, D	B, C	1903977-1
	POSITIONS LOADED WITH 9.3 REF CONTACTS	POSITIONS LOADED WITH 7.68 REF CONTACTS	P/N

DIMENSIONS: 単位: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 公差: ±		DWN: T. KATANO 21NOV06		CHK: K. IKEGAMI 21NOV06		APVD: K. IKEGAMI 21NOV06		NAME: SLIM UNIVERSAL POWER MODULE 4POS. RIGHT ANGLE HEADER ASSEMBLY	
0-PLC	±0.3	1-PLC	±0.1	PRODUCT SPEC	108-78387	SIZE	A3	CAGE CODE	-	DRAWING NO	1903977
2-PLC	±0.01	3-PLC	±0.001	APPLICATION SPEC	-	WEIGHT	-	RESTRICTED TO	-	SCALE	2:1
4-PLC	±0.0001	ANGLES	±	FINISH	SEE TABLE	CUSTOMER DRAWING		SHEET	1	OF	1
MATERIAL								REV			C