


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
NUMMER	825435		E	WERKSTOFF GEÄNDERT	10.07.97	-	A.ZITZ
VERWENDET FÜR	E 75-9233		E1	REVISED PER ECO-09-023313	09OCT09	-	AEG
WAR	-		E2	ECR-10-022530	07JAN11	KK	HMR

POLZ.	L±0.5	BESTELL-NR.
-	-	-
2	5.08	825 435 -2
3	7.62	-3 Δ_3
4	10.16	-4
5	12.70	-5 Δ_3
6	15.24	-6 Δ_3
7	17.78	-7
8	20.32	-8 Δ_3
9	22.86	-9 Δ_3
10	25.40	-0 Δ_3
11	27.94	1-
12	30.48	1-
13	33.02	1-
14	35.56	1- Δ_3
15	38.10	1-
16	40.64	1-
17	43.18	1-
18	45.72	1-
19	48.26	1-
20	50.80	2- Δ_3
21	53.34	2- Δ_2
22	55.88	2- Δ_3
23	58.42	2-
24	60.96	2-
25	63.50	2-
26	66.04	2-
27	68.58	2- Δ_3
28	71.12	2-
29	73.66	2- Δ_3
30	76.20	3- Δ_3
31	78.74	3-
32	81.28	3-
33	83.82	3-
34	86.36	3-
35	88.90	3-
36	91.44	3-
37	93.98	3- Δ_3
38	96.52	3-
39	99.06	3-
40	101.60	4-
41	104.14	4-
42	106.68	4-
43	109.22	4-
44	111.76	4-
45	114.30	4-
46	116.84	4-
47	119.38	4-
48	121.92	4-
49	124.46	4-
50	127.00	5- 825 435 -0



- Δ_1 STECKSEITE:IM BEREICH "F" 0.8µm GOLD ÜBER 1.27 µm NICKEL
LÖTSEITE: MIN. 2.5 µm ZINN ÜBER 1.27 µm NICKEL
- Δ_2 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- Δ_3 OBSOLETE

CAD-ORIGINAL
ZEICHNUNG NICHT ÄNDERN

KONTAKTSTIFT	Cu Sn	Δ_1
STIFTGEHÄUSE	PBT GV	GRÜN
BENENNUNG	WERKSTOFF	OBERFLÄCHE FARBE

ZEICHNUNG GÜLTIG AB KW 39/96

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED.

DIMENSIONS:		DWN	11.04.84	MATERIAL	FINISH
mm		A.HO		-	-
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK	11.04.84	TE Connectivity	
±0.2mm		M.SCHAARSCHMIDT			
0 PLC ± -		APVD	-		
1 PLC ± -		PRODUCT SPEC	-		
2 PLC ± -		APPLICATION SPEC	-	NAME	
3 PLC ± -				AMPMODU II STIFTLISTE	
4 PLC ± -				EINREIHIG	
ANGLES ± -				SIZE	CAGE CODE
		WEIGHT	-	A4	00779
		CUSTOMER DRAWING		DRAWING NO	C-825435
				RESTRICTED TO	-
				SCALE	4:1
				SHEET	1 OF 1
				REV	E2