



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			2	CAD-NEUERSTELLUNG	14.05.90	A.HO	-
			3	REVISED PER ECO-10-002850	09FEB10	KK	-
			4	ECR-10-025774	18JAN11	KK	HMR

POLZ.	L±0.5	BESTELL-NR.
1	3.3	826 539 -1
2	7.3	-2
3	11.3	-3
4	15.2	-4
5	19.2	-5
6	23.1	-6
7	27.1	-7
8	31.1	-8
9	35.1	-9
10	39.0	1-0
11	43.0	1-1
12	46.9	1-2
13	50.9	1-3
14	54.8	1-4
15	58.8	1-5
16	62.8	1-6
17	66.7	1-7
18	70.7	1-8
19	74.7	1-9
20	78.6	2-0
21	82.6	2-1
22	86.5	2-2
23	90.5	2-3
24	94.4	2-4
25	98.4	2-5
26	102.4	2-6
27	106.3	2-7
28	110.3	2-8
29	114.2	2-9
30	118.2	2-0
31	122.2	3-1
32	126.1	3-2
33	130.1	3-3
34	134.0	3-4
35	138.0	3-5
36	141.6	3-6 826 539 -6

ZEICHNUNG GÜLTIG AB 20/90.....



BOHRBILD



- 1 STECKSEITE: IM BEREICH "F" $0.8 \mu m$ GOLD ÜBER $1.27 \mu m$ NICKEL IM BEREICH "B"
- 2 LÖTSEITE: MIN. $2.5 \mu m$ ZINN ÜBER $1.27 \mu m$ NICKEL
- 3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 3 OBSOLETE

KONTAKTSTIFT	Cu Sn	1
STIFTGEHÄUSE	PBT-gv	GRÜN
BENENNUNG	WERKSTOFF	OBERFLÄCHE FARBE

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED. RELEASED FOR PUBLICATION.

DIMENSIONS: mm	DWN	23.11.84	MATERIAL	-	FINISH	-
	CHK	AUGUSTINIAK	24.01.85	TE Connectivity		
TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0.3mm$	APVD	SCHAARSCHMIDT	-			
0 PLC $\pm -$	PRODUCT SPEC	-	NAME	AMPMODU I STIFTL. RASTER 3.96 EINREIHIG		
1 PLC $\pm -$	APPLICATION SPEC	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
2 PLC $\pm -$	WEIGHT	-	A4	00779	C-826539	-
3 PLC $\pm -$	CUSTOMER DRAWING			SCALE	4:1	SHEET 1 OF 1
4 PLC $\pm -$				REV	4	
ANGLES $\pm -$						