



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
VERWENDET FÜR 84-9714		2		CAD-NEUERSTELLUNG	14.05.90	A.HO	-
		3		REVISED PER ECO-09-023313	10OCT09	AEG	-
		4		ECR-10-025774	20JAN11	KK	HMR

ZEICHNUNG GÜLTIG AB 20/90.

POLZ.	L±0.5	BESTELL-NR.
1	3.3	2-826-541-1
2	7.3	-2
3	11.3	2-3
4	15.2	2-4
5	19.2	-5
6	23.1	3-6
7	27.1	2-7
8	31.1	2-8
9	35.1	2-9
10	39.0	2-0
11	43.0	2-1
12	46.9	2-2
13	50.9	2-3
14	54.8	2-4
15	58.8	2-5
16	62.8	2-6
17	66.7	2-7
18	70.7	2-8
19	74.7	2-9
20	78.6	2-0
21	82.6	2-1
22	86.5	2-2
23	90.5	2-3
24	94.4	2-4
25	98.4	2-5
26	102.4	2-6
27	106.3	2-7
28	110.3	2-8
29	114.2	2-9
30	118.2	2-0
31	122.2	2-1
32	126.1	2-2
33	130.1	2-3
34	134.0	2-4
35	138.0	2-5
36	141.6	2-6



- 1 STECKSEITE: IM BEREICH "F" 0.8 μm GOLD ÜBER 1.27 μm NICKEL IM BEREICH "B"
- 2 LÖTSEITE: MIN. 2.5 μm ZINN ÜBER 1.27 μm NICKEL
- 3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- OBSOLETE

KONTAKTSTIFT	Cu Zn	1
STIFTGEHÄUSE	PBTP GV	GRÜN
BENENNUNG	WERKSTOFF	OBERFLÄCHE FARBE

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED. RELEASED FOR PUBLICATION.

DIMENSIONS: mm		DWN S.RIEGER 11.12.84	MATERIAL -	FINISH -
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3mm		CHK SCHAARSCHMIDT 11.12.84	TE Connectivity	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD -		
		PRODUCT SPEC -	NAME AMPMODU I STIFTL. RASTER 3.96 EINREIHIG	
WEIGHT -		APPLICATION SPEC -	SIZE A4	CAGE CODE 00779
CUSTOMER DRAWING		DRAWING NO. C-826541	RESTRICTED TO -	
		SCALE 4:1	SHEET 1 OF 1	REV 4